YMBOL	TAG	FIXTURE DESCRIPTION	MANUFACTURER	CATALOG	LAMPING	VOLTS	MOUNTING		T
		TINYONE BESSIII HON	MINITED ROTOTION	NUMBER	# TYPE	102.0		ON	OFF
0	B-1	ALUMINUM BOLLARD WITH FLUORESCENT LAMP	KIM	GEM/32PL-120/DB-P	1 F32TBX/835/A/4P/EOL GE #39379	120	BOLLARD	PHOTOCELL ON AT DUSK	PHOTOCELL OFF AT DAWN
0	CS-1	ENCLOSED AMBER GLASS CYLINER SURFACE MOUNTED FIXTURE	SPERO	VS15-41-1-VB50- PSMH-277-G1	1 MXR50/C/U/MED/0 GE #45671	277	SURFACE		TIMECLOCK OFF 11:00 PM
	FG-1	TREE GRATE LOW VOLTAGE ADJUSTABLE ACCENT WITH INTEGRAL TRANSFORMER	KIM	LTV764/MR/50LV120- - TR60/L12	1 Q35MR16/C/FL40 (FMW) GE #20825	120	IN-GRADE		TIMECLOCK OFF 11:00 PM
	FG-2	6" FLUSH TO GRADE LOW VOLTAGE CONCRETE POUR ACCENT WITH INTEGRAL XFMR AND AN AMBER COLORED LENS	KIM	LTV764/MR/50LV120 - TR60/L12-AM72	1 Q35MR16/C/SP20 (FRA) GE #20826	120	IN-GRADE		TIMECLOCK OFF 11:00 PM
-	FL-1	4' FLUORESCENT GROUND MOUNTED FIXTURE WITH BLUE GEL SLEEVE — COLOR #80, PRIMARY BLUE	KIM	4305/120/BL -(2) JBR2 w/ROSCO T-8 GEL SLEEVE #4808	1 F32T8/SP41 GE #15949	120	GROUND		PHOTOCELL OFF AT DAWN
	FL-2	COMPACT FLUORESCENT GROUND MOUNTED FIXTURE WITH COLORED LENS	KIM	CFL1/13PL120/BL— (1) JBR2 w/ROSCO color #18 Flame lens	1 F13DBX23T4/SPX30 GE #10574	120	GROUND		PHOTOCELL OFF AT DAWN
Q	GM-1	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	KIM	EL740BL/EP17	1 90PAR/HIR/FL40XL GE #40791	120	GROUND		TIMECLOCK OFF 11:00 PM
0	GM-2	GROUND MOUNTED EXT. SPIRE UPLIGHT WITH DIRECT MOUNTED BALLAST AND BLUE COLOR FILTER	KIM	6740D/70MH120/BL	1 70MH120/PAR38	120	GROUND		PHOTOCELL OFF AT DAWN
0	GM-3	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	KIM	EL730BL/EP17	1 50PAR30L/H/WFL GE #14941	120	GROUND		TIMECLOCK OFF 11:00 PM
0	GM-4	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	LUMIERE	353-BK-MB2-LVR	1 Q35MR16/C/SP20 (FRA) GE #20826	120	GROUND		TIMECLOCK OFF 11:00 PM 11:00 PM
$\bigoplus$	P-1	12' CUSTOM THEMATIC POLE WITH 100W METAL HALIDE AND CONVENIENCE RECEPTACLE	STERNER	CUSTOM	MXR100/C/U/MED/0 GE #12579	208	CUSTOM		TIMECLOCK OFF 11:00 PM
$\bigoplus$	P-1A	SAME AS 'P-1' EXCEPT WITH 120V BALLAST	STERNER	CUSTOM	MXR100/C/U/MED/0 GE #12579	120	CUSTOM		TIMECLOCK OFF 11:00 PM
9	P-2	CUSTOM TAPERED POLE WITH THREE WET LOCATION THEATRICAL SPOTLIGHTS SECURED TO POLE WITH C-CLAMPS AND SAFETY CABLE PROVIDE 18' CORD AND 8" FLESH PINK COLORED GLASS LENS.	ALTMAN	(3) OUTDOOR-PAR64- OD-P64-SN-510-SC	3 Q500PAR56NSP GE #43494	120	CUSTOM		TIMECLOCK OFF 11:00 PM 11:00 PM
-	ST-1	RECESSED COMPACT FLOURESCENT STEPLIGHT WITH HORIZONTAL LOUVER	BEGA	2286PBLACK-277V	F13BX/SPX27/827 GE #14650	277	RECESSED WALL		PHOTOCELL OFF AT DAWN
Q	TM-1	TREE MOUNTED ACCENT LIGHT	LUMIERE	203-TM05	Q50MR16/C/NSP15 GE #20839	12	SURFACE		TIMECLOCK OFF 11:00 PM
	FG-3	TREE GRATE LOW VOLTAGE ADJUSTABLE ACCENT WITH INTEGRAL TRANSFORMER	KIM	LTV75/PAR150HAL- 120/GM50/AM50	1 150W QUARTZ	120	IN-GRADE		TIMECLOCK OFF 11:00 PM
-	FL-3	4' FLUORESCENT GROUND MOUNTED FIXTURE	PRUDENTIAL	P-5161-48RS-HDE- PTSW	1 F32T8/SP41	120	IN-GRADE		TIMECLOCK OFF 11:00 PM
-	ST-2	RECESSED STEP LIGHT WITH GLASS DIFFUSER	BEGA	2287B-BLACK-277V	1 F13BX/SPX27/827 GE #14650	277	RECESSED		TIMECLOCK OFF 11:00 PM

			LIGHTIN	IG TRANSFORMER SCI	HEDULE (FOR REFEREN	CE ONLY - S	EE SHEET NOTES)	
T#	MANUFACTURER	CATALOG	Size (VA)	LOCATION	FUNCTION	VOLTAGE		
		NUMBER				PRIMARY	SECONDARY	
T1	KLV530	KIM	500	bird bath	TM-1 tree mounted sculpture accents	120	12	
T2	KLV530	KIM	500	coyote fountain	TM-1 tree mounted sculpture accents	120	12	
T3	KLV530	KIM	500	N.E. center entry tree planter area	TM-1 tree mounted sculpture accents	120	12	
T4	KLV525	KIM	250	N.W. center entry tree planter area	TM-1 tree mounted sculpture accents	120	12	
T5	KLV530	KIM	500	trees near visitor center	TM-1 tree mounted sculpture accents	120	12	

## SHEET NOTES

- 1. ALL FIXTURES AND LOW VOLTAGE LIGHTING TRANSFORMERS HAVE BEEN SPECIFIED BY LIGHTING DESIGN CONSULTANT "CREATIVE DESIGNS LIGHTING" (CDL). THESE SCHEDULES PROVIDED FOR REFERENCE ONLY. CONTRACTOR TO VERIFY SPECIFIC DETAILS WITH CDL.
- SEE CDL "LIGHTING SPECIFICATION MANUAL" FOR OUTDOOR FIXTURE CUTSHEETS FOR LUMINAIRES SPECIFIED BY CDL.
- 3. SEE CDL DRAWINGS FOR ADDITIONAL PHOTOMETRICS.
- ALL LIGHTING SUBMITTALS ARE TO BE REVIEWED BY THE LIGHTING DESIGN CONSULTANT AND ARCHITECT.
- LAMP DATA SHEETS ARE TO BE SUBMITTED WITH SHOP DRAWINGS.
- SEE CDL SPECIFICATIONS MANUAL FOR ALL FIXTURE CONCRETE BASE DETAILS AND REQUIREMENTS.

ARIZONA REVISED STATUTES 32-1129.01.

NOTICE OF EXTENDED CERTIFICATION AND APPROVAL PERIOD This contract allows the owner to certify and approve billings and estimates within 30 days after the billings and estimates are received from the contractor.

NOTICE OF EXTENDED PAYMENT PROVISION. This contract allows the owner to make payments within 30 days after certification and approval of billings and estimates.



DESIGNED BY: J. YURKUS

DRAWN BY: GPA

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND THE PROPERTY OF BALTES/VALENTINO ASSOCIATES LTD. THIS DRAWING MAY NOT BE REPRODUCED OR REPRODUCTION
HEREOF USED, WITHOUT
THEIR WRITTEN PERMISSION.
© COPYRIGHT 2002
BALTES/VALENTINO ASSOCIATES LTD.
7250 NORTH 16TH STREET, SUITE 102 PHOENIX, ARIZONA 85020 BUS 602-371-1333 FAX 602-371-0675 E-MAIL cad@bvaeng.com www.bvaeng.com


**KEYNOTES** 

727 E. MARYLAND AVE Phoenix, AZ 85014 phone: 602.266.6202 facsimile: 602.265.6212

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IT IS THE PROPERTY OF ELLERMANN & SCHICK, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN PERMISSION.

GROUP

PEDERSON PROMENADE SITE DEVELOPME





	,	100	NA. U		
08 MAY 03 CITY COMMENTS	09 MAY 03 COORDINATION			,	
03	03				
MAY	MAY				
80	60				

SCHEMATIC DESIGN DEVELOPMENT

CONSTRUCTION DOCUMENTS BID/PRICING PACKAGE BUILDING DEPT.

APPROVAL DATE ISSUED DRAWN BY

CHECKED BY J. YURKUS PROJECT NO. 22000

CADD FILE SCALE: 1/8"=1'-0"

DRAWING NO.

LIGHTING

SCHEDULES

		LIGHT	NG FIXTURE SO	CHEDULE		(FOR REFERENCE	CE ONLY - SE	E SHEET NOTES)	C	CONTROLS
SYMBOL	TAG	FIXTURE DESCRIPTION	MANUFACTURER	CATALOG NUMBER	#	LAMPING TYPE	VOLTS	MOUNTING	ON	OFF
•	B-1	ALUMINUM BOLLARD WITH FLUORESCENT LAMP	KIM	GEM/32PL-120/DB-P	1	F32TBX/835/A/4P/EOL GE #39379	120	BOLLARD	PHOTOCELL ON AT DUSK	PHOTOCELL OFF AT DA
0	CS-1	ENCLOSED AMBER GLASS CYLINER SURFACE MOUNTED FIXTURE	SPERO	VS15-41-1-VB50- PSMH-277-G1	1	MXR50/C/U/MED/0 GE #45671	277	SURFACE		TIMECLOCK OFF 11:00
	FG-1	TREE GRATE LOW VOLTAGE ADJUSTABLE ACCENT WITH INTEGRAL TRANSFORMER	KIM	LTV764/MR/50LV120- - TR60/L12	1	Q35MR16/C/FL40 (FMW) GE #20825	120	IN-GRADE		TIMECLOCK OFF 11:00
	FG-2	6" FLUSH TO GRADE LOW VOLTAGE CONCRETE POUR ACCENT WITH INTEGRAL XFMR AND AN AMBER COLORED LENS	KIM	LTV764/MR/50LV120 - TR60/L12-AM72	1	Q35MR16/C/SP20 (FRA) GE #20826	120	IN-GRADE		TIMECLOCK OFF 11:00
-	FL-1	4' FLUORESCENT GROUND MOUNTED FIXTURE WITH BLUE GEL SLEEVE — COLOR #80, PRIMARY BLUE	KIM	4305/120/BL -(2) JBR2 w/ROSCO T-8 GEL SLEEVE #4808	1	F32T8/SP41 GE #15949	120	GROUND		PHOTOCELL OFF AT DA
<b>-</b>	FL-2	COMPACT FLUORESCENT GROUND MOUNTED FIXTURE WITH COLORED LENS	KIM	CFL1/13PL120/BL— (1) JBR2 w/ROSCO color #18 Flame lens	1	F13DBX23T4/SPX30 GE #10574	120	GROUND		PHOTOCEL OFF AT D
Q	GM-1	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	KIM	EL740BL/EP17	1	90PAR/HIR/FL40XL GE #40791	120	GROUND		TIMECLOCK OFF 11:00
Q	GM-2	GROUND MOUNTED EXT. SPIRE UPLIGHT WITH DIRECT MOUNTED BALLAST AND BLUE COLOR FILTER	KIM	6740D/70MH120/BL	1	70MH120/PAR38	120	GROUND		PHOTOCEL OFF AT D
Q	GM-3	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	KIM	EL730BL/EP17	1	50PAR30L/H/WFL GE #14941	120	GROUND		TIMECLOC OFF 11:00
Q	GM-4	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	LUMIERE	353-BK-MB2-LVR	1	Q35MR16/C/SP20 (FRA) GE #20826	120	GROUND		OFF 11:00
$\bigoplus$	P-1	12' CUSTOM THEMATIC POLE WITH 100W METAL HALIDE AND CONVENIENCE RECEPTACLE	STERNER	CUSTOM		MXR100/C/U/MED/0 GE #12579	208	CUSTOM		OFF 11:00
$\bigoplus$	P-1A	SAME AS 'P-1' EXCEPT WITH 120V BALLAST	STERNER	CUSTOM		MXR100/C/U/MED/0 GE #12579	120	CUSTOM		OFF 11:00
8	P-2	CUSTOM TAPERED POLE WITH THREE WET LOCATION THEATRICAL SPOTLIGHTS SECURED TO POLE WITH C-CLAMPS AND SAFETY CABLE PROVIDE 18' CORD AND 8" FLESH PINK COLORED GLASS LENS.	ALTMAN	(3) OUTDOOR-PAR64- OD-P64-SN-510-SC	3	Q500PAR56NSP GE #43494	120	CUSTOM		TIMECLOCK OFF 11:00 11:00 PM
-	ST-1	RECESSED COMPACT FLOURESCENT STEPLIGHT WITH HORIZONTAL LOUVER	BEGA	2286P-BLACK-277V		F13BX/SPX27/827 GE #14650	277	RECESSED WALL		PHOTOCEL OFF AT D
Ø	TM-1	TREE MOUNTED ACCENT LIGHT	LUMIERE	203-TM05		Q50MR16/C/NSP15 GE #20839	12	SURFACE		OFF 11:00
0	FG-3	TREE GRATE LOW VOLTAGE ADJUSTABLE ACCENT WITH INTEGRAL TRANSFORMER	KIM	LTV75/PAR150HAL- 120/GM50/AM50	1	150W QUARTZ	120	IN-GRADE		OFF 11:00
-	FL-3	4' FLUORESCENT GROUND MOUNTED FIXTURE	PRUDENTIAL	P-5161-48RS-HDE- PTSW	1	F32T8/SP41	120	IN-GRADE		TIMECLOCI OFF 11:00
-	ST-2	RECESSED STEP LIGHT WITH GLASS DIFFUSER	BEGA	2287B-BLACK-277V	1	F13BX/SPX27/827 GE #14650	277	RECESSED		OFF 11:00

	LIGHTING TRANSFORMER SCHEDULE (FOR REFERENCE ONLY - SEE SHEET NOTES)											
T#	MANUFACTURER	CATALOG	Size (VA)	LOCATION	FUNCTION	VOLTAGE						
		NUMBER				PRIMARY	SECONDARY					
T1	KLV530	KIM	500	bird bath	TM-1 tree mounted sculpture accents	120	12					
T2	KLV530	KIM	500	coyote fountain	TM-1 tree mounted sculpture accents	120	12					
T3	KLV530	KIM	500	N.E. center entry tree planter area	TM-1 tree mounted sculpture accents	120	12					
T4	KLV525	KIM	250	N.W. center entry tree planter area	TM-1 tree mounted sculpture accents	120	12					
T5	KLV530	KIM	500	trees near visitor center	TM-1 tree mounted sculpture accents	120	12					


NLIINOILU

**Sarchitecturelanning** 

727 E. MARYLAND AVE Phoenix, AZ 85014 phone: 602.266.6202 fax: 602.265.6212

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IT IS THE PROPERTY OF ELLERMANN & SCHICK, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN PERMISSION.





SHEET NOTES

ALL FIXTURES AND LOW VOLTAGE LIGHTING TRANSFORMERS HAVE BEEN SPECIFIED BY LIGHTING DESIGN CONSULTANT "CREATIVE DESIGNS LIGHTING" (CDL). THESE SCHEDULES PROVIDED FOR REFERENCE ONLY. CONTRACTOR TO VERIFY SPECIFIC DETAILS WITH CDL.

SEE CDL "LIGHTING SPECIFICATION MANUAL" FOR OUTDOOR FIXTURE CUTSHEETS FOR LUMINAIRES

3. SEE CDL DRAWINGS FOR ADDITIONAL PHOTOMETRICS.

ALL LIGHTING SUBMITTALS ARE TO BE REVIEWED BY THE LIGHTING DESIGN CONSULTANT AND ARCHITECT.

LAMP DATA SHEETS ARE TO BE SUBMITTED WITH SHOP DRAWNGS.

6. SEE CDL SPECIFICATIONS MANUAL FOR ALL FIXTURE CONCRETE BASE DETAILS AND REQUIREMENTS.

7. ONLY THESE FIXTURES ARE USED IN BUILDING B PACKAGE HARDSCAPE.

CONTRACTOR OF THE PROPERTY OF

SPECIFIED BY CDL.

SCHEMATIC

DESIGN DEVELOPMENT CONSTRUCTION DOCUMENTS

 BID/PRICING
 PACKAGE BUILDING DEPT.
APPROVAL DATE ISSUED

03.05.03 DRAWN BY CHECKED BY J. YURKUS PROJECT NO.

> SCALE: 1/8"=1'-0" DRAWING NO.

CADD FILE

LIGHTING

**SCHEDULES** 

NOTICE OF EXTENDED CERTIFICATION AND APPROVAL PERIOD PROVISION.

NOTICE OF EXTENDED PAYMENT PROVISION.

This contract allows the owner to make payments within 30 days after certification and approval of billings and estimates.

Mechanical, and Electrical Consulting Engineers
7250 N. 16th Street, Suite 200
Phoenix, Arizona 85020
(602) 371-1333 Job No. 560X-0XX.00

## This contract allows the owner to certify and approve billings and estimates within 30 days after the billings and estimates are received from the contractor.


		LIGHTI	NG FIXTURE SO	CHEDULE		(FOR REFERENCE	CE ONLY - SE	E SHEET NOTES)	(	CONTROLS
SYMBOL	TAG	FIXTURE DESCRIPTION	MANUFACTURER	CATALOG NUMBER	#	LAMPING TYPE	VOLTS	MOUNTING	ON	OFF
•	B-1	ALUMINUM BOLLARD WITH FLUORESCENT LAMP	KIM	GEM/32PL-120/DB-P	1	F32TBX/835/A/4P/E0L GE #39379	120	BOLLARD	PHOTOCELL ON AT DUSK	PHOTOCELL OFF AT DAY
0	CS-1	ENCLOSED AMBER GLASS CYLINER SURFACE MOUNTED FIXTURE	SPERO	VS15-41-1-VB50- PSMH-277-G1	1	MXR50/C/U/MED/0 GE #45671	277	SURFACE		TIMECLOCK OFF 11:00
0	FG-1	TREE GRATE LOW VOLTAGE ADJUSTABLE ACCENT WITH INTEGRAL TRANSFORMER	KIM	LTV764/MR/50LV120- - TR60/L12	1	Q35MR16/C/FL40 (FMW) GE #20825	120	IN-GRADE		TIMECLOCK OFF 11:00
0	FG-2	6" FLUSH TO GRADE LOW VOLTAGE CONCRETE POUR ACCENT WITH INTEGRAL XFMR AND AN AMBER COLORED LENS	KIM	LTV764/MR/50LV120 - TR60/L12-AM72	1	Q35MR16/C/SP20 (FRA) GE #20826	120	IN-GRADE		TIMECLOCK OFF 11:00
-	FL-1	4' FLUORESCENT GROUND MOUNTED FIXTURE WITH BLUE GEL SLEEVE - COLOR #80, PRIMARY BLUE	KIM	4305/120/BL -(2) JBR2 w/ROSCO T-8 GEL SLEEVE #4808	2 1	F32T8/SP41 GE #15949	120	GROUND		PHOTOCELL OFF AT DA
-	FL-2	COMPACT FLUORESCENT GROUND MOUNTED FIXTURE WITH COLORED LENS	KIM	CFL1/13PL120/BL- (1) JBR2 w/ROSCO color #18 Flame lens	1	F13DBX23T4/SPX30 GE #10574	120	GROUND		PHOTOCELL OFF AT DA
Q	GM-1	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	KIM	EL740BL/EP17	1	90PAR/HIR/FL40XL GE #40791	120	GROUND		TIMECLOCK OFF 11:00
0	GM-2	GROUND MOUNTED EXT. SPIRE UPLIGHT WITH DIRECT MOUNTED BALLAST AND BLUE COLOR FILTER	KIM	6740D/70MH120/BL	1	70MH120/PAR38	120	GROUND		PHOTOCELI OFF AT DA
0	GM-3	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	KIM	EL730BL/EP17	1	50PAR30L/H/WFL GE #14941	120	GROUND		OFF 11:00
0	GM-4	POWER POST MOUNTED ADJUSTABLE ACCENT FIXTURE	LUMIERE	353-BK-MB2-LVR	1	Q35MR16/C/SP20 (FRA) GE #20826	120	GROUND		TIMECLOCK OFF 11:00 11:00 PM
$\oplus$	P-1	12' CUSTOM THEMATIC POLE WITH 100W METAL HALIDE AND CONVENIENCE RECEPTACLE	STERNER	CUSTOM		MXR100/C/U/MED/0 GE #12579	208	CUSTOM		TIMECLOCK OFF 11:00
0	P-1A	SAME AS 'P-1' EXCEPT WITH 120V BALLAST	STERNER	CUSTOM		MXR100/C/U/MED/0 GE #12579	120	CUSTOM		TIMECLOCK OFF 11:00
8	P-2	CUSTOM TAPERED POLE WITH THREE WET LOCATION THEATRICAL SPOTLIGHTS SECURED TO POLE WITH C-CLAMPS AND SAFETY CABLE PROVIDE 18' CORD AND 8" FLESH PINK COLORED GLASS LENS.	ALTMAN	(3) OUTDOOR-PAR64- OD-P64-SN-510-SC	3	Q500PAR56NSP GE #43494	120	CUSTOM		TIMECLOCK OFF 11:00 11:00 PM
-	ST-1	RECESSED COMPACT FLOURESCENT STEPLIGHT WITH HORIZONTAL LOUVER	BEGA	2286P-BLACK-277V		F13BX/SPX27/827 GE #14650	277	RECESSED WALL		PHOTOCELL OFF AT DA
Ø	TM-1	TREE MOUNTED ACCENT LIGHT	LUMIERE	203-TM05		Q50MR16/C/NSP15 GE #20839	12	SURFACE		TIMECLOCK OFF 11:00
0	FG-3	TREE GRATE LOW VOLTAGE ADJUSTABLE ACCENT WITH INTEGRAL TRANSFORMER	KIM	LTV75/PAR150HAL- 120/GM50/AM50	1	150W QUARTZ	120	IN-GRADE		TIMECLOCK OFF 11:00
<b>—</b>	FL-3	4' FLUORESCENT GROUND MOUNTED FIXTURE	PRUDENTIAL	P-5161-48RS-HDE- PTSW	1	F32T8/SP41	120	IN-GRADE		TIMECLOCK OFF 11:00
-	ST-2	RECESSED STEP LIGHT WITH GLASS DIFFUSER	BEGA	2287B-BLACK-277V	1	F13BX/SPX27/827 GE #14650	277	RECESSED		TIMECLOCK OFF 11:00

	T#	MANUFACTURER	CATALOG	Size (VA)	LOCATION	FUNCTION	VOLTAGE	
	'π	MANOFACTORER	NUMBER	3126 (VA)	LOCATION	ronenot	PRIMARY	SECONDARY
	T1	KLV530	KIM	500	bird bath	TM-1 tree mounted sculpture accents	120	12
-	T2	KLV530	KIM	500	coyote fountain	TM-1 tree mounted sculpture accents	120	12
1	T3	KLV530	KIM	500	N.E. center entry tree planter area	TM-1 tree mounted sculpture accents	120	12
5	T4	KLV525	KIM	250	N.W. center entry tree planter area	TM-1 tree mounted sculpture accents	120	12
2	T5	KLV530	KIM	500	trees near visitor center	TM-1 tree mounted sculpture accents	120	12

**KEYNOTES** 

727 E. MARYLAND AVE Phoenix, AZ 85014 phone: 602.266.6202 602.265.6212

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IT IS THE PROPERTY OF ELLERMANN & SCHICK, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN PERMISSION.






## SHEET NOTES

- ALL FIXTURES AND LOW VOLTAGE LIGHTING TRANSFORMERS HAVE BEEN SPECIFIED BY LIGHTING DESIGN CONSULTANT "CREATIVE DESIGNS LIGHTING" (CDL). THESE SCHEDULES PROVIDED FOR REFERENCE ONLY. CONTRACTOR TO VERIFY SPECIFIC DETAILS WITH CDL.
- SEE CDL "LIGHTING SPECIFICATION MANUAL" FOR OUTDOOR FIXTURE CUTSHEETS FOR LUMINAIRES SPECIFIED BY CDL.
- 3. SEE CDL DRAWINGS FOR ADDITIONAL PHOTOMETRICS.
- ALL LIGHTING SUBMITTALS ARE TO BE REVIEWED BY THE LIGHTING DESIGN CONSULTANT AND ARCHITECT.
- LAMP DATA SHEETS ARE TO BE SUBMITTED WITH SHOP DRAWNGS.
- 6. SEE CDL SPECIFICATIONS MANUAL FOR ALL FIXTURE CONCRETE BASE DETAILS AND REQUIREMENTS.

  7. ONLY THESE FIXTURES ARE USED IN BUILDING B PACKAGE HARDSCAPE.





SCHEMATIC

DESIGN DEVELOPMENT CONSTRUCTION DOCUMENTS

BID/PRICING PACKAGE BUILDING DEPT.
APPROVAL

DATE ISSUED 03.05.03 DRAWN BY CHECKED BY

J. YURKUS

PROJECT NO. CADD FILE SCALE: 1/8"=1'-0"

DRAWING NO. LIGHTING SCHEDULES

ARIZONA REVISED STATUTES 32-1129.01. NOTICE OF EXTENDED CERTIFICATION AND APPROVAL PERIOD PROVISION. This contract allows the owner to certify and approve billings and estimates within 30 days after the billings and estimates are received from the contractor. 7250 N. 16th Street, Suite 200 Phoenix, Arizona 85020

(602) 371-1333 Job No. 560X-0XX.00

NOTICE OF EXTENDED PAYMENT PROVISION.

This contract allows the owner to make payments within 30 days after certification and approval of billings and estimates.

DRAWNG NAME: F:\56CAD\BVA TMAD PROJECTS\OLD\2001\201-036 PROMENADE RETAIL-SITE\HARDSCAPE\ELECT\E1-1.DWG \*\* DATE: 06/07/2004 \*\* TIME: 7:50