

**Full Size**

**8.5 x 11**

**11 x 17**


**(site plan, landscape, elevations)**

**NABCO**

NABCO Entrances Inc.  
S82 W18717 Gemini Drive Muskego, WI 53150  
www.nabcoentrances.com 1-877-622-2694

JOB NAME: \_\_\_\_\_  
LOCATION: \_\_\_\_\_  
DISTRIBUTOR: *Modern Solutions Glass*  
DOOR #: \_\_\_\_\_ DATE: \_\_\_\_\_  
SHEET \_\_\_\_\_ OF *1*

**WHISPER SLIDE**  
**GT1175-04**  
BI-PART SLIDE  
FULL OPEN



| DOOR OPENING | FULL BREAKOUT OPENING | FRAME WIDTH   | SLIDING DOOR   | SIDELITE        |
|--------------|-----------------------|---------------|----------------|-----------------|
| 48" [1219]   | 104" [2642]           | 10'-0" [3048] | 29 1/4" [743]  | 31 1/16" [789]  |
| 60" [1524]   | 128" [3251]           | 12'-0" [3658] | 35 1/4" [895]  | 37 1/16" [941]  |
| 72" [1829]   | 152" [3861]           | 14'-0" [4267] | 41 1/4" [1048] | 43 1/16" [1094] |
| 84" [2134]   | 176" [4479]           | 16'-0" [4877] | 47 1/4" [1200] | 49 1/16" [1245] |
| 96" [2438]   | 200" [5080]           | 18'-0" [5486] | 53 1/4" [1353] | 55 1/16" [1399] |

## NOTES:

1. TRANSOM HEIGHT (DIMENSION "A") IS DETERMINED PER JOB REQUIREMENTS.
2. FLUSH GLAZING FOR 1/4" GLASS ONLY. NON POCKETED JAMBS USED FOR NO TRANSOM APPLICATIONS.
3. POWER TO HEADER WILL BE 115VAC, 5 AMP PER OPERATOR PROVIDED BY ELECTRICAL CONTRACTOR.
4. STANDARD LOCATION OF LOCK IS 35" FROM FINISH FLOOR TO CENTERLINE OF KEY CYLINDER.
5. THRESHOLD THROUGH DOOR OPENING (AS SHOWN WITH DASHED LINES) IS OPTIONAL.
6. MASONRY OPENING EQUALS FRAME WIDTH + 1/2" AND FRAME HEIGHT + 1/4".
7. ONE SET OF HOLDING BEAMS AT 21" AFF STANDARD. SECOND SET AT 51" AFF IS OPTIONAL.

Effective Date: 15 OCT 2014

382-5A-16  
STIPULATION SET  
RETAIN FOR RECORDS  
APPROVED

8-8-17  
DATE


INITIALS

- A. All exposed stem walls shall be of masonry type indicated for wall above floor line.
- B. Sidewalks at building and structures shall match finish floor at doors and slope away.
- C. Paint all exposed metal that is not specified to receive factory finish.
- D. All exposed flashing shall be factory finished.
- E. See plans and schedule for door and window types and sizes.

**OLD TOWN  
MARKETPLACE**

4441 N Buckboard Trail  
Scottsdale, AZ 85251

**CLIENT CONTACT**  
**ANWYER NAKIB**  
4441 N. Buckboard Trail  
Scottsdale, AZ 85251



**NOTICE:** The following drawing package, issued, made, or circulated without the written consent of the Architect, is a violation of the professional service of the Architect, is a violation of the Architect's duty and is prohibited by law. Any person who violates this notice shall be liable to the Architect for damages, including reasonable attorneys' fees. Any person who violates this notice shall be liable to the Architect for damages, including reasonable attorneys' fees. Any person who violates this notice shall be liable to the Architect for damages, including reasonable attorneys' fees.

PROJECT NUMBER  
16003

DATE OF ISSUE  
03.03.2017

| REVISION NO. |               | DATE       |
|--------------|---------------|------------|
| 1            | CITY COMMENTS | 02.28.2017 |
| 2            | REVISION      | 08.06.2017 |

PROJECT PHASE  
CD

|              |          |
|--------------|----------|
| PROJECT TEAM | DRAWN BY |
| MT           | MT       |

**SHEET CONTENTS**  
building elevations

**SHEET NO**

**A-201**

\*Revision

STIPULATION SET  
RETAIN FOR RECORDS  
APPROVED

88-17 

DATE INITIALS

382-5A-16