Exterior Building Color & Material Samples
Color Drawdowns
Archaeological Resources
Airport Vicinity Development Checklist
Parking Study
Trip Generation Comparison
Parking Master Plan



WINDOW STAR 1405 W. Harvard Ave Gilbert, AZ 85233 480-497-4326

Shipping Information

Same as Bill-to

Name:

Phone:

Fax:

Email:

Address:



Quote Name:

Johnson Renovation

Customer:

Stratton Restoration

Payment Terms: Sales Representative: 50% down, 50% prior to shipping

Trevor Gibbons Mobile:

trevor@windowstaraz.com

Quote Number:

SQPVG000280_1

Created Date:

8/15/2017 9/27/2017

Modified Date: PO Number:

Total Units:

Total Sq Ft: Est. Delivery:

222.00

Comments:

Billing Information

Name:

Stratton Restoration

Address:

Phone:

Fax: Email:

Line:

Location: Kitchen

Style Line, 6110, HV, No Fin (Block Frame), Ext White /Int White Quantity: 1

U-Factor: .34, SHGC: .23, VT: .53

3/32" SunCoatMAX (Low-E) over 3/32" Clear

No Fin (Block Frame) **Glass Warranty**

Size: Net Frame 72" x 36" Net Frame 72" X 36"

Model: Half Vent Handing: Half Vent XO

Glass: 3/32" SunCoatMAX (Low-E) over 3/32" Clear

Other Glass: Gray EdgeGard Spacer Hardware: Positive Action Lock

Other Options: Glass Breakage Warranty, Standard

Glazing Bead

Screen: Standard with Fiberglass Mesh Ratings: STC: 28, OITC: 23, No Ratings

Clear Opening: W 33 3/8" x H 33 1/2" Sq. Ft. 7.76

Egress: Yes

Other Ratings: CPD: MIL-A-153-03791-00003

Viewed From Exterior

Quote Number: SQPVG000280_1

Line:

2

Location: Bedroom 1


Quantity:

Style Line, 6110, HV, No Fin (Block Frame), Ext White /int White

U-Factor: .34, SHGC: .23, VT: .53

3/32" SunCoatMAX (Low-E) over 3/32" Clear

No Fin (Block Frame)
Glass Warranty



Size: Net Frame 72" x 48" Net Frame 72" X 48"

Model: Half Vent Handing: Half Vent XO

Glass: 3/32" SunCoatMAX (Low-E) over 3/32" Clear

Other Glass: Gray EdgeGard Spacer Hardware: Positive Action Lock

Other Options: Glass Breakage Warranty, Standard

Glazing Bead

Screen: Standard with Fiberglass Mesh Ratings: STC: 28, OITC: 23, No Ratings

Clear Opening: W 33 3/8" x H 45 1/2" Sq. Ft. 10.55

Egress: Yes

Other Ratings: CPD: MIL-A-153-03791-00003

Viewed From Exterior

Line:

.

Location: Upstairs Bedroom


Quantity: 1

Style Line, 6110, HV, No Fin (Block Frame), Ext White /Int White

U-Factor: .34, SHGC: .23, VT: .53

3/32" SunCoatMAX (Low-E) over 3/32" Clear

No Fin (Block Frame) Glass Warranty



Size: Net Frame 72" x 48" Net Frame 72" X 48"

Model: Half Vent Handing: Half Vent XO

Glass: 3/32" SunCoatMAX (Low-E) over 3/32" Clear

Other Glass: Gray EdgeGard Spacer Hardware: Positive Action Lock

Other Options: Glass Breakage Warranty, Standard

Glazing Bead

Screen: Standard with Fiberglass Mesh Ratings: STC: 28, OITC: 23, No Ratings

Clear Opening: W 33 3/8" x H 45 1/2" Sq. Ft. 10.55

Egress: Yes

Other Ratings: CPD: MIL-A-153-03791-00003

Viewed From Exterior


Line: Quantity: 4 1 Location: Upstairs Bedroom 13~ Houn

Style Line, 6340, PW, 1 3/8" Setback, Ext White /Int White

U-Factor: .48, SHGC: .69, VT: .74

1/8" Matelux (Obscure) over 1/8" Matelux (Obscure)

Glass Warranty



Size: Call Out 2040 Net Frame 23 1/2" X 47 1/2"

Model: Picture

Glass: 1/8" Matelux (Obscure) over 1/8" Matelux

(Obscure)

Other Glass: Gray EdgeGard Spacer with BreatherTube Other Options: Glass Breakage Warranty, Standard

Glazing Bead

Ratings: STC: 30, OITC: 25, Tested: CW40 Other Ratings: CPD: MIL-A-178-02542-00001

Viewed From Exterior

Line:

5 Location: Upstairs Bodroom Stair well

Quantity:

1

Style Line, 6340, PW, 1 3/8" Setback, Ext White /int White

U-Factor: .48, SHGC: .69, VT: .74

1/8" Matelux (Obscure) over 1/8" Matelux (Obscure)

Glass Warranty



Size: Cali Out 2040 Net Frame 23 1/2" X 47 1/2"

Model: Picture

Glass: 1/8" Matelux (Obscure) over 1/8" Matelux

(Obscure)

Other Glass: Gray EdgeGard Spacer with BreatherTube

Other Options: Glass Breakage Warranty, Standard

Glazing Bead "

Ratings: STC: 30, OITC: 25, Tested: CW40 Other Ratings: CPD: MIL-A-178-02542-00001

Viewed From Exterior

Line:

6

Location: Living Beck Pour


Quantity: 1

Ultra, 3642U, IS4P1, 13/8" Setback, Ext Frost/Int White

U-Factor: .36, SHGC: .16, VT: .37

Custom Size

1/8" SunCoatMAX (Low-E) Tempered over 1/8" Clear Tempered



Size: Net Frame 143 1/2" x 84" Net Frame 143 1/2" X 84"

Model: Inswing Four Panel

Handing: OOLO

Glass: 1/8" SunCoatMAX (Low-E) Tempered over 1/8"

Clear Tempered

Other Glass: Gray EdgeGardMAX Spacer Wall Condition: 4 9/16" Wall Condition

Hardware: Madrona Handle, Ext White, Int White,

White Hinge Finish

Other Options: Standard Sill

Screen: Standard with Fiberglass Mesh Ratings: STC: 29, OITC: 24, Tested: LC30

Clear Opening: W 32 1/16"H 80" Sq. Ft. 17.81 Egress:

Yes

Other Ratings: CPD: MIL-A-242-10742-00007

Viewed From Exterior

Une:

Location: Lundy Back Dar


Quantity: 1

Ultra, 3642U, IS1P1, 13/8" Setback, Ext Frost/Int White

U-Factor: .36, SHGC: .16, VT: ..37

Custom Size

1/8" SunCoatMAX (Low-E) Tempered over 1/8" Clear Tempered



Size: Net Frame 36" x 84" Net Frame 36" X 84"

Model: Inswing One Panel

Handing: R

Glass: 1/8" SunCoatMAX (Low-E) Tempered over 1/8"

Clear Tempered

Other Glass: Gray EdgeGardMAX Spacer Wall Condition: 4 9/16" Wall Condition

Hardware: Madrona Handle, Ext White, Int White,

White Hinge Finish

Other Options: Standard Sill

Screen: None

Ratings: STC: 29, OITC: 24, Tested: LC45

Clear Opening: W 30 3/8"H 80" Sq. Ft. 16.88 Egress: Yes

Other Ratings: CPD: MIL-A-242-10742-00007

Viewed From Exterior

Line:

Location: Mask bedrown back

Quantity: 1

8

Ultra, 3642U, IS2P1S, 13/8" Setback, Ext Frost/Int White

1P 1.1 U-Factor: .36, SHGC: .16, VT: .37 SL 1.2 U-Factor: .36, SHGC: .16, VT: .37

Custom Size

1/8" SunCoatMAX (Low-E) Tempered over 1/8" Clear Tempered



Size: Net Frame 60" x 84" Net Frame 60" X 84" Door

Width 37 9/16"

Model: Inswing One Panel One Sidelite

Handing: LF

Glass: 1/8" SunCoatMAX (Low-E) Tempered over 1/8"

Clear Tempered

Other Glass: Gray EdgeGardMAX Spacer with

BreatherTube

Wall Condition: 4 9/16" Wall Condition

Hardware: Madrona Handle, Ext White, Int White,

White Hinge Finish

Other Options: Standard Sill

Screen: None

Ratings: STC: 29, OITC: 24, Tested: LC30

Clear Opening: W 31 7/16"H 80" Sq. Ft. 17.47 Egress:

Yes

Other Ratings: CPD: 1.1 1P MIL-A-242-10742-00007, 1.2

SL MIL-A-242-10742-00007

Viewed From Exterior