

Full Size 8.5 x 11 11 x 17 (site plan, landscape, elevations)







Mall Address:

SCOTTSDALE FASHION

7014 E. Camelback Road Scottsdale, AZ 85251 Phone: (480) 945-5495 Fax: (480) 423-1455

SQUARE

For Leasing Information Contact: Kim Choukalas MACERICH 11411 North Tatum Blvd. Phoenix, AZ 85028 Phone: (602) 953-6200 Fax: (602) 953-6298

Note:
This is a schematic plan only intended to show the general layout of the shopping center or part thereof. This plan is not to be scaled.

LAST UPDATED: 09.11.18 BY: MH



visit our web site at www.macerich.com

PALM COURT LEASE PLAN



NOTES:

1. ANCHOR STUD PARTITION AT BOTTOM TRACK TO SUBFLOOR TO RESIST A LATERAL LOAD OF 5 P.S.F. ANCHOR UNPUNCHED STEEL STUD TRACK TO CONC. SUBFLOOR WITH 3/8" | X 3/4" LONG POWER DRIVEN PINS @ 24" O.C. (HILTI ICBO #2388) OR 2 MIN. 1/4" O.C. (RAMSET/REDHEAD ICBO# ER1372).

2. FRAME PARTITION STRAIGHT AND PLUMB WITHIN 1/8" IN 10'-0". BOTH **HORIZONTAL & VERTICAL** 3. PARTITION LAYOUT SHALL BE 'SQUARE' WITH BUILDING LINES UNLESS

NOTED OTHERWISE. 4. ALL CARPENTRY WORK SHALL COMPLY WITH A.W.I. "QUALITY STANDARDS

5. GYPSUM BOARD END JOINTS SHALL NOT ALIGN WITH OPENING EDGES. USE MAXIMUM PRACTICAL LENGTHS TO AVOID BUTT JOINTS. USE METAL CASING BEADS AND TRIM AT ALL EDGES, CORNERS, DOORS, AND FRAMES. SET SCREWS IN SLIGHT DIMPLE-DO NOT BREAK PAPER. TREAT JOINTS PER GYPSUM BOARD MFG. REQUIREMENTS AND RECOMMENDATIONS.

6. NEW GYP. BD. TO HAVE BUILT UP JOINTS WITH TAPE AND THREE SUCCESSIVE APPLICATIONS OF COMPOUND WITH A SMOOTH FINISH (LEVEL 3). LET DRY AND SAND BETWEEN EACH APPLICATION.

7. NEW WALLS TO BE PAINTED WITH 1 COAT PVA SEALER AND 2 COATS OF PAINT VERIFY TYPE AND COLOR WARCHITECT. PAINT TO BE ROLLED ON

8. NOT USED

10. VERIFY ALL EXISTING CONDITIONS ON THE SITE AND COORDINATE WITH THE DRAWINGS PRIOR TO FABRICATION AND CONSTRUCTION. SHOULD DISCREPANCIES OCCUR, NOTIFY OWNER AND ARCHITECT IMMEDIATELY.

11. DO NOT SCALE DRAWINGS. THE CONTRACTOR SHALL FOLLOW GIVEN DIMENSIONS AND NOTIFY THE ARCHITECT IF DIMENSIONS ARE INCOMPLETE. REFER TO SHELL BUILDING DRAWINGS FOR INFORMATION REGARDING EXISTING

12. DELIVER ALL MANUFACTURED MATERIALS IN THE ORIGINAL PACKAGES, CONTAINERS, OR BUNDLES WITH SEALS UNBROKEN AND BEARING THE NAME AND ID MARK OF THE MANUFACTURER. PROVIDE OWNER WITH MAINTENANCE MANUAL, WARRANTY CERTIFICATE AND INFORMATION PACKAGE ON ALL EQUIPMENT INSTALLED IN THE PROJECT.

13. WORKMANSHIP, METHODS, AND OPERATIONS SHALL CONFORM TO THE BEST STANDARD AND ACCEPTED PRACTICES OF THE TRADES INVOLVED AND SHALL INCLUDE ALL ITEMS OF FABRICATION, CONSTRUCTION OR INSTALLATION REQUIRED FOR COMPLETION AND SUCCESSFUL OPERATION AS INTENDED. PROVIDE AN ADDITIONAL GALLON OF EACH COLOR PAINT TO OWNER FOR TOUCH - UP WORK

14. ALL WORK SHALL BE EXECUTED BY PERSONS SKILLED IN THEIR RESPECTIVE

15. NO LEAD BASE OR ASBESTOS CONTAINING MATERIALS SHALL BE USED ON

GENERAL CONDITIONS AND SUPPLEMENTARY CONDITIONS

GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION, AIA DOCUMENT A-201, 1997 EDITION SHALL APPLY TO WORK UNDER THIS CONTRACT. EXCEPT AS MODIFIED BY THE OWNER- CONTRACTOR AGREEMENT AND THE SUPPLEMENTARY

NEITHER OWNER NOR ARCHITECT ASSUME RESPONSIBILITY FOR REPRESENTATIONS MADE BY THEIR REPRESENTATIVES PRIOR TO EXECUTION OF THE AGREEMENT UNLESS: (1) SUCH REPRESENTATIVES ARE STATED IN THE AGREEMENT, AND (2) THE AGREEMENT PROVIDES THAT RESPONSIBILITY IS ASSUMED BY THE OWNER.

FAILURE OF THE CONTRACTOR TO ACQUAINT HIMSELF WITH ALL AVAILABLE INFORMATION CONCERNING THESE CONDITIONS WILL NOT RELIEVE HIM FROM RESPONSIBILITY FOR PROPERLY ESTIMATING THE SCOPE OF THE WORK.

THE CONTRACTOR SHALL VERIFY ALL CONDITIONS IN THE FIELD AND SHALL NOTIFY THE ARCHITECT OF ANY CONFLICTS AND OR DISCREPANCIES BEFORE PROCEEDING WITH THE WORK

ARCHITECT'S SERVICES REQUIRED TO CORRECT CONTRACTOR ERRORS OR OMISSIONS DUE TO CHANGES REQUIRED BY CONTRACTOR REQUESTED SUBSTITUTE METHODS OR MATERIALS WILL BE PROVIDED AT STANDARD HOURLY RATES AND PAID FOR BY

CITY OF SCOTTSDALE CODES AND REQUIRED NOTES:

ALL PRODUCTS LISTED BY ICBO/NER NUMBERS SHALL BE INSTALLED PER THE REPORT AND MANUFACTURERS WRITTEN INSTRUCTION. PRODUCT SUBSTITUTIONS FOR PRODUCTS LISTED SHALL ALSO HAVE ICBO APPROVED EVALUATION REPORT, OR BE APPROVED AND LISTED BY OTHER NATIONALLY RECOGNIZED TESTING AGENCY.

ALL EXITS SHALL BE OPERABLE FROM THE INSIDE WITHOUT THE USE OF A KEY, OR ANY SPECIAL KNOWLEDGE. MANUALLY OPERATED EDGE OR SURFACE MOUNTED FLUSH BOLTS AND SURFACE BOLTS

ALL GLASS IN HAZARDOUS AREAS, AND 18" OFF THE FLOOR, OR WITHIN 24" FROM THE DOOR JAMB OF THE ACTIVE LEAF OF A DOOR, OR ANY OTHER WAY SUBJECT TO HUMAN IMPACT SHALL BE TEMPERED

MAINTAIN A MINIMUM OF 44" CLEAR UNOBSTRUCTED EMERGENCY EXIT AISLE TOWARDS DESIGNATED EXITS. MARK DESIGNATED EXITS WITH AN * ON YOUR FLOOR PLAN.

FLAMESPREAD RATING FOR INTERIOR FINISHES NOT TO EXCEED AS FOLLOWS: **VERTICAL SHAFTS AND ENCLOSURES - 0-25** LOBBIES/CORRIDORS -ALL OTHER AREAS -


ALL SIGNS REQUIRE SEPARATE PERMITS AND APPROVAL.

NO EXTERIOR VENDING OR DISPLAY SHALL BE ALLOWED.

ALL EXTERIOR MECHANICAL, UTILITY, AND COMMUNICATION EQUIPMENT SHALL BE SCREENED TO THE HEIGHT OF THE TALLEST UNIT BY PARAPET OR SCREEN WALL THAT MATCHES THE ARCHITECTURAL COLOR AND FINISH OF THE BUILDING. GROUND MOUNTED EQUIPMENT SHALL BE SCREENED BY A SCREEN WALL THAT MATCHES THE ARCHITECTURAL COLOR AND FINISH OF THE BUILDING, WHICH IS A MINIMUM OF 1 FOOT HIGHER THAN THE HIGHEST POINT OF THE TALLEST UNIT.

WONDERSPACES

SCOTTSDALE FASHION SQUARE MALL



MALL KEY PLAN - PALM COURT



LANDLORDS REQUIRED NOTES:

NOT TO SCALE

1. NOTHING IS PERMITTED TO BE ATTACHED TO, SUSPENDED FROM, OR PENETRATE THE ROOF DECK ABOVE. YOU ARE REQUIRED TO FRAME, BRACE AND/OR SUSPEND, AS NEEDED, TO/FROM THE TOP CHORD OF JOIST OR STRUCTURAL STEEL WHICH EXISTS ABOVE YOUR RESPECTIVE TENANT SPACE.

2. FULL PERMITS ARE REQUIRED FOR SIGNAGE. SUBMIT THEM UNDER SEPARATE

3. NO SAW CUTTING WITHOUT PRIOR APPROVAL OF MALL STAFF AND TENANT COORDINATION. SAW CUT ON GRADE ONLY. ALL OTHER AREAS TO BE CORE DRILLED. MAXIMUM CORE DRILL HOLE SIZE IS 8 INCHES.

4. ALL STOREFRONT CONSTRUCTION SHALL BE SELF SUPPORTING FROM THE FLOOR

AND INDEPENDENT OF THE BUILDING FASCIA AND BULKHEAD STRUCTURE. 5. ALL SECURITY DEVISED SHOULD BE FULLY CONCEALED FROM PUBLIC VIEW. THEY MUST RECESS INTO THE SLAB NO MORE THAN 3/4". IF THEY REQUIRE DEEPER THAN 3/4" THEN TENANT MUST OBTAIN MALL STRUCTURAL ENGINEER APPROVAL AT

6. RESTROOM FLOORS MUST HAVE A WATERPROOF MEMBRANE INSTALLED NO LESS THAN 6 INCHES UP EACH WALL - ADD NOTE TO PLANS.

7. TENANT SHALL BE HELD RESPONSIBLE TO MAINTAIN THE INTEGRITY OF THE EMS NETWORK CABLE WITHIN THEIR SPACE DURING ALL PHASES OF CONSTRUCTION. GENERAL CONTRACTOR SHALL BEAR SOLE RESPONSIBILITY OF ANY DAMAGE OR DISRUPTION TO THE EMS NETWORK".

8. GENERAL CONTRACTOR SHALL EXERCISE EXTREME ARE DURING ALL PHASED OF CONSTRUCTION SO AS NOT TO DAMAGE OR DISRUPT UTILITIES WHICH MIGHT PASS THOUGH THIS SPACE TO SERVICE OTHER TENANTS. GENERAL CONTRACTOR BEAR SOLE EXPENSE FOR ANY SUCH DAMAGE OR DISRUPTIONS.

9. GENERAL CONTRACTOR SHALL BE HELD RESPONSIBLE TO ENSURE THAT ALL EQUIPMENT AND DEVISES MEET ALL LANDLORD REQUIREMENTS AND CURRENT MALL

10. ENGINEERED DRAWINGS OF NEW FIRE ALARM DEVICES, LOAD CALCULATION AND TIE-IN TO MALL FIRE ALARM SYSTEM IS REQUIRED AT TENANT'S COST. CONTACT DAVE COLETTO WITH SIMPLEX/GRINNELL AT 602-243-6700.

11. GENERAL CONTRACTOR SHALL BE HELD RESPONSIBLE TO PROTECT ALL MALL FLOOR TILES IN FRONT OF THEIR LEASED SPACE.

12. ACCESS PANELS MUST BE PROVIDED FOR ALL LANDLORD SERVICEABLE EQUIPMENT WHICH IS ABOVE ANY HARD CEILING AREAS. SUPPLY VENTS AND RETURN VENTS ARE ALLOWED AS A MEANS OF ACCESS. UNITS ABOVE HARD CEILINGS MUST HAVE A WORK PLATFORM CONSTRUCTED ABOVE THE CEILING FOR UNIT SERVICING. IF A WORK PLATFORM IS NOT CONSTRUCTED, A LETTER MUST BE SUBMITTED UPON JOB CLOSEOUT STATING THAT THE CEILING IS RATED TO WITHSTAND ALL ASSOCIATED WEIGHT WHILE SERVICING THE EQUIPMENT ABOVE.

13. ALL FIRE SPRINKLER WORK MUST BE PERFORMED BY THE LANDLORD'S REQUIRED CONTRACTOR AT THE TENANTS' EXPENSE. CONTACT ALLIANCE FIRE PROTECTION AT

14. ALL ROOFING WORK MUST BE PERFORMED BY THE LANDLORD'S REQUIRED CONTRACTOR AT THE TENANT'S EXPENSE. CONTACT CLASSIC ROOFING AT

15. MAIN PHONE LINE FROM TENANT SPACE TO LL MAIN D-MARC LOCATION MUST BE PULLED AND TERMINATED BY THE LANDLORD'S REQUIRED CONTRACTOR AT THE TENANT'S EXPENSE. CONTACT 3 BROTHERS COMMUNICATION @ 602-432-9324

SHEET INDEX

ARCHITECTURAL

FLOOR PLAN **ENLARGED FLOOR PLAN** REFLECTED CEILING PLAN STOREFRONT AND INTERIOR ELEVATIONS **BUILDING SECTIONS** BUILDING SECTIONS DETAILS DETAILS DETAILS STOREFRONT SECTIONS AND DETAILS

ROOM FINISH SCHEDULE

WALL TYPE DETAILS

DOOR SCHEDULE AND DETAILS

GENERAL STRUCTURAL NOTES YPICAL DETAILS **BUILDING SECTIONS**

MECHANICAL FLOOR PLAN - MAIN LEVEL MECHANICAL NOTES AND SCHEDULES MECHANICAL DETAILS AND ENERGY COMPLIANCE

PLUMBING FLOOR PLAN - MAIN LEVEL **PLUMBING NOTES AND SCHEDULES**

SPECIFICATIONS, SYMBOLS AND SCHEDULE LIGHTING FLOOR PLAN POWER FLOOR PLAN SINGLE LINE DIAGRAM AND CALCULATIONS

PROJECT DATA

REMODEL OF EXISTING MOVIE THEATRES AND LOBBY FOR NEW ART GALLERY

BUILDING TYPE: TYPE II-A SPRINKLERED PROJECT AREA: GALLERY AREA -

14,495 S.F SUPPORT AREA/ -CIRCULATION **TOTAL USABLE AREA - 15,269 S.F.**

OCCUPANCY: OCCUPANT LOAD: 14,495/30 = 483 PEOPLE

EXITS REQUIRED: EXITS PROVIDED:

EMERGENCY LIGHTING: PROVIDED FIRE ALARMS:

> 11411 NORTH TATUM BLVD. PHOENIX, ARIZONA 85028

SUBMIT SHOP DRAWINGS FOR ANY MODIFICATION OF EXISTING FIRE SPRINKLER SYSTEM AND COMPLY WITH NFPA 13 AND LOCAL AMENDMENTS. IN LIGHT HAZARD OCCUPANCIES, EXISTING STANDARD RESPONSE SPRINKLER HEADS WITHIN TENANT SPACE SHALL BE CHANGED OUT TO QUICK RESPONSE WHEN SCOPE OF WORK WILL ADD AND/OR RELOCATE 50% OR MORE OF

2. ALL FIRE PROTECTION SYSTEMS SHALL REMAIN OPERATIONAL AND MODIFIED AS NECESSARY FOR CODE COMPLIANCE.

INSTALL FIRE EXTINGUISHERS PER IFC. FIRE EXTINGUISHER QUANTITY AND LOCATION(S) SHALL BE APPROVED BY FIRE INSPECTOR. 4. EXIT AND EMERGENCY LIGHTING SHALL COMPLY WITH CITY ORDINANCE AND IFC. 5. NUMERICAL PREMISES ID MUST BE LEGIBLE FROM STREET OR DRIVE. MINIMUM 12" NUMBERS

6. SUBMIT SHOP DRAWINGS FOR ANY MODIFICATION OF FIRE ALARM SYSTEM (IF EXISTING) TO COMPLY WITH NFPA 72 AND LOCAL CODES. 7. NEW TYPE 1 HOOD SYSTEMS SHALL BE UPGRADED TO COMPLY WITH CURRENT U.L. 300

8. WAREHOUSE RACKS FOR STORAGE OVER 12" IN HEIGHT REQUIRE A SEPARATE SUBMITTAL FOR APPROVAL PRIOR TO INSTALLATION. 9. SEPARATE SUBMITTAL AND APPROVAL IS REQUIRED FOR MAG LOCKS.

10. COMPRESSED GAS STORAGE (CO2) REQUIRES SEPARATE FIRE DEPARTMENT PERMIT.

CITY OF SCOTTSDALE CODES:

FOR BUILDING AND 4" NUMBERS FOR SUITE.

ALL CONSTRUCTION SHALL COMPLY WITH THE FOLLOWING CODES AND AMENDMENTS PER THEIR ADOPTING ORDINANCES:

2015 INTERNATIONAL BUILDING CODE 2015 INTERNATIONAL EXISTING BUILDING CODE

2015 INTERNATIONAL MECHANICAL CODE 2015 INTERNATIONAL FIRE CODE 2015 INTERNATIONAL PLUMBING CODE

2015 INTERNATIONAL GREEN CONSTRUCTION CODE 2014 NATIONAL ELECTRICAL CODE 2010 A.D.A. / 2003 ANSI A.117.1

GENERAL NOTES:

-ALL WORK IS TO BE FURNISHED AND PREFORMED BY GC UNLESS SPECIFICALLY CALLED OUT AS BY OWNER

GENERAL NOTES:

-NO EXPOSED CONDUIT, **WIRING, OR PIPING ALLOWED**





7120 E. INDIAN SCHOOL RD, STE L SCOTTSDALE, ARIZONA 85251 PHONE (480) 947-6844 FAX (480) 947-9518

Notice of Extended Payment Provision: This contract allows the Owner to make payment within thirty (30) days after certification and approval of billings and estimates per Arizona Prompt Payment Act, A.R.S. Sections 32-1129

STRUCTURAL ENGINEER MECHANICAL ENGINEER ELECTRICAL ENGINEER

A.V. SCHWAN & ASSOCIATES 6000 E. THOMAS ROAD, SUITE 1 **SCOTTSDALE, ARIZONA 85251** (602) 256-4331

MECHANICAL DESIGNS 7227 N 16th STREET SUITE 215 **PHOENIX, AZ 85020** (602) 943-6608

ASSOCIATED ENGINEERING 11410 N. CAVE CREEK ROAD

PHOENIX, ARIZONA 85020 (602) 274-8988

