



1 horse barn #2 - east elevation
1/8" = 1'-0"



2 horse barn #2 - west elevation
1/8" = 1'-0"



3 horse barn #2 - end elevation
1/8" = 1'-0"


General Notes

- New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 / Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn, Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bunker Steel and Pegasus for construction of these facilities, accordingly. **Note: Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.**
- New Accessory Structures:** Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 - Building Entry Element, Tack Barn- Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2, Horse Barn #2- Building Entry Element), Hay Barn Building - Entry Element, and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Masonry Wall / Fenced Areas;** Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.

Legend

- 1 Standing seam metal roof - "charcoal gray"
- 2 field metal wall panel - fcp barns "buckskin" (md barns equal color - "sea wolf")
- 3 accent metal wall panel - fcp barns "thundercloud" (md barns equal color - "polar white")
- 4 doors and window shutters - fcp barns "slate gray" (md barns equal color - "slate")
- 5 grid and grid with yoke - galvanized
- 6 steel beams / columns painted, Dunn Edwards DE6379 "silver lake"
- 7 wood trim / beams stained, "weathered gray"
- 8 concrete base, natural color
- 9 steel beams / columns painted, Dunn Edwards DE6384 "iron fixture"

APPROVED
FINAL PLANS PLANNING
DATE: 07.31.2017
APPROVED BY: [Signature]




RANCHO PARAISO




Douglas Fredrikson Architects
727 east bothany home road, g-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only. they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in ssc doc 4001. without which desired result can not be assured. alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.


17108
horse barn #2 elevations
issue date
07.31.2017
revisions
City Comments 09.18.2017






1 hay barn - north elevation

1/8" = 1'-0"




2 hay barn - east elevation

1/8" = 1'-0"



3 hay barn - south elevation

1/8" = 1'-0"



4 hay barn - west elevation

1/8" = 1'-0"


Legend

- 1 Standing seam metal roof - "charcoal gray"
- 2 field metal wall panel - fcp barns "buckskin" (md barns equal color - "sea wolf")
- 3 accent metal wall panel - fcp barns "thundercloud" (md barns equal color - "polar white")
- 4 doors and window shutters - fcp barns "slate gray" (md barns equal color - "slate")
- 5 grid and grid with yoke - galvanized
- 6 steel beams / columns painted, Dunn Edwards DE6379 "silver lake"
- 7 wood trim / beams stained, "weathered gray"
- 8 concrete base, natural color
- 9 steel beams / columns painted, Dunn Edwards DE6384 "Iron Fixtures"

APPROVED
FINAL PLANS PLANNING
DATE 11/9/2017
APPROVED BY [Signature]

General Notes


1. New Prefabricated Equestrian Structures (By others): Including, Horse Barn #1 /Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn , Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bungee Steel and Pegasus for construction of these facilities, accordingly. Note: Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.
2. New Accessory Structures: Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
3. New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others): Including, Horse Barn #1 - Building Entry Element , Tack Barn- Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2 , Horse Barn #2- Building Entry Element), Hay Barn Building - Entry Element , and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
4. New Masonry Wall / Fenced Areas: Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.



RANCHO PARAISO

12011 North 68th Place, Scottsdale Arizona

Plat Log #3978-16 / Use Permit #4-UP-2013 / DRB #40-DR-2016 / SITE PLAN AMENDMENT #278-SA-17 / PLAN REVIEW #3942-17-1, 2, 3



Douglas Fredrikson Architects
727 east bethany home road, d-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only. they are prepared for use in conjunction with the authors interpretations, observations, decisions and administration as described in sds doc a001, without which desired result can not be assured. alteration, reproduction, or use in part or in whole, for other purposes without the authors written consent may violate existing legal statutes.

17108

hay barn elevations

issue date

07.31.2017


revisions

City Comments 09.18.2017


a
304

General Notes

- New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 /Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn , Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bunge Steel and Pegasus for construction of these facilities, accordingly. **Note: Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.**
- New Accessory Structures:** Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 - Building Entry Element , Tack Barn- Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2 , Horse Barn #2- Building Entry Element), Hay Barn Building - Entry Element , and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Masonry Wall / Fenced Areas;** Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.



1 covered arena elevations - north and south
1/8" = 1'-0"




2 covered arena elevations - east and west
1/8" = 1'-0"

Legend

- 1 Standing seam metal roof - "charcoal gray"
- 2 field metal wall panel - fcp barns "buckskin" (md barns equal color - "sea wolf")
- 3 accent metal wall panel - fcp barns "thundercloud" (md barns equal color - "polar white")
- 4 doors and window shutters - fcp barns "slate gray" (md barns equal color - "slate")
- 5 grid and grid with yoke - galvanized
- 6 steel beams / columns painted, Dunn Edwards DE6379 "silver lake"
- 7 wood trim / beams stained, "weathered gray"
- 8 concrete base, natural color
- 9 steel beams / columns painted, Dunn Edwards DE6384 "Iron Fixture"

APPROVED
FINAL PLANS PLANNING
DATE: 11/9/2017
APPROVED BY: [Signature]



RANCHO PARAISO

12011 North 68th Place, Scottsdale Arizona
12011 North 68th Place, Scottsdale Arizona
#278-SA-17 / PLAN REVIEW #3942-17-1, 2, 3



Douglas Fredrikson Architects
727 east bethany home road, d-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only. they are prepared for use in conjunction with the authors interpretations, observations, decisions and administration as described in aia doc a001, without which identical result can not be assured. alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.

17108

covered arena elevations


issue date

07.31.2017

revisions

City Comments 09.18.2017

a
305



RANCHO PARAISO




Douglas Fredrikson Architects
727 east bathany home road, d-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only. they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in site doc 4001 without which desired result can not be assured. alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.

17108
site plan
issue date
07.31.2017
revisions
City Comments 09.18.2017

a
101

12011 North 68th Place, Scottsdale Arizona
#4-UP-2013 / Use Permit #3978-16 / Site Plan Amendment #278-SA-17 / Plan Review #3942-17-1, 2, 3
Plat Log #3978-16 / Use Permit #3978-16 / Use Permit #4-UP-2013 / DRB #40-DR-2016 / SITE PLAN AMENDMENT #278-SA-17 / PLAN REVIEW #3942-17-1, 2, 3



Project Data

ASSASSORS PARCEL NUMBER:	175-21-033
NET SITE AREA:	272,479 S.F. (±6.255 ACRES)
GROSS SITE AREA:	±320,465 S.F. (±7.356 ACRES)
EXISTING ZONING:	R1-35 RESIDENTIAL
PROPOSED ZONING:	R1-35 / CONDITIONAL USE PERMIT - RANCH (4-UP-2013)
PROPOSED BUILDINGS (ROOFED)	EXISTING
• EXISTING RANCH HOUSE	7,935 SF
• NEW HORSE #1 (19 STALLS)	4,320 SF
• NEW TACK BARN	7,935 SF
• NEW HORSE BARN #2 (19 STALLS)	7,935 SF
• NEW HAY BARN	1,924 SF
PROPOSED ACCESSORY STRUCTURES (ROOFED)	
• NEW COVERED ARENA	14,400 SF
• NEW EUROXCISER	4,070 SF

PROPOSED ACCESSORY STRUCTURES	
• (1) MANURE STORAGE 8FT ENCLOSURE WALL	384 SF
• (1) SAWDUST STORAGE 8FT ENCLOSURE WALL	384 SF
• (1) REFUSE STORAGE 8FT ENCLOSURE WALL	384 SF
PROPOSED EQUESTRIAN FENCED AREAS (NOT ROOFED / ATTACHED TO STRUCTURE)	
• ARENA PASTURE	31,600 SF
• (10) 16.75 X 32 TURNOUT PENS	5,360 SF
• (24) 12 X 12 STALL PENS	3,456 SF
PARKING REQUIRED:	
• 1 PARKING SPACE / 2 STALLS (48 STALLS FUTURE)	24 PARKING SPACES
• ACCESSIBLE	NOT REQUIRED PER R1-35 ZONING
• BICYCLE	NOT REQUIRED PER R1-35 ZONING
PROPOSED PARKING:	
• PARKING SPACES VEHICULAR ONLY (10 X 20)	27 PARKING SPACES
• PARKING SPACES TRUCK / TRAILER (12 X 48)	3 PARKING SPACES
• RANCH VEHICLE PARKING (COVERED)	1 PARKING SPACES

General Notes


- AT TIME OF FINAL PLANS THE OWNER SHALL SUBMIT VERIFICATION THAT THE EXISTING WALLS LOCATED WITHIN THE RIGHT OF WAY HAVE BEEN REMOVED - SEE DEMO PLAN SHEET AD101, REVIEW COMMENTS
- AN ADDITIONAL HYDRANT WILL BE REQUIRED TO PROTECT THE PROPERTY
- THE HORSE BARN WILL REQUIRE A SEPARATE FIRE LINE SERVICE FOR THE SPRINKLER SYSTEM
- AN FDC WILL BE REQUIRED NEAR N. 68TH ST.
- FIRE ACCESS SYSTEM (KNOX BOX / SWITCH) WILL BE REQUIRED FOR GATES
- RENOVATIONS/ADDITIONS TO EXISTING RESIDENCE EXCEEDING 25% VALUE OF EXISTING HOME WILL REQUIRE INSTALLATION OF FIRE SPRINKLER SYSTEM
- THE COVERED ARENA MUST COMPLY AS AN OPEN EQUESTRIAN ARANA FOR RIDING ONLY TO BE EXEMPTED FROM FIRE SPRINKLERS
- THE EXISTING ON-SITE WELL SHALL COMPLY WITH ADWR AND MCESD
- ADDITIONAL WATER DEVELOPMENT FEES WILL BE DUE BASED ON THE AREA OF THE NORTH LOT
- POLE MOUNTED LIGHTS ARE NOT TO EXCEED 16'-0" IN HEIGHT
- ALL FENCE/WALL FOOTINGS ARE NOT TO ENCOACH INTO ADJACENT PROPERTY

4-UP-2013 - Conditional Use Permit Stipulations

- Stipulations 1,4,14,15,18-21 & 24 - Refer to site plan this sheet
- Stipulations 2,3,5-13,16,17,22 & 23 - Refer to Sheet A101a


site plan

SCALE: 1" = 30'-0"




vicinity map


SCALE: N.T.S.




0 15 30 60




APPROVED
FINAL PLANS PLANNING
DATE 11/14/2017
APPROVED BY



1 horse barn #1 - east elevation
1/8" = 1'-0"



2 horse barn #1 - west elevation
1/8" = 1'-0"



3 horse barn #1 - end elevation
1/8" = 1'-0"


General Notes

- New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 / Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn, Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bunker Steel and Pegasus for construction of these facilities, accordingly. **Note: Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.**
- New Accessory Structures:** Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 - Building Entry Element, Tack Barn- Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2, Horse Barn #2- Building Entry Element), Hay Barn Building - Entry Element, and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Masonry Wall / Fenced Areas;** Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.

Legend

- 1 Standing seam metal roof - "charcoal gray"
- 2 field metal wall panel - lcp barns "buckskin" (md barns equal color - "sea wolf")
- 3 accent metal wall panel - lcp barns "thundercloud" (md barns equal color - "polar white")
- 4 doors and window shutters - lcp barns "slate gray" (md barns equal color - "slate")
- 5 grid and grid with yoke - galvanized
- 6 steel beams / columns painted, Dunn Edwards DE6379 "silver lake"
- 7 wood trim / beams stained, "weathered gray"
- 8 concrete base, natural color
- 9 steel beams / columns painted, Dunn Edwards DE6384 "Iron Fixture"

APPROVED
FINAL PLANS PLANNING
DATE: 11/14/2017
APPROVED BY: [Signature]




RANCHO PARAISO



Douglas Fredrikson Architects
727 east belthany home road, d-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only; they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in site doc a501, without which desired result can not be assured, alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.

17108
horse barn #1 elevations
issue date
07.31.2017
revisions
City Comments 09.18.2017





RANCHO PARAISO

12011 North 68th Place, Scottsdale Arizona

Plat Log #3978-16 / Use Permit #4-UP-2013 / DRB #40-DR-2016 / SITE PLAN AMENDMENT #278-SA-17 / PLAN REVIEW #3942-17-1, 2, 3



Douglas Fredrikson Architects
727 east bothany home road, d-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only. they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in site doc 4001 without which desired result can not be assured. alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.

17108

overall elevations
issue date


07.31.2017

revisions


City Comments 09.18.2017

a
300

APPROVED
FINAL PLANS PLANNING
DATE 11/4/2017 APPROVED BY [Signature]



1 overall elevations (west)- horse and tack barns
1/16" = 1'-0"




Legend


- 1 Standing seam metal roof - "charcoal gray"
- 2 field metal wall panel - fcp barns "buckskin" (md barns equal color - "sea wolf")
- 3 accent metal wall panel - fcp barns "thundercloud" (md barns equal color - "polar white")
- 4 doors and window shutters - fcp barns "slate gray" (md barns equal color - "slate")
- 5 grid and grid with yoke - galvanized
- 6 steel beams / columns painted, Dunn Edwards DE6379 "silver lake"
- 7 wood trim / beams stained, "weathered gray"
- 8 concrete base, natural color
- 9 steel beams / columns painted, Dunn Edwards DE6384 "Iron Fixture"

General Notes


1. New Prefabricated Equestrian Structures (By others): Including, Horse Barn #1 / Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn , Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bunger Steel and Pegasus for construction of these facilities, accordingly. Note: Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.
2. New Accessory Structures: Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
3. New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others): Including, Horse Barn #1 - Building Entry Element, Tack Barn- Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2, Horse Barn #2- Building Entry Element), Hay Barn Building - Entry Element , and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
4. New Masonry Wall / Fenced Areas; Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.



1 tack barn - north elevation
1/8" = 1'-0"




2 tack barn - south elevation
1/8" = 1'-0"



3 tack barn - end elevation
1/8" = 1'-0"

General Notes

- New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 / Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn, Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bunker Steel and Pegasus for construction of these facilities, accordingly. **Note: Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.**
- New Accessory Structures:** Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 - Building Entry Element, Tack Barn - Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2, Horse Barn #2 - Building Entry Element, Hay Barn Building - Entry Element, and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Masonry Wall / Fenced Areas:** Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn 1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.



RANCHO PARAISO



Douglas Fredrikson Architects
727 east beulah home road, d-123
phoenix, arizona 85014
602.277.1625


these documents are instruments of service of the authors and are for use on this project only; they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in this document; without which desired result can not be assured; alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.


17108
tack barn elevations
issue date
07.31.2017
revisions
City Comments 09.18.2017

Legend

- 1 Standing seam metal roof - "charcoal gray"
- 2 field metal wall panel - fcp barns "buckskin" (md barns equal color - "sea wolf")
- 3 accent metal wall panel - fcp barns "thundercloud" (md barns equal color - "polar white")
- 4 doors and window shutters - fcp barns "slate gray" (md barns equal color - "slate")
- 5 grid and grid with yoke - galvanized
- 6 steel beams / columns painted, Dunn Edwards DE6379 "silver lake"
- 7 wood trim / beams stained, "weathered gray"
- 8 concrete base, natural color
- 9 steel beams / columns painted, Dunn Edwards DE6384 "iron fixture"

APPROVED
FINAL PLANS PLANNING
11/14/2017
APPROVED BY





EUROCIZER PAD ELECTRICAL DETAIL

- # KEYED NOTES:**
- MILBANK PEDISTAL # U5200-XL-75
 - EXISTING WELL PUMP RECIRCUIT AS SHOWN. 240V. 1ø, 3HP
 - NEW BOOSTER PUMP 10HP, 240V. 3ø.

LIGHT FIXTURE SCHEDULE

MARK	DESCRIPTION	MFR.	CATALOG #	VOLT.	LAMPS TYPE	REMARKS
SA	LED POLE LIGHT	HUBBELL	ASL-A-BL-3K-210-4-U-BL	120	5577 LUMEN 61.5W LED	-
SB	LED PATHWAY BOLLARD LIGHT	BEGA	77263-120	120	270 LUMEN 5.0W LED	-
SC	LED LANDSCAPE LIGHT	BK	LTG-DS-LED-E65-MFL-A9-BLW-12-A-360SL	120	455 LUMEN 7.0W LED	AIM AWAY FROM PROPERTY LINE
B	WALL PACK LIGHT	TRAVERSE	TRV-24NB-55-3K-T3-BMT	120	4784 LUMEN 55W LED	-


SEE NEXT SHEET FOR PHOTOMETRICS

NOTE:

PROVIDE A PROGRAMMABLE TIMER AND PHOTOCELLS TO CONTROL PRE & POST CURFEW LIGHTS. MOUNT PHOTOCELLS ON ROOF AIM NORTH. THE PROGRAMMABLE TIME MAY CONTAIN A MAXIMUM 1 HOUR MANUAL OVER RIDE WITH AN AUTOMATIC TURN OFF FOR AFTER HOURS AND SPECIAL USE ONLY.


SITE PLAN GENERAL NOTES:

- ELECTRICAL CONTRACTOR SHALL CONTACT POWER CO. REGARDING EXACT LOCATION OF ALL PRIMARY SERVICE EQUIPMENT, TRENCH LOCATIONS, TRANSFORMER LOCATION, METER LOCATION, ETC.
- ELECTRICAL CONTRACTOR SHALL PROVIDE NECESSARY SECONDARY CONDUITS, POWER TRENCHING, BACKFILL, CONCRETE PADS FOR TRANSFORMERS AND SERVICE EQUIPMENT AND CONDUIT STUBS INTO TRENCH AS REQUIRED BY POWER CO. AND TO THEIR SPECIFICATIONS.
- ELECTRICAL CONTRACTOR SHALL CONTACT TELEPHONE COMPANY REGARDING EXACT LOCATION OF ALL PRIMARY SERVICE EQUIPMENT, TRENCH LOCATIONS, ETC.
- ELECTRICAL CONTRACTOR SHALL PROVIDE ALL NECESSARY TELEPHONE TRENCHING, BACKFILL, AND CONDUIT STUBS INTO TRENCH AS REQUIRED BY TELEPHONE COMPANY AND TO THEIR SPECIFICATIONS.
- ALL WIRING SHALL BE COPPER UNLESS NOTED OTHERWISE. INSULATION SHALL BE TYPE 'XHHW' OR 'THHN/THWN'.
- ALL WIRING FOR OUTSIDE LIGHTING SHALL BE A MINIMUM OF #10 COPPER WITH TYPE 'THWN' INSULATION. FOR UNDERGROUND CIRCUITS RUN IN P.V.C., PROVIDE A #10 COPPER BOND IN ADDITION TO CIRCUIT CONDUCTORS.
- THE ELECTRICAL CONTRACTOR IS RESPONSIBLE FOR COORDINATION AND COMPLIANCE WITH THE UTILITY COMPANY'S REQUIREMENTS. WITHIN TWO WEEKS AFTER AWARD OF CONTRACT, SUBMIT (2) COMPLETE SETS OF PLANS, INCLUDING PLOT OF SURVEY, TO UTILITY COMPANY FOR COORDINATION.
- ROUTING OF INCOMING POWER AND TELEPHONE SERVICE SHOWN ARE FOR ESTIMATING PURPOSES ONLY. ACTUAL ROUTING, CONDUIT, TRENCH, AND PAD REQUIREMENTS SHALL BE AS SPECIFIED BY THE UTILITY COMPANY. CONFIRM ALL REQUIREMENTS WITH UTILITIES PRIOR TO INSTALLATION.




LIGHTING CONTROL DIAGRAM TIMESWITCH 'C'

N.T.S.





LIGHTING CONTROL DIAGRAM TIMESWITCH 'D'

N.T.S.




electrical site plan

scale: 1" = 30'-0"




LIGHTING CONTROL DIAGRAM TIMESWITCH 'A'

N.T.S.




LIGHTING CONTROL DIAGRAM TIMESWITCH 'B'

N.T.S.



RANCHO PARAIISO

12011 North 68th Place, Scottsdale Arizona



Douglas Fredrikson Architects
727 east bathany home road, d-123
phoenix, arizona 85014
602.277.1825

these documents are instruments of service of the authors and are for use on this project only, they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in site doc 2001 without which desired result can not be assured, alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.

13100

electrical site lighting plan
issue date

10.25.2015

revisions

△ COS FIRST REVIEW 10/9/17



mw engineering, llc
Electrical Consulting Engineering Group

Job No. 17164
David Watson, P.E.

dave@mwegroup.com
o. 480.731.5050 f. 480.731.5333
2001 W Alameda Drive, Suite 102 Tempe, AZ 85282

Plat Log # 3978-16 / Use Permit # 4-UP-2013

Label	Symbol	Description	MTG HEIGHT	MOUNTING	Lum. Watts	Qty
B	☐	TRV-24NB-55-3K-T3-BMT	12' MTG HT.	SINGLE	55.8	8
SB	☐+	BEGA - 77263-120	3.5' MTG HT.	SINGLE	5	24
SA	☐-	HUBBELL - ASL-8L-3K-210-4	12' MTG HT.	SINGLE	61.5	4
SC	☉	B-K LTD-DS-LED-E65-MFL-A9-BLW-12-A-360SL	GRD MT FLOOD	SINGLE	6.77	28

Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
PERIMETER- 6' ABOVE GRADE	Illuminance	Fc	0.00	0.0	0.0	N.A.	N.A.
SITE POST CURFEW	Illuminance	Fc	0.17	5.9	0.0	N.A.	N.A.

Label	Area	Total Watts	LPD
LPDArea_1	328302	763.3903	0.002

COMcheck Software Version 4.0.7.0
Exterior Lighting Compliance Certificate

Project Information
 Energy Code: 2015 IECC
 Project Title: RANCHO PARAISO
 Project Type: New Construction
 Exterior Lighting Zone: 2 (Residentially zoned area)
 Construction Site: 12011 N. 68TH PL. SCOTTSDALE, AZ
 Owner/Agent: _____
 Designer/Contractor: _____


Area/Surface Category	A Quantity	B Allowed Watts / Unit	C Tradable Wattage	D Allowed Watts (B X C)	E Allowed Watts (B X C)
Main entry	8 ft. of door	20	Yes	120	120
				Total Tradable Watts (a) =	1758
				Total Allowed Watts =	1758
				Total Allowed Supplemental Watts (b) =	600

(a) Wattage tradeoffs are only allowed between tradable areas/surfaces.
 (b) A supplemental allowance equal to 60% of total tradable wattage may be applied toward compliance of both non-tradable and tradable areas/surfaces.

Fixture ID : Description / Lamp / Wattage Per Lamp / Ballast	A Lamp/ Fixture	B C of Fixture	D E (C X D)
Main entry (8 ft. of door width) - Tradable Wattage			
LED 1: SA LED Panel 60W:	1	4	62 248
LED 2: SB LED A Lamp 60W:	1	24	5 120
LED 3: SC LED A Lamp 70W:	1	12	7 84
LED 4: B LED Panel 50W:	1	8	55 440
Walkway >= 10 feet wide (11702 E2) - Tradable Wattage			
Total Tradable Proposed Watts = 890			

Exterior Lighting PASSES: Design 62% better than code
Exterior Lighting Compliance Statement
 Compliance Statement: The proposed exterior lighting design presented in this report is consistent with the building plans, specifications, and other calculations submitted with this project. The exterior lighting systems have been designed to meet the 2015 IECC requirements in COMcheck software version 4.0.7.0. I have reviewed any applicable mandatory requirements based on the Inspector Checklist.
 DAVID WATSON, P.E. 9/18/2017

Project Title: RANCHO PARAISO Report date: 09/18/17
 Data filename: \\172.16.201.10\Current\2017\jobs\17164-Rancho Paraiso\RANCHO PARAISO COMCHECK.cck Page 3 of 8



photometrics 10pm to dawn
 scale: 1" = 30'-0"
 N
 0 15 30 60


mw engineering, llc
 Electrical Consulting Engineering Group
 Job No. 17164
 David Watson, P.E.
 dave@mwgroup.com
 o. 480.731.5050 f. 480.731.5353
 2001 W Alameda Drive, Suite 102 Tempe, AZ 85282

F
RANCHO PARAISO
 12011 North 68th Place, Scottsdale Arizona
Professional Engineer
 3172 DAVID WATSON
 Expires 3/31/18
Douglas Fredrikson Architects
 727 east bethany home road, d-123
 phoenix, arizona 85014
 602.277.1625
 these documents are instruments of service of the authors and are for use on this project only. they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in its (its) addendum without which desired result can not be assured. alteration, reproduction, or use in part or in whole, for other purposes without the authors written consent may violate existing legal statutes.
13100
 electrical site lighting plan
 issue date
 10.25.2015
 revisions
 COS FIRST REVIEW 10/9/17
e
101.2
 Plat Log # 3978-16 / Use Permit # 4-UP-2013

Luminaire Schedule						
Label	Symbol	Description	MTG HEIGHT	MOUNTING	Lum. Watts	Qty
B		TRV-24NB-55-3K-T3-BMT	12' MTG HT.	SINGLE	55.8	8
SB		BEGA - 77263-120	3.5' MTG HT.	SINGLE	5	24
SA		HUBBELL - ASL-8L-3K-210-4	12' MTG HT.	SINGLE	61.5	4
SC		B-K LTG-DS-LED-E65-MFL-A9-BLW-12-A-360SL	GRD MT FLOOD	SINGLE	6.77	28

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
PERIMETER	Illuminance	Fc	0.00	0.0	0.0	N.A.	N.A.
SITE-PRECURFEW	Illuminance	Fc	0.21	5.9	0.0	N.A.	N.A.

LPD Area Summary			
Label	Area	Total Watts	LPD
LPDArea_1	328302	1055.96	0.003



photometrics dusk to 10pm
 scale: 1" = 30'-0"

mw engineering, llc
 Electrical Consulting Engineering Group
 Job No. 17164
 David Watson, P.E.
 dave@mwgroup.com
 2001 W Alameda Drive, Suite 102 Tempe, AZ 85282
 480.731.5350 f. 480.731.5353



RANCHO PARAISO


12011 North 68th Place, Scottsdale Arizona




Douglas Fredrikson Architects
 727 East Bethany Home Road, G-123
 Phoenix, Arizona 85014
 602.277.1625

these documents are instruments of service of the authors and are for use on this project only. they are prepared for use in conjunction with the authors' interpretations, observations, decisions and administration as described in the contract documents. without which desired result can not be assured. alteration, reproduction, or use in part or in whole for other purposes without the authors' written consent may violate existing legal statutes.


13100
electrical site lighting plan
issue date
10.25.2015
revisions
△ COS FIRST REVIEW 10/9/17




Plat Log # 3978-16 / Use Permit # 4-UP-2013




4 trellis at tack barn elevation
1/2" = 1'-0"



3 bent beam elevation
1/2" = 1'-0"



2 trellis at tack barn
1/2" = 1'-0"



1 bent beam
1/2" = 1'-0"

General Notes

- New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1/Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn, Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bunker Steel and Pegasus for construction of these facilities, accordingly. **Note: Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.**
- New Accessory Structures:** Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 - Building Entry Element, Tack Barn- Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2, Horse Barn #2- Building Entry Element), Hay Barn Building - Entry Element, and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Masonry Wall / Fenced Areas:** Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.



RANCHO PARAISO

12011 North 68th Place, Scottsdale Arizona
12011 North 68th Place, Scottsdale Arizona
#278-SA-17 / PLAN REVIEW #3942-17-1, 2, 3



Douglas Fredrikson Architects
727 east beithany home road, d-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only. they are prepared for use in conjunction with the authors interpretations, observations, decisions and administration as described in all documents, without which desired result can not be assured. alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.

17108

wall section


issue date

07.31.2017

revisions

City Comments 09.18.2017


a
503



2 groom trellis at horse barn #2 elevation
1/2" = 1'-0"


General Notes

- New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 / Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn, Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bunker Steel and Pegasus for construction of these facilities, accordingly. **Note: Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.**
- New Accessory Structures:** Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 - Building Entry Element, Tack Barn - Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2, Horse Barn #2 - Building Entry Element, Hay Barn Building - Entry Element, and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Masonry Wall / Fenced Areas:** Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn 1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.



RANCHO PARAISO

12011 North 68th Place, Scottsdale Arizona



Douglas Fredrikson Architects
727 east bothany home road, G-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only; they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in the contract documents. without which desired result can not be assured. alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.

17108

wall section
issue date


07.31.2017

revisions


City Comments 09.18.2017




Plat Log #3978-16 / Use Permit #4-UP-2013 / DRB #40-DR-2016 / SITE PLAN AMENDMENT #278-SA-17 / PLAN REVIEW #3942-17-1, 2, 3



1 trellis beam section at horse barn #2
1/2" = 1'-0"




2 groom trellis at horse barn #1 elevation
1/2" = 1'-0"



1 trellis beam section at horse barn #1
1/2" = 1'-0"

General Notes

- New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 /Tack Barn / Horse Barn #2 (one comprehensive structure for Building Safety / Fire Department), Hay Barn , Covered Arena, and Covered Euroexerciser. See attached supplemental drawings and structural calculations prepared by MD Barns, Bungee Steel and Pegasus for construction of these facilities, accordingly. **Note:** Floor Plans, Reflected Ceiling Plans and Building Elevations are included in A/E drawings prepared by Douglas Fredrikson Architects as reference, and to serve as base drawings for coordination with Structural /MPE engineers, only.
- New Accessory Structures:** Including (3) three Gated Entry Wall elements (1) one Refuse, Sawdust and Manure Enclosure and prefabricated (1) one Feed and (1) one Water Station Equipment. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Peripheral Trellis Structures (Which attach to but impose no structural load on the New Prefabricated Equestrian Structures (By others):** Including, Horse Barn #1 - Building Entry Element , Tack Barn- Building Entry Element, Tack Barn - Exterior Groom Stalls # 1 and #2 , Horse Barn #2- Building Entry Element), Hay Barn Building - Entry Element , and Existing Residence - Building Entry Element. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.
- New Masonry Wall / Fenced Areas;** Including, Perimeter 6'-0" high Vinyl Equestrian Fence, 5'-0 High Galvanized Equestrian Fences at Covered Arena, Horse Barn1 - Outdoor Pens, Horse Barn 2 - Outdoor Pens, Tack Barn - Horse Wash, and Turnout Pens. See A/E drawings prepared by Douglas Fredrikson Architects / Engineers, accordingly.



RANCHO PARAISO


12011 North 68th Place, Scottsdale Arizona
12011 North 68th Place, Scottsdale Arizona




Douglas Fredrikson Architects
727 east bathany home road, G-123
phoenix, arizona 85014
602.277.1625

these documents are instruments of service of the authors and are for use on this project only; they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in all applicable contracts and specifications. No liability shall be assumed for any errors or omissions, or for any consequences arising from the use of these documents for other purposes without the authors written consent may violate existing legal statutes.

17108
wall section
issue date
07.31.2017
revisions
City Comments 09.18.2017







Douglas Fredrikson Architects
 727 East Bethany Home Road, G-123
 Phoenix, Arizona 85014
 602.277.1625

These documents are instruments of service of the authors and are for use on this project only. They are prepared for use in conjunction with the authors' interpretations, observations, decisions and administration as described in site plan #001. Without which desired result can not be assured. Alteration, reproduction, or use in part or in whole for other purposes without the authors' written consent may violate existing legal statutes.


17108
site plan
issue date
07.31.2017
revisions
City Comments 09.18.2017




1 entry and perimeter equestrian fence plan (typical @ entry 2 & 3)
 1/4" = 1'-0"




2 entry and perimeter equestrian fence elevation (typical @ entry 2 & 3)
 1/4" = 1'-0"




4 arena / turn out pen equestrian fence elevation (typical)
 1/4" = 1'-0"




3 perimeter equestrian fence-typical
 1/4" = 1'-0"




8 section @ gate wheel / track
 3" = 1'-0"



7 entry fence
 1/2" = 1'-0"



6 galvanized equine fence
 1/2" = 1'-0"




5 vinyl property fence
 1/2" = 1'-0"





Douglas Fredrikson Architects
 727 East Bethany Home Road, G-123
 Phoenix, Arizona 85014
 602.277.1625

These documents are instruments of service of the authors and are for use on this project only. They are prepared for use in conjunction with the authors' interpretations, observations, decisions, and administration as described in the contract documents. Without which desired result can not be assured. Alteration, reproduction, or use in part or in whole for other purposes without the authors' written consent may violate existing legal statutes.


17108
site plan
issue date
07.31.2017
revisions
City Comments 09.18.2017




site plan - hardscape
 scale: 1" = 30'-0"




7 concrete sidewalk @ concrete drive
 1-1/2" = 1'-0"




6 curb @ stabilized decomposed granite drive
 3/4" = 1'-0"




4 concrete sidewalk @ landscape
 1-1/2" = 1'-0"




2 concrete curb (where turf area occurs)
 3/4" = 1'-0"




7 concrete expansion and saw cut control joint
 1-1/2" = 1'-0"




5 curb @ concrete drive
 3/4" = 1'-0"




3 concrete sidewalk @ stabilized drive
 1-1/2" = 1'-0"




1 concrete curb (where landscape d.g. area occurs)
 3/4" = 1'-0"




2 manure / refuse / sawdust enclosure elevations
 1/4" = 1'-0"




6 concrete-filled pipe bollard
 3/4" = 1'-0"




4 gate jamb
 3" = 1'-0"




5 cane bolt
 1-1/2" = 1'-0"



3 masonry site wall
 3/4" = 1'-0"



1 manure / refuse / sawdust enclosure enlarged plan
 1/4" = 1'-0"



RANCHO PARAISO



Douglas Fredrikson Architects
 727 east bathany home road, d-123
 phoenix, arizona 85014
 602.277.1625

these documents are instruments of service of the authors and are for use on this project only; they are prepared for use in conjunction with the authors interpretations, observations, decisions, and administration as described in site doc 4001 without which desired result can not be assured; alteration, reproduction, or use in part or in whole for other purposes without the authors written consent may violate existing legal statutes.

17108

site plan
 issue date

07.31.2017
 revisions

City Comments 09.18.2017

a
 104