

Exterior Building Color & Material Samples

Color Drawdowns

Archaeological Resources


Airport Vicinity Development Checklist

Parking Study


Trip Generation Comparison

Parking Master Plan


COLOR SCHEME 1-PAINT & METAL



1 MAIN STUCCO BODY
SHERWIN WILLIAMS
2827 COL. REVIVAL STONE
LRV 31




7 METAL GARAGE DOOR
W/PRIVACY GLASS-
BLACK ANODIZED



1 SECONDARY STUCCO
SHERWIN WILLIAMS
7019 GUANTLET GRAY
LRV 17

11 WINDOW FRAME W/
LOW E-366 GLASS:
DARK BRONZE ANODIZED:
WESTERN




LOW E-366
GLASS SAMPLE
NOT SHOWN.
SEE LARGE SAMPLE

12 METAL FASCIA: BERRIDGE DARK BRONZE-SRI 27



4 STANDING SEAM METAL WALL PANEL: BERRIDGE ZINC GRAY
5 STANDING SEAM METAL ROOF: BERRIDGE ZINC GRAY
6 METAL ENTRY GATE W/ PRIVACY GLASS: TO MATCH ZINC GRAY
8 FRAMED METAL LOUVERED AWNING & FRAMED METAL GRATE GUARDRAIL: BERRIDGE ZINC GRAY
9 METAL TRELLIS: BERRIDGE ZINC GRAY
10 VERTICAL METAL LOUVERS: BERRIDGE METAL: ZINC GRAY SRI 42

THE RETREAT AT *Sever*
SCOTTSDALE, ARIZONA DESERT MOUNTAIN



8.13.2018




DANIELIAN ASSOCIATES
ARCHITECTURE + PLANNING
WWW.DANIELIAN.COM

17027.00

41-DR-2018
9/4/2018

COLOR SCHEME 1- STONE VENEER



3 CORONADO STONE:
BLACKENED OAK REFINED WOOD STONE LRV 12

2 ELDORADO STONE: AUTUMN LEAF ROUGH CUT LRV 26



THE RETREAT AT *Sever*
SCOTTSDALE, ARIZONA
DESERT MOUNTAIN



8.13.2018

DANIELIAN ASSOCIATES
ARCHITECTURE + PLANNING
WWW.DANIELIAN.COM




17027.00

41-DR-2018
9/4/2018

COLOR SCHEME 2-PAIN & METAL


12 METAL FASCIA: BERRIDGE DARK BRONZE-SRI 27




1 MAIN STUCCO BODY
SHERWIN WILLIAMS
9170 ACIER
LRV 32



7 METAL GARAGE DOOR
W/ PRIVACY GLASS-
BLACK ANODIZED



1 SECONDARY STUCCO
SHERWIN WILLIAMS
7046 ANONYMOUS
LRV 20



4 STANDING SEAM METAL WALL PANEL: BERRIDGE MED BRONZE
5 STANDING SEAM METAL ROOF: BERRIDGE MED BRONZE
6 METAL ENTRY GATE W/ PRIVACY GLASS: TO MATCH MED BRONZE
8 FRAMED METAL LOUVERED AWNING & FRAMED METAL GRATE GUARDRAIL: BERRIDGE MED BRONZE
9 METAL TRELLIS: BERRIDGE MED BRONZE
10 VERTICAL METAL LOUVERS: MED BRONZE BERRIDGE METAL: MED BRONZE SRI 31

11 WINDOW FRAME W/
LOW E-366 GLASS:
DARK BRONZE ANODIZED:
WESTERN



LOW E-366
GLASS SAMPLE
NOT SHOWN.
SEE LARGE SAMPLE

THE RETREAT AT *Sevens*
SCOTTSDALE, ARIZONA
DESERT MOUNTAIN



8.13.2018




DANIELIAN ASSOCIATES
ARCHITECTURE + PLANNING
WWW . DANIELIAN . COM

17027.00

41-DR-2018
9/4/2018

COLOR SCHEME 2- STONE VENEER



3 CORONADO STONE:
CEDAR REFINED WOOD STONE LRV 22

2 ELDORADO STONE: MOONLIGHT ROUGH CUT LRV 23.4



THE RETREAT AT *Sevens*
SCOTTSDALE, ARIZONA

DESERT MOUNTAIN



8.13.2018

DANIELIAN ASSOCIATES
ARCHITECTURE + PLANNING
WWW.DANIELIAN.COM



17027 00

41-DR-2018
9/4/2018

THE RETREAT AT SEVEN~DESERT MOUNTAIN

SCOTTSDALE, ARIZONA

FAMILY DEVELOPMENT

COLOR AND MATERIALS SCHEDULE

		COLOR SCHEME 1	COLOR SCHEME 2
1	MAIN STUCCO BODY	2827 COL. REVIVAL STONE LRV 31	9170 ACIER LRV 32
1	SECONDARY STUCCO	7019 GUANTLET GRAY LRV 17	7046 ANONYMOUS LRV 20
2	STONE VENEER <i>ELDORADO STONE</i>	AUTUMN LEAF ROUGH CUT LRV 26	MOONLIGHT ROUGH CUT LRV 23.4
3	STONE ACCENT TILE: REFINED WOOD STONE <i>CORONADO STONE</i>	BLACKENED OAK REFINED WOODSTONE LRV 12	CEDAR REFINED WOODSTONE LRV ??
4	STANDING SEAM METAL WALL PANEL	ZINC GRAY SRI 42	MEDIUM BRONZE SRI 31
5	STANDING SEAM METAL ROOF	ZINC GRAY	MEDIUM BRONZE
6	METAL ENTRY GATE WITH PRIVACY GLASS	ZINC GRAY	MEDIUM BRONZE
7	METAL GARAGE DOOR W/PRIVACY GLASS	BLACK ANODIZED W/WHITE LAMINATED GLASS	BLACK ANODIZED W/WHITE LAMINATED GLASS
8	FRAMED METAL LOUVERED AWNING & FRAMED METAL GRATE GUARDRAIL	ZINC GRAY	MEDIUM BRONZE
9	METAL TRELLIS	ZINC GRAY	MEDIUM BRONZE
10	VERTICAL METAL LOUVERS	ZINC GRAY	MEDIUM BRONZE
11	WINDOW & DOORS W/ LOW E- 366 GLASS	DARK BRONZE ANODIZED	DARK BRONZE ANODIZED
12	METAL FASCIA	DARK BRONZE SRI 12	DARK BRONZE SRI 12

MANUFACTURERS:

PAINT: SHERWIN WILLIAMS OR EQUAL

STUCCO: TBD

STONE VENEER: ELDORADO STONE OR EQUAL

WOOD LOOK STONE VENEER: CORONADO STONE OR EQUAL

METAL: BERRIDGE OR EQUAL

WINDOW: WESTERN

GARAGE DOOR: WAYNE DALTON OR EQUAL

8/14/2018

#17027

PREPARED BY DANIELIAN ASSOCIATES

41-DR-2018

9/4/2018

Shelter Outdoor Wall Sconce

By Hinkley Lighting

LUMENS
LIGHT AND LIVING

Call Us 877.445.4486

Product Options

Finish: Black, Buckeye Bronze, Hematite
Size: Mini, Small, Medium, Large
Light Option: Incandescent, Fluorescent, LED

Details

- Material: Aluminum
- Shade Material: Glass
- Clear seeded shade
- 120" lead wire
- Dark Sky compliant
- UL Listed Wet
- Made In China

Dimensions

Large Option Backplate: Width 4.5", Height 12"
Large Option Fixture: Width 8.25", Height 23.25", Depth 8.5"
Medium Option Backplate: Width 4.5", Height 12"
Medium Option Fixture: Width 6.25", Height 20.5", Depth 6.5"
Mini Option Backplate: Width 4.5", Height 12"
Mini Option Fixture: Width 4.5", Height 15.5", Depth 4.75"
Small Option Backplate: Width 4.5", Height 12"
Small Option Fixture: Width 6.25", Height 15.5", Depth 6.5"


Lighting

- Mini Option: 6 Watt (300 Lumens) 120 Volt Integrated LED: CRI: 80 Color Temp: 3000K Lifespan: 35000 hours
- Mini Option: One 13 Watt (800 Lumens) 120 Volt GU24 Base Fluorescent Lamp(s) (Not Included)
- Mini Option: One 43 Watt (750 Lumens) 120 Volt E26 Medium Base Halogen Lamp(s) (Not Included)
- Small Option: 10 Watt (550 Lumens) 120 Volt Integrated LED: CRI: 96 Color Temp: 2700K Lifespan: 40000 hours
- Small Option: One 13 Watt (800 Lumens) 120 Volt GU24 Base Fluorescent Lamp(s) (Not Included)
- Small Option: One 53 Watt (1050 Lumens) 120 Volt E26 Medium Base Halogen Lamp(s) (Not Included)
- Medium Option: 15 Watt (800 Lumens) 120 Volt Integrated LED: CRI: 96 Color Temp: 2700K Lifespan: 40000 hours
- Medium Option: One 18 Watt (1200 Lumens) 120 Volt GU24 Base Fluorescent Lamp(s) (Not Included)
- Medium Option: One 72 Watt (1490 Lumens) 120 Volt E26 Medium Base Halogen Lamp(s) (Not Included)
- Large Option: 15 Watt (800 Lumens) 120 Volt Integrated LED: CRI: 96 Color Temp: 2700K Lifespan: 40000 hours
- Large Option: One 18 Watt (1200 Lumens) 120 Volt GU24 Base Fluorescent Lamp(s) (Not Included)
- Large Option: One 72 Watt (1490 Lumens) 120 Volt E26 Medium Base Halogen Lamp(s) (Not Included)

Additional Details

Product URL: <https://www.lumens.com/shelter-outdoor-wall-sconce-by-hinkley-lighting-uu312490.html>
Rating: UL Listed Wet

Product ID: uu312490



Shown in Black finish, Small size

Notes:

Prepared by:

Prepared for:

Project:

Room:

Placement:

Approval:



41-DR-2018
9/4/2018



BERRIDGE STOCK AVAILABILITY AND COLOR DETAILS

S - Stock Color N - Non-Stocking Color N/A - Not Available

Standard Colors	24 Gauge		22 Gauge*		0.032 Aluminum*		0.040 Aluminum*		SR	EM	SRI
	48"	42"	48"	42"	48"	42"	48"	42"			
Aged Bronze	S	S	S	N	S	N	S	N/A	0.30	0.86	30
Almond	S	S	S	N	S	N	S	N/A	0.65	0.83	77
Bristol Blue	S	S	N	N	N	N	N	N/A	0.33	0.85	33
Buckskin	S	S	S	N	N	N	N	N/A	0.32	0.83	32
Burgundy	S	S	N	N	N	N	N	N/A	0.29	0.85	29
Charcoal Grey	S	S	S	N	N	N	N	N/A	0.31	0.84	30
Cityscape	S	S	N	N	N	N	N	N/A	0.48	0.85	54
Colonial Red	S	S	N	N	N	N	N	N/A	0.33	0.85	34
Copper Brown	S	S	N	N	N	N	N	N/A	0.30	0.85	29
Dark Bronze	S	S	S	N	S	N	S	N/A	0.28	0.85	27
Deep Red	S	S	N	N	N	N	N	N/A	0.39	0.84	41
Evergreen	S	S	N	N	N	N	N	N/A	0.30	0.83	29
Forest Green	S	S	S	N	N	N	N	N/A	0.25	0.83	22
Hartford Green	S	S	N	N	N	N	N	N/A	0.28	0.83	26
Hemlock Green	S	S	N	N	N	N	N	N/A	0.31	0.83	30
Matte Black	S	S	N	N	N	N	N	N/A	0.26	0.89	26
Medium Bronze	S	S	S	N	S	N	S	N/A	0.31	0.85	31
Parchment	S	S	S	N	S	N	S	N/A	0.52	0.83	58
Patina Green	S	S	N	N	N	N	N	N/A	0.34	0.86	36
Royal Blue	S	S	N	N	N	N	N	N/A	0.26	0.85	25
Shasta White	S	S	S	N	S	N	S	N/A	0.60	0.84	70
Sierra Tan	S	S	S	N	S	N	S	N/A	0.39	0.85	42
Teal Green	S	S	N	N	N	N	N	N/A	0.27	0.87	27
Terra - Cotta	S	S	N	N	N	N	N	N/A	0.32	0.83	31
Zinc Grey	S	S	S	N	S	N	S	N/A	0.39	0.85	42
Acrylic-Coated Galvalume®	S	S	S	S	N/A	N/A	N/A	N/A	0.67	0.20	59
Premium Colors*											
Award Blue	S	S	N	N	N	N	N	N/A	0.17	0.83	11
Natural White	S	S	N	N	N	N	N	N/A	0.76	0.84	93
Metallic Colors*											
Antique Copper-Cote	S	S	N	N	N	N	N	N/A	0.33	0.84	34
Champagne	S	S	N	N	N	N	N	N/A	0.40	0.85	43
Copper-Cote™	S	S	N	N	N	N	N	N/A	0.51	0.85	59
Lead-Cote™	S	S	N	N	N	N	N	N/A	0.46	0.84	50
Prewheathered Galvalume®	S	S	N	N	N	N	N	N/A	0.40	0.85	43
Zinc-Cote™	S	S	N	N	N	N	N	N/A	0.53	0.83	59

S Stock Color; Not subject to a minimum order

N Non-Stock Color; Subject to inventory on hand; 4,500 sf minimum order for 22 Gauge and 0.032 & 0.040 Aluminum

N/A Not Available

* Consult BMC on product availability for 22 Gauge and 0.032 and 0.040 Aluminum. Premium and Metallic colors are subject to a surcharge, contact BMC for additional information

Testing results for Kynar 500®/Hylar 5000® coil coating applications:

- Specular Gloss: (ASTM D-523) Low and medium gloss only
- Color Uniformity: (ASTM D-2244) Color controlled both instrumentally and visually
- Dry Film Thickness: (ASTM D-7091, ASTM D-1005, NCCA 11-13, 11-14, 11-15) Primer 0.20 ± 0.05 mil, Topcoat 0.75 ± 0.05 mil
- Hardness: (ASTM D-3363, NCCA 11-12, Eagle Turquoise Pencils) HB Minimum
- Adhesion (X-Cut): (ASTM D-3359) No adhesion loss
- Adhesion (Crosshatch): (ASTM D-3359) No adhesion loss
- Abrasion Coefficient: (ASTM D-968) 100 liters/mil topcoat
- Direct Impact Flexibility: (ASTM D-2794, Gardner Impact Tester, 1/10" Distortion) Excellent, no removal
- Reverse Impact Flexibility: (NCCA Spec. 11, ASTM D-2794, Gardner Impact Tester, 5/8" ball Impact force in inch pounds equal to metal thickness) Excellent, no cracking or loss of adhesion
- Formability: (ASTM D-4145, 180° T-Bend on 1/8 Mandrel) No cracks or loss of adhesion
- Erosion: (20 years, 45° South Florida) Maximum 15% loss
- Humidity Resistance: (ASTM D-2247) Passes 2000 hours on Galvalume® and 4000 hours on Aluminum
- Acid Resistance: (ASTM D-1308, Proc. 3.1.1, 10% Sulfuric Acid spot test, 24 hour exposure) Excellent, no effect
- Salt Spray Resistance: (ASTM B-117) Passes 2000 hours on Galvalume® and 4000 hours on Aluminum
- Alkali Resistance: (ASTM D-1308, Proc. 5.2, 10% Sodium Hydroxide, 24 hour exposure) Excellent, no effect
- Detergent Resistance: (ASTM D-2248, 72 hours immersion in 3% solution at 100°F) Excellent, no effect
- Resistance to Acid Pollutants: (ASTM D 1308 Proc. 3.1.1, 24 hour exposure 10% HNO₃ vapors) Excellent, no effect
- Weathering - Color Retention: (ASTM D-2244, 20 years, 45° South Florida) Maximum 5 NBS units color change
- Weathering - Chalk Resistance: (ASTM D-4214, 20 years, 45° South Florida) Not worse than No. 8 rating

Notes:

1. ASTM - American Society for Testing Materials
2. NCCA - National Coil Coaters Association
3. Galvalume® is 55% Aluminum-Zinc alloy coated sheet steel and is a registered trademark of BIEC International Inc.

**BMC SAN ANTONIO
BRANCH FACILITY**
6515 Fratt Rd.
San Antonio, TX 78218
210-650-3050
Fax: 210-650-0379

**BMC HOUSTON
BRANCH FACILITY**
1720 Maury St.
Houston, TX 77026
713-223-4971
Fax: 713-236-9422

**BMC DALLAS
BRANCH FACILITY**
2015 California Crossing
Dallas, TX 75220
972-506-8496
Fax: 972-506-8478

**BMC DENVER
BRANCH FACILITY**
7505 E. 41st Ave.
Denver, CO 80216
303-322-3703
Fax: 303-322-3810

**BMC CHICAGO
BRANCH FACILITY**
1175 Carolina Dr.
W. Chicago, IL 60185
630-231-7495
Fax: 630-231-7520

**BMC RALEIGH
BRANCH FACILITY**
1100 Corporation Pkwy #129
Raleigh, NC 27610
919-537-5705
Fax: 210-650-0379

**BMC PHOENIX
BRANCH FACILITY**
5717 W. Washington St.
Phoenix, AZ 85043
602-385-1237
Fax: 210-650-0379

**BMC ATLANTA
BRANCH FACILITY**
319 Lee Industrial Blvd.
Austell, GA 30168
770-941-5141
Fax: 770-941-7344

**BMC OKLAHOMA CITY
BRANCH FACILITY**
1400 Exchange Ave.
Oklahoma City, OK 73108
405-248-7404
Fax: 210-650-0379

**BMC KANSAS CITY
BRANCH FACILITY**
1235 Southwest Blvd.
Kansas City, KS 66103
913-227-0855
Fax: 210-650-0379

**BERRIDGE CALIFORNIA
SALES CORPORATION****
8442 Sultana Ave.
Fontana, CA 92335
562-402-2081
Fax: 562-865-7878

**BERRIDGE FLORIDA
SALES CORPORATION****
8802 Venture Cove
Tampa, FL 33637
813-335-4505
Fax: 210-650-0379

**Berridge California and Florida Sales Corporations are separate entities from Berridge Manufacturing Company



BERRIDGE MANUFACTURING COMPANY
Corporate & Sales Headquarters
2610 Harry Wurzbach, San Antonio, TX 78209
210-650-3050 • Fax 210-650-0379

Manufacturing Facility
2201 Rudeloff Rd. Seguin, TX 78155
830-401-5200 • Fax: 830-303-0530

Roofs of Distinction

www.berridge.com

Color Chart - 15M Printed in the U.S.A.

**41-DR-2018
9/4/2018**

41-DR-2018
9/4/2018

COLOR SCHEME 1



2827
COL. REVIVAL STONE
LRV 31

7019
GUANTLET GRAY
LRV 17

41-DR-2018
9/4/2018

COLOR SCHEME 1

2827
COL. REVIVAL STONE
LRV 31

✓ 7019
GUANTLET GRAY
LRV 17

SW 7019
Gauntlet Gray

SW 7019
Gauntlet Gray

SW 7019
Gauntlet Gray

SW 7019
Gauntlet Gray

SW 7019
Gauntlet Gray

1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 26

41-DR-2018
9/4/2018

COLOR SCHEME 2	
	9170
	ACIER
	LRV 32
	7046
	ANONYMOUS
	LRV 20

244-C4

SW 9170
Acier
LRV 32

244-C4

SW 9170
Acier
LRV 32

SW 9170
Acier
LRV 32

244-C4

SW 9170
Acier
LRV 32

244-C4

SW 9170
Acier
LRV 32

41-DR-2018
9/4/2018

COLOR SCHEME 2

9170
ACIER
LRV 32



7046
ANONYMOUS
LRV 20

SW 7046
Anonymous
LRV 20

SW 7046
Anonymous
LRV 20

SW 7046
Anonymous
LRV 20

SW 7046
Anonymous
LRV 20

SW 7046
Anonymous
LRV 20



BERRIDGE MANUFACTURING COMPANY

KYNAR 500® HYLAR 5000™ COLOR FINISHES

(210) 650-3050
www.berridge.com

STANDARD COLORS

Due to limitations in the printing process, please request actual color chips for accurate color viewing.




BUCKSKIN



PARCHMENT



ALMOND



AGED BRONZE



SHASTA WHITE



FOREST GREEN



PATINA GREEN



SIERRA TAN



MEDIUM BRONZE



CHARCOAL GREY



HEMLOCK GREEN



BRISTOL BLUE



TERRA-COTTA



DARK BRONZE



ZINC GREY



HARTFORD GREEN



ROYAL BLUE



COLONIAL RED



COPPER BROWN



MATTE BLACK



TEAL GREEN



BURGUNDY



DEEP RED

PREMIUM COLORS


Berridge premium colors require a nominal surcharge.




NATURAL WHITE



AWARD BLUE



CHAMPAGNE



COPPER-COTE™



ANTIQUÉ
COPPER-COTE

METALLIC COLORS


Berridge metallic colors are premium finishes which require a nominal surcharge.
Due to limitations in the printing process, please request actual color chips for accurate color viewing.

NATURAL METAL FINISH

Berridge Acrylic-Coated Galvalume® is a coated sheet product that combines the corrosion resistance of GALVALUME® steel sheet with a clear, organic resin applied to the top side and bottom side of GALVALUME® substrate.




ACRYLIC-COATED
GALVALUME®



ZINC-COTE™



LEAD-COTE™



PREWEATHERED
GALVALUME®



Energy Star is
only valid in the
United States.

All colors except Award Blue comply with LEED® v3 & Energy Star requirements for low slip.

Almond complies with LEED® v3 requirements for low slip.

Natural White complies with LEED® v3 & Energy Star requirements for low slip.

41-DR-2018
9/4/2018

KYNAR 500® HYLAR 5000™ SPECIFICATIONS FOR GALVALUME® AND ALUMINUM* COIL COATING APPLICATIONS:

TESTED PROPERTY	TESTING METHOD	KYNAR 500® or HYLAR 5000™
Colors Available	---	See color chart on reverse side
Specular Gloss	ASTM D-523	Low and medium gloss only
Color Uniformity	ASTM D-2244	Color controlled both instrumentally and visually
Dry Film Thickness	ASTM D-7091, ASTM D-1005, NCCA 11-13, 11-14, 11-15	Primer 0.20 ± 0.05 mil, Topcoat 0.75 ± 0.05 mil
Hardness	ASTM D-3363, NCCA 11-12, Eagle Turquoise Pencils	HB Minimum
Adhesion (X-Cut)	ASTM D-3359	No adhesion loss
Adhesion (Crosshatch)	ASTM D-3359	No adhesion loss
Direct Impact Flexibility	ASTM D-2794, Gardner Impact Tester, 1/10" Distortion	Excellent, no removal
Reverse Impact Flexibility	NCCA Spec. 11, ASTM D-2794, Gardner Impact Tester, 5/8" ball Impact force in inch pounds equal to metal thickness	Excellent, no cracking or loss of adhesion
Formability	ASTM D-4145, 180° T-Bend on 1/8 Mandrel	No cracks or loss of adhesion
Salt Spray Resistance	ASTM B-117	Passes 2000 hrs on Galvalume® Passes 4000 hrs on Aluminum
Humidity Resistance	ASTM D-2247	Passes 2000 hrs on Galvalume® Passes 4000 hrs on Aluminum
Acid Resistance	ASTM D-1308, Proc. 3.1.1 10% Sulfuric Acid spot test, 24 hr exposure	Excellent, no effect
Alkali Resistance	ASTM D-1308, Proc. 5.2 10% Sodium Hydroxide, 24 hr exposure	Excellent, no effect
Abrasion Coefficient	ASTM D-968	100 liters/mil topcoat
Detergent Resistance	ASTM D-2248, 72 hrs immersion in 3% solution at 100°F	Excellent, no effect
Resistance to Acid Pollutants	ASTM D 1308 Proc. 3.1.1 24 hr exposure 10% HNO ³ vapors	Excellent, no effect
Weathering - Color Retention	ASTM D-2244, 20 yrs, 45° South Florida	Maximum 5 NBS units color change
Weathering - Chalk Resistance	ASTM D-4214, 20 yrs, 45° South Florida	Not worse than No. 8 rating
Erosion	20 yrs, 45° South Florida	Maximum 15% loss

Notes:

1. ASTM - American Society for Testing Materials
2. NCCA - National Coil Coaters Association
3. Galvalume® is 55% Aluminum-Zinc alloy coated sheet steel and is a registered trademark of BIEC International, Inc.

*Limited availability for Aluminum, consult Berridge

BMC SAN ANTONIO
CORPORATE HQ
6515 Fratt Rd
San Antonio, TX 78218
210-650-3050
Fax 210-650-0379

BMC SEGUIN
MANUFACTURING
2201 Rudeloff Rd
Seguin, TX 78155
830-401-5200
Fax 830-303-0530

BMC HOUSTON
BRANCH FACILITY
1720 Maury St
Houston, TX 77026
713-223-4971
Fax 713-236-9422

BMC DALLAS
BRANCH FACILITY
1940 W Northwest Hwy
Dallas, TX 75220
972-506-8496
Fax 972-506-8478

BMC DENVER
BRANCH FACILITY
7505 E 41st Ave
Denver, CO 80216
303-322-3703
Fax 303-322-3810

BMC CHICAGO
BRANCH FACILITY
1175 Carolina Dr
W Chicago, IL 60185
630-231-7495
Fax 630-231-7520

BMC ATLANTA
BRANCH FACILITY
319 Lee Ind'l Blvd
Austell, GA 30168
770-941-5141
Fax 770-941-7344

BERRIDGE CALIFORNIA
SALES CORPORATION**
18732 Corby Ave
Artesia, CA 90701
562-402-2081
Fax: 562-865-7878



BERRIDGE MANUFACTURING COMPANY
www.berridge.com

Roofs of Distinction