

Simulations

Photos

All Graphics (no plans)


Color Boards


Color Drawdowns

Exterior Building Color

Material Samples







Primary Material Samples in Site Context



- A STANDING SEAM METAL WALL PANEL SYSTEM, COLOR: MATTE CHARCOAL GRAY
- B STANDING SEAM METAL ROOF PANEL SYSTEM, COLOR: MATTE CHARCOAL GRAY
- D PERFORATED CORRUGATED ALUM. W/ 23% OPEN AREA, COLOR: MATTE CHARCOAL GRAY BOTH SIDES
- E 8 X 4 X 16 (OR 8 X 8 X 16 AS OCCURS AT MAINT. BLDG.) NORMAL WEIGHT C.M.U., RUNNING BOND, W/ CLEAR SEALER: SUPERLITE, MESASTONE, COLOR: PLUM OR EQ.

Digital Example of Material Sample Board



- A STANDING SEAM METAL WALL PANEL SYSTEM, COLOR: MATTE CHARCOAL GRAY
- B STANDING SEAM METAL ROOF PANEL SYSTEM, COLOR: MATTE CHARCOAL GRAY
- C METAL SOFFIT PANEL, COLOR TO MATCH: DUNN EDWARDS, DE6376 LOOKING GLASS OR EQ. (LRV 23, MUNSELL VALUE: 5.3, MUNSELL CHROMA: 0.1)
- D PERFORATED CORRUGATED ALUM. W/ 23% OPEN AREA, COLOR: MATTE CHARCOAL GRAY BOTH SIDES PER A, B & D ABOVE (SAMPLE FOR PERFORATION PATTERN ONLY)
- E 8 X 4 X 16 (OR 8 X 8 X 16 AS OCCURS AT MAINT. BLDG.) NORMAL WEIGHT C.M.U., RUNNING BOND, W/ CLEAR SEALER: SUPERLITE, MESASTONE, COLOR: PLUM OR EQ.
- F CLEAR ANODIZED ALUM. STOREFRONT W/ 1" LOW-E, CLEAR INSULATED GLAZING (GUARDIAN GLASS, SNX 62/27 SHGC .27 / VLT 62% OR EQ.)
- G HOLLOW METAL DOORS & FRAMES, COLOR: DUNN EDWARDS, BLACK RUSSIAN, DE6391, SEMI-GLOSS OR EQ. (LRV 9, MUNSELL VALUE: 3.5, MUNSELL CHROMA: 0.6)
- H STEEL, COLOR: DUNN EDWARDS, CHARCOAL SMUDGE, DE6370, SEMI-GLOSS OR EQ. (LRV 9, MUNSELL VALUE: 3.9, MUNSELL CHROMA: 0.2)
- J INTEGRALLY COLORED CONC. WALL (ALTERNATE: ADOBE BRICK WITH COLOR ADDITIVE), COLOR: DAVIS KAHLUA 677 OR EQ.









Call 811 or click Arizona811.com

DATE REVISION BY
ENGINEER PUBLIC WORKS

Contact Arizona 811 at least two full working days before you begin excavation

PRELIMINARY
NOT FOR
CONSTRUCTION

PUBLIC WORKS

CAPITAL PROJECT
MANAGEMENT

7447 E. INDIAN SCHOOL R
SCOTTSDALE, ARIZONA 852

PHOTOS OF EXISTING CONDITIONS

CITY OF SCOTTSDALE
SPORTS FIELDS
SCALE DESIGNED DATE

(3)

4)

38-DR-2020 11/25/2020













PUBLIC WORKS PRELIMINARY NOT FOR CONSTRUCTION CAPITAL PROJECT MANAGEMENT

PHOTOS OF EXISTING CONDITIONS

CITY OF SCOTTSDALE
SPORTS FIELDS

38-DR-2020

11/25/2020
















PHOTOS OF EXISTING CONDITIONS

PROJECT TITLE	CIT	TY OF SCOT	
SCALE	DESIGNED	DATE	n:n ::n
HODIZ NONE			

38-DR-2020 11/25/2020 VERT. NONE DRAWN

















Contact Arizona 811 at least two full working days before you begin excavation

Call 811 or click Arizona811.com

PHOTOS OF EXISTING CONDITIONS

CITY OF SCOTTSDALE
SPORTS FIELDS

38-DR-2020

11/25/2020