

Simulations

Photos


All Graphics (no plans)

Color Boards

Color Drawdowns

Exterior Building Color

Material Samples



10

HLZ Hairline Silver - Alpolic Building Canopies



All Court Fabrics
Polypro 95 Mesh - Black
Trash Enclosure/Mechanical Screen



QT BROWN Metal Paint -Light Poles/Bollards/Coping



Aluminum - Kawneer Entry Door/Window Frame



Material Samples #1418 8780 E. McDowell Rd. Scottsdale, AZ Convenience Store with Fuel Prepared by: QuikTrip 07.09.19



Allen Industries - Illuminated Band
3M 5674 Red
Accent Band/Awning



Bronzestone Brick
Interstate Brick - Atlas
Structural Brick
Building/Canopy Columns

50-DR-2011#2
STIPULATION SET
RETAIN FOR RECORDS
APPROVED

5/6/2021

DATE APPROV



Midnight Brick
Interstate Brick - Atlas Structural Brick
Building/Canopy Columns



Low Level Luminaires

CB Compact Bollard



FEATURES

- Kim's Compact Bollard features full overlapping louvers to provide total light cutoff above horizontal
- A completely gasketed glass globe utilizes prismatics to optimize and control the light. With recommended coated lamps, a smooth wash of light is achieved with no shadows from the vertical supports
- Pulse start metal halide, high pressure sodium, compact fluorescent light sources
- · Battery back-up, cold-pack emergency battery pack and houseside shield options available

ORDERING INFORMATION (Example)

CB24

50PMH120

WH

HS

FIXTURE

Compact Bollard, 24" height1

CB32 Compact Bollard, 32" height

FIXTURE FINISH

BL Black⁴

DB Dark Bronze⁴

LG Light Gray

SG Stealth Gray™

PS Platinum Silver

WH White

CC Custom Color*

OPTIONS

HS Houseside Shield⁷

EM Battery Back-up^{6,7}

EM-CP Cold-Pack Emergency Battery Pack⁶

*Consult	ranracantativa

ELECTRI	CAL MODULE				
P	MH	HF	PS	F	PL
50PMH	50W PMH ²	50HPS	50W HPS ²	42PL	42W PL ¹
70PMH	70W PMH	70HPS	70W HPS		
<u>Vo</u>	<u>ltages</u>	<u>Vol</u>	<u>tages</u>	Vol	<u>tages</u>
120	120V	120	120V	120	120V
208	208V ⁵	208	208V ⁵	208	208V
240	240V ⁵	240	240V ⁵	240	240V
277	277V	277	277V	277	277V
347	347V	347	347V		

PMH = Pulse Start Metal Halide


HPS = High Pressure Sodium


= Compact Fluorescent

- ¹ 70W PMH and HPS are not recommended for CB24 due to extreme light levels at fixture base.
- ² 50W PMH and 50W HPS not available with 347
- ³ 42PL operates one 26, 32 or 42 watt lamp at 120 thru 277 volts (50-60 Hz).
- ⁴ Black and Dark Bronze colors will produce slightly less louver brightness than Light Gray or White.
- ⁵ Constant wattage isolated ballast is required on all 208V and 240V Canadian orders.
- ⁶ For CB32 model only.
- For compact fluorescent only.

NOTE: For lamp/ballast information outside of the U.S.A. and Canada, please consult your local Kim representative. Coated lamps recommended.

CB COMPACT BOLLARDS





Compact Bollard

HID Path Lighting



FEATURES

- Kim's Compact Bollard features full overlapping louvers to provide total light cutoff above horizontal
- Compact bollard design complements Kim full-size bollards yet is a more appropriate scale for a garden path
- Pulse start metal halide and high pressure sodium light sources available
- · Available in black, dark bronze, and Verde Green finishes

ORDERING INFORMATION (Example)

CB24

FIXTURE	LAMP MO	DDE		
CB24 24" Aluminum ED	O-17 lamp (B24	CB3	2
CB32 32" Aluminum ED	D-17 lamp 50PMH	50W PMH	50PMH	50W PMH
	50HPS	50W HPS	70PMH	70W PMH
	<u>Vol</u>	<u>tages</u>	50HPS	50W HPS
	120	120V	70HPS	70W HPS
	208	208 208V ⁸ <u>Voltages</u>		<u>jes</u>

50HPS120

240 240V8 277 277V

РМН HPS HPS **120** 120V 208 208V8 240 V8 277 277V 347 347V

BL FIXTURE FINISH

ALUMINUM

BL Black

DB Dark Bronze


GR Verde Green

NOTES: Bollards are installed with anchor bolts embedded in a poured-in-place concrete footing (by others). Also available in 12V/120V lamping. See p. **845**. **CAUTION:** Concrete footing should be high enough above grade to

avoid contact between fixture shaft and soil or standing water.

NOTE: Due to the Energy Independence and Security Act (EISA) of 2007, Kim Lighting can no longer supply probe start Metal Halide ballasts with its luminaires, effective January 1, 2009. Contact Kim Lighting for availability of replacement ballasts for warranty service claims. (Visit www.aboutlightingcontrols.org or the Library of Congress website for more details).

COMPACT BOLLARD HID





Context Aerial

50-DR-2011#2



Context Aerial


50-DR-2011#2





Close-up Aerial

50-DR-2011#2



SITE PHOTOS

PHOTOGRAPHS OF SITE & SURROUNDING AREA

Store No: <u>1418</u> Date: <u>06/27/19</u>

Location: 8780 E. McDowell Rd., Scottsdale, AZ













Photograph #9

Photograph #10











Photograph #17

Photograph #18





3M 5674 Red Paint Accent Band/Awning


'QT BROWN' Metal Paint Light Poles/Bollards/Coping



10612 Autumn Wheat EIFS Building & Canopy Cornice

Midnight Black Brick
Building/Canopy Columns





ility and performance autiful aesthetics y and protection

ance) Colorant System

ned around the Sto HP Colorant System. This system provides in unlimited spectrum of colors. To learn more about Sto's HP corp.com/standard-finishes-us or scan this QR code.



endless amount of color choices. You can begin with Sto's 800 www.stocorp.com/stocolor800-us or scan this QR code.







Bronzestone Brick Building/Canopy Columns

Aluminum

Entry Door/Window Frame



HLZ Hairline Silver Building Canopies

Polypro 95 Black Mesh
Trash Enclosure/Mechanical Screen



Sonoma Stone Color Variant 1 Building Columns

Sonoma Stone Color Variant 2
Building Columns



Sonoma Stone Color Variant 3 Building Columns

Sonoma Stone Color Variant 4
Building Columns



Sonoma Stone Color Variant 5 Building Columns

Sonoma Stone Color Variant 6
Building Columns