

# SELF-CONTAINED COMPACTORS

## Pak'nTainer®

Self-Contained Compactor/Container



### Pak'nTainer® Features

- ▼ *Portable design for easy placement*
- ▼ *Front, rear, and through-the-wall loading options*
- ▼ *Economical self-contained compactor with remote power pack*
- ▼ *No anchoring required, suitable for concrete or asphalt surfaces*
- ▼ *Tapered container provides superior compaction ratios and aids in waste ejection*
- ▼ *Liquid-tight construction is perfect for wet waste, and ensures a sanitary environment*



### The Worldwide Compaction Leader

Marathon® Equipment is known throughout the world as one of the leading manufacturers of quality on-site waste compaction products. The RamJet® brand has been the industry standard for quality and innovation for more than 50 years, and includes stationary and self-contained compactors, compaction containers, apartment and high-rise compactors, pre-crushers, transfer systems, and a wide array of options for virtually any application.



**Environmental  
Solutions Group®**

A DOVER COMPANY











# SELF-CONTAINED COMPACTORS



## Marathon® Pak'nTainer® (MPT)

Available in 5.5 Cubic-Yard Front-Load Model

### Perfect for:

-  Supermarkets
-  Restaurants
-  Hospitals
-  Clinics
-  Nursing Homes
-  Shopping Centers
-  Airline Food Service
-  Malls
-  Schools
-  Convenience Stores

**The Marathon® Pak'nTainer® is a portable and economical self-contained compactor/container with a remote power pack.**

The **Pak'nTainer** is specially designed for compacting and containing wet or dry waste and simplifying waste dumping.

Its liquid-tight design helps maintain a sanitary environment, while saving money, for those generating as little as 20 cubic-yards of refuse a week.

Place the **Pak'nTainer** wherever needed, whenever needed — temporarily or permanently. No anchoring, no concrete pad, no special surfaces required. It can be used alone or to “fill the gap” in combination with other units.

The container is tapered to achieve superior compaction ratios and aid with waste ejection, which eliminates excessive wear and tear on collection trucks. ~~It can also be chute fed to allow the container to be placed in an area that is not aligned with a wall opening, similar to self-contained or stationary compactor applications.~~



Some images shown with optional equipment



For more information or to order, call 1-800-633-8974 or visit us at [www.marathonequipment.com](http://www.marathonequipment.com)

# SELF-CONTAINED COMPACTORS

## Marathon® Pak'nTainer® (MPT)

### Features & Benefits



### Pak'nTainer® Features

- ▼ Large 48" x 22 9/16" clear-top opening handles even large, bulky items
- ▼ Cycon Life-Xtender™ Control System (for use with 3-phase only) eliminates all pressure and limit switches dramatically improves cold-weather performance, and reduces maintenance costs and downtime
- ▼ Fixed breaker-bar teeth help keep materials in container and charge box clear
- ▼ Hydraulic plumbing to both sides with quick-release disconnects for added versatility in any application
- ▼ Tri-voltage standard for easy conversion to 208-, 230-, or 460-volt power
- ▼ Single-phase 110 with 3/4 hp motor available at no additional charge
- ▼ Heavy-duty hinges for durability
- ▼ Lockable panel box to increase security
- ▼ Convenient low loading height

### Pak'nTainer® Optional Features

- ▼ Hopper enclosures
- ▼ Security chute
- ▼ 90-gallon cart dumpers
- ▼ Ozone generator



### Cycon Life-Xtender™ Cyclic Control System

Standard on all **Marathon**  
**Pak'nTainer** compactors.



### Simple and durable latch assembly

Easy-to-operate latch saves on  
time and maintenance.



### Protection with optional hopper and lids

**Pak'nTainer** with optional hopper  
and plastic lids to keep contents  
in, rain and the elements out.



For more information or to order, call 1-800-633-8974 or visit us at [www.marathonequipment.com](http://www.marathonequipment.com)




# SELF-CONTAINED COMPACTORS



## Marathon® Pak'nTainer® (MPT)

### Dimensions and Specifications

| Specifications                   |                       |                     |
|----------------------------------|-----------------------|---------------------|
| Total Capacity                   | 5.5 yd <sup>3</sup>   | 4.6 m <sup>3</sup>  |
| Compactor Capacity               | 0.49 yd <sup>3</sup>  | 0.38 m <sup>3</sup> |
| Clear-Top Opening                | 48" W x 22 9/16" L    | 1219mm x 573mm      |
| Ram-Face Size                    | 47 3/4" W x 19 3/4" H | 501mm X 1212mm      |
| Total Weight                     | 2,791 lbs.            | 1,265 kg            |
| Lift Weight                      | 2,645 lbs.            | 1,199 kg            |
| Performance Characteristics      |                       |                     |
| Cycle Time                       | 28 seconds            |                     |
| Force                            | 19,800 lbs.           | 179 kN              |
| Ram-Face Pressure                | 20.6 psi              | 212 kN              |
| Ram Penetration                  | 4"                    | 193mm               |
| Electrical & Hydraulic Equipment |                       |                     |
| Electric Motor                   | 3 hp                  | 2.2 kW              |
| Hydraulic Pump                   | 3 gpm                 | 11 L/min            |
| Hydraulic Pressure               | 2,400 psi             | 166 bar             |
| Cylinder Bore                    | 2 1/2"                | 64mm                |
| Cylinder Rod                     | 1 1/4"                | 32mm                |
| Cylinder Shaft                   | 18 1/2"               | 470mm               |
| Reservoir                        | 5 gallons             | 19 liters           |



| Pak'nTainer® DIMENSIONS | A        | B       | C        | D        | Weight     |
|-------------------------|----------|---------|----------|----------|------------|
| MPT-5.5 FL              | 97 3/16" | 80 1/4" | 73 9/16" | 33 1/16" | 2,645 lbs. |
|                         | 2469mm   | 2038mm  | 1868mm   | 840mm    | 1,265 kg   |

Pictures and mechanical diagrams in this literature are illustrative only and may not be to scale. Specifications are subject to change without notice in order to accommodate improvements to the equipment. Certified in compliance with ANSI standard Z245.2, all applicable OSHA Regulations. Products must be used only by trained operators in accordance with the Operator Manual, as well as applicable regulations, laws, and ANSI standards.

For detailed specifications, recommendations, or free economic studies comparing various systems, contact Marathon® Customer Care at  
**1-800-633-8974**

**Authorized Dealer:**

**Compactor & Baler Rental and Leasing Programs Available!**



**Marathon Equipment Company | P.O. Box 1798 | Vernon, AL 35592-1798**

**Learn more about Marathon Equipment: 800.633.8974 | www.marathonequipment.com**