EIFS - 1
ICI OLD MONTEREY HEX #98938A
FIELD COLOR

EIFS - 2
OLD MONTEREY 50% DARKER HEX #7B766D
BASE COLOR + ACCENT

MTL - 1 (GL-3 @ GLAZING INSERT)
439Z8934M (COLOR: TEXTURED CORTEN)
METAL WALL PANEL

ALUMINUM FRAMING (GLAZING) + ACCESSORIES
CLEAR ANNODIZED



NORTH ELEVATION - NTS

Banner Health. NexCore GROUP BANNER HEALTH CENTER PLUS SMITHGROUP



MTL - 2
SW 4392Z1148M WEATHERED ZINC
ENTRY CANOPY FASCIA

EPT - 1
HIGH PERFORMANCE PAINT MATCH TO MTL-1
PANTONE 175C

EPT - 2
HIGH PERFORMANCE PAINT MATCH TO MTL-2
PANTONE 444C
METAL SCREENWALL + EXPOSED STEEL



SOUTH ELEVATION - NTS

Banner Health. NexCore GROUP BANNER HEALTH CENTER PLUS SMITHGROUP

CMU - 1
CUSTOM MASONRY PATTERN "BANNER BLOCK"
PATTERN A

MESA STONE
MALIBU SAND
PATTERN A + B

TREND STONE
MALIBU SAND
PATTERN A

MESA STONE
MISSION WHITE
PATTERN A

TREND STONE
MISSION WHITE
PATTERN A

CMU - 2
CUSTOM MASONRY PATTERN "BANNER BLOCK"
PATTERN B

MESA STONE
PEARL WHITE
PATTERN A



TREND STONE
PEARL WHITE
PATTERN A

MESA STONE
WALNUT CREEK
PATTERN B

TREND STONE
WALNUT CREEK
PATTERN A + B

Banner Health. NexCore GROUP BANNER HEALTH CENTER PLUS SMITHGROUP

GL - 1
HIGH PERFORMANCE VISION UNIT
VIRACON VNE 35-53



GL - 2
HIGH PERFORMANCE SPANDREL UNIT
VIRACON VNE 35-53

PERFORMANCE DATA

GL - 1
VISION GLAZING
VIRACON VNE 35-53*

VL Transmittance:	49%
VL Reflectance:	19%
Solar Heat Gain Coefficient:	0.23
Shading Coefficient:	.26
Winter U-Factor:	0.29
Summer U-Factor:	0.25

GL - 2
SPANDREL GLAZING**
VIRACON VNE 35-53*

VL Transmittance:	–
VL Reflectance:	–
Solar Heat Gain Coefficient:	–
Shading Coefficient:	–
Winter U-Factor:	0.29
Summer U-Factor:	0.25

*Low-E Coating Sputtered on second surface
**Viracon "Subdued Gray" #V957 on surface 4.

Banner Health. NexCore GROUP BANNER HEALTH CENTER PLUS SMITHGROUP

Banner Health Center Plus

SCOTTSDALE CAMPUS

NW Corner of Hayden Rd. and Mayo Blvd.
Scottsdale, Arizona 85255

NexCore GROUP
1550 Market Street
Suite 200
Denver, CO 80202

SMITHGROUP
455 NORTH THIRD STREET
SUITE 250
PHOENIX, AZ 85004
602.265.2200
smithgroup.com

ISSUED FOR	REV	DATE
DEVELOPMENT REVIEW BOARD		07MAR24

SEALS AND SIGNATURES

NOT FOR CONSTRUCTION

SHEET TITLE

EXTERIOR MATERIAL BOARDS

PROJECT NUMBER 14303.000

SHEET NUMBER DRB_A4.0.0

Plot Date: 3/5/2024 4:16:40 PM Author