


GENERAL NOTES

- DIMENSIONS AS NOTED IN THE DRAWINGS ARE TO THE CENTERLINE OF INTERIOR PARTITION WALLS AND TO THE EXTERIOR FACE OF SHEATHING FOR STUD FRAMED WALLS, U.N.O.
- REFER TO MECHANICAL, PLUMBING AND ELECTRICAL DRAWINGS FOR ALL EQUIPMENT LOCATIONS DIMENSIONS, AND OTHER REQUIREMENTS.
- MAINTAIN A MINIMUM OF 48" CLEAR UNOBSTRUCTED EMERGENCY EXIT AISLE TO DESIGNATED EXITS.
- PROVIDE LEVEL FLOOR OR LANDING ON EACH SIDE OF ALL DOORS. THRESHOLD SHALL BE LESS THAN 1/2" HIGH AND BEVELED 1:2.
- SEE SSMA NON-STRUCTURAL/NON BEARING INTERIOR STEEL STUDS AND TRACKS DETAIL FOR LIMITING HEIGHTS, GAUGE, SPACING - SEE SHEET A2.0

DRAWING LEGEND


- MASONRY WALL
- STUD WALL WITH EIFS SYSTEM
- INTERIOR FULL HEIGHT WALL
- INTERIOR WALL
- INTERIOR LOW WALL



**CAWLEY
ARCHITECTS**

730 N. 52nd St. Ste. 203
Phoenix, Arizona 85008
P 602.393.5060

CawleyArchitects.com



PINNACLE PEAK PET RESORT

7474 EAST
PINNACLE PEAK
ROAD
SCOTTSDALE
ARIZONA
85255

DATE
RE-ZONING SUBMITTAL
2/21/2023

DRAWN BY: CF

OWNERSHIP OF DOCUMENTS:
This drawing, including the architectural concept, design, and data, is an instrument of service and shall remain the property of Cawley Architects Inc. This drawing is for use at the location described herein and shall not be used in other locations. Any other use or release of these drawings may result in civil damages.

DISCREPANCIES AND CONFLICTS:
All discrepancies found in these documents or conflicts between these documents and field conditions shall be reported to Cawley Architects Inc. for resolution before the commencement of the work.

FLOOR PLAN

Project: 22095

A2.1

FIRST
FLOOR PLAN
1/8" = 1'-0"