



PLANNING SERVICES
7447 E. Indian School Rd., Suite 105
Scottsdale, AZ 85251

December 11, 2025

19-DR-2023
Oz Wagner
SmithGroup, Inc
455 N Third St Ste 250
Phoenix, AZ 85004

RE: DRB APPROVAL NOTIFICATION

Case Reference No: 19-DR-2023 City Center at Scottsdale Collection

The Development Review Board approved the above referenced case on December 11, 2025. For your use and reference, we have enclosed the following documents:

- Approved Stipulations/Ordinance Requirements
- Accepted Basis of Design Reports
- Construction Document Submittal Requirements/Instructions
- DRB - This approval expires two (2) years from date of approval if a permit has not been issued, or if no permit is required, work for which approval has been granted has not been completed.
- These instructions are provided to you so that you may begin to assemble information you will need when submitting your construction documents to obtain a building permit. For assistance with the submittal instructions, please contact your project coordinator, Greg Bloemberg, 480-312-4306.
- Table: "About Fees" – This is provided as a brief overview of fee types. A plan review fee is paid when construction documents are submitted. You may review the current year's fee schedule at: <https://www.scottsdaleaz.gov/planning-development/fees>

Please note that fees may change without notice. Since every project is unique and will have permit fees based upon its characteristics, some projects may require additional fees. Please contact the One Stop Shop at 480-312-2500 with any questions regarding fees.

Finally, please note that as the applicant, it is your responsibility to distribute copies of all enclosed documents to any persons involved with this project, including, but not limited to, the owner, engineers, architect, and developer.

Sincerely,

Greg Bloemberg
Principal Planner
gbloemberg@ScottsdaleAZ.gov

About Fees

The following table is intended to assist you in estimating your potential application, plan review, and building permit fees. Other fees may also apply, for example Water Resources Non-Residential Development, Parking-in-Lieu Fees, or Assessment District Fees; and those fees are not listed in this package the plan review staff is responsible for determining additional applicable fees.

Type of Activity	Type of Fee	Subcategory	When paid?
Commercial	Application	<ul style="list-style-type: none"> ▪ Preapplication, Variance, Zoning Appeal, Continuance, Development Review Board, ESL, General Plan, Rezoning, Sign Review, Special Event, Staff Approval, Temporary Sales Trailer, Use Permit, or Zoning Text Amendment 	At time of application submittal
	Plan Review	<ul style="list-style-type: none"> ▪ Commercial, foundation, addition, tenant improvement/remodel ▪ Apartments/Condos ▪ Engineering site review ▪ Signs ▪ Plat fees ▪ Misc. Plan Review ▪ Lot Tie/Lot Split ▪ Pools & Spas ▪ Recordation 	At time of construction document submittal
	Building Permit	<ul style="list-style-type: none"> ▪ Commercial addition, remodel, tenant improvement, foundation only, shell only ▪ Fence walls or Retaining walls ▪ Misc. Permit ▪ Signs 	After construction document approval and before site construction begins
Residential	Application	<ul style="list-style-type: none"> ▪ Preapplication, Variance, Zoning Appeal, Continuance, Development Review Board, ESL, General Plan, Rezoning, Sign Review, Special Event, Staff Approval, Temporary Sales Trailer, Use Permit, or Zoning Text Amendment 	At time of application submittal
	Plan Review	<ul style="list-style-type: none"> ▪ Single family custom, addition, remodel, standard plans ▪ Engineering site review ▪ Misc. plan reviews 	At time of construction document submittal
	Building Permit	<ul style="list-style-type: none"> ▪ Single family custom, addition, remodel, detached structure, standard plans ▪ Fence walls or Retaining walls ▪ Misc. Permit ▪ Signs 	After construction document approval and before site construction begins

**Stipulations for the
Development Review Board Application:
City Center at Scottsdale Collection
Case Number: 19-DR-2023**

These stipulations are intended to protect the public health, safety, welfare, and the City of Scottsdale.

APPLICABLE DOCUMENTS AND PLANS:

1. Except as required by the Scottsdale Revised Code (SRC), the Design Standards and Policies Manual (DSPM), and the other stipulations herein, the site design and construction shall substantially conform to the following documents:
 - a. Architectural elements, including dimensions, materials, form, color, and texture shall be consistent with the building elevations submitted by Smithgroup, Inc., with a city staff date of 5/19/2025.
 - b. The location and configuration of all site improvements shall be consistent with the Site Plan submitted by Smithgroup, Inc., with a city staff date of 7/30/2025.
 - c. The location of Public Art sculptures shall be consistent with the Cultural Improvement Program Plan submitted by Smithgroup, Inc., with a staff date of 7/5/2023.
 - d. Landscape improvements, including quantity, size, and location shall be consistent with the preliminary landscape plan submitted by Smithgroup, Inc., with a city staff date of 7/30/2025
 - e. The case drainage report submitted by Sustainability Engineering Group and accepted in concept by the Stormwater Management Department of Planning and Development Services.
 - f. The water and sewer basis of design report submitted by Sustainability Engineering Group and accepted as noted in concept by the Water Resources Department.
 - g. Terms and conditions of Development Agreement 2020-194-COS.

RELEVANT CASES:

Ordinance

- A. At the time of review, the applicable zoning case for the subject site was: 9-ZN-2020.

ARCHAEOLOGICAL RESOURCES:

Ordinance

- B. Any development on the property is subject to the requirements of Scottsdale Revised Code, Chapter 46, Article VI, Section 46-134 - Discoveries of archaeological resources during construction.

ARCHITECTURAL DESIGN:

DRB Stipulations

2. All exterior window glazing shall be recessed a minimum of fifty (50) percent of the wall depth, including glass windows within any tower/clerestory elements. The amount or recess shall be

measured from the face of the exterior wall to the face of the glazing, exclusive of external detailing. With the final plan submittal, the developer shall provide head, jamb and sill details clearly showing the amount of recess for all window types.

3. All exterior doors shall be recessed a minimum of thirty (30) percent of the wall depth, the amount of recess shall be measured from the face of the exterior wall to the face of the glazing, exclusive of external detailing. With the final plan submittal the developer shall provide head, jamb and sill details clearly showing the amount of recess for all door types.
4. All exterior shade devices shall be designed so that the shade material provides a shading density of 75%, or greater. With the final plans submittal, the property owner shall provide section drawings of all exterior shade devices that demonstrate the minimum shading density.

SITE DESIGN:

Ordinance

- C. Subject to SRP approval and as otherwise set forth in the Development Agreement, and prior to issuance of any permits (except demolition), the property owner shall submit and obtain approval of construction plans for an enhanced pedestrian connection that includes a sidewalk and landscaping from the intersection of Scottsdale Road and Camelback Road, over the SRP canal, into the project site. Design shall be subject to Development Review Board approval and maintenance shall be the responsibility of the adjacent property owner.
- D. As set forth in Exhibits "G-3" and "G-4" of the development agreement, this project shall include "gap improvements" along Saddlebag Trail and Scottsdale Road, the design of which shall be subject to administrative approval from the city's Current Planning Department. Construction plans for "gap improvements" shall be approved prior to issuance of any permits (except demolition). Maintenance of all gap improvements shall be the responsibility of the adjacent property owner.
- E. A land assemblage plat shall be reviewed, approved and recorded prior to project permit issuance (except demolition), along with the city's Covenant to Construct Agreement and Assurance.

DRB Stipulations

5. All drive aisles that are fire lanes shall have a width of twenty-four (24) feet.
6. Prior to issuance of any building permit for the development project (except demolition), the property owner shall submit plans and receive approval to construct all refuse enclosures in conformance with the city staff approved Refuse Plan by SmithGroup dated 16MAY2025.

OPEN SPACE:

Ordinance

- F. A minimum 15,000 square foot publicly accessible grade-level plaza space shall be provided at the location indicated on the site and open space plans.

LANDSCAPE DESIGN:

Ordinance

- G. Streetscape improvements for the Shoeman Lane frontage shall be consistent with the streetscape approved as part of the Marquee Development Plan (Resolution No. 11533).

- H. The property owner shall obtain approval of a Native Plant/Mature Tree Plan Application for removal or relocation of any mature and/or protected trees on the site and obtain a permit to remove any tree.

DRB Stipulations

7. With the final plans submittal, the landscape plans shall be revised as needed to demonstrate conformance to the Scottsdale Road Streetscape Design Guidelines.
8. Landscape pots and/or raised landscape planters shall be a sufficient depth to support the root system of the plants located in the pots/planters, and an automatic irrigation system shall be provided.
9. With the final plans submittal, the landscape plans shall be revised as needed to show all utility lines and ensure that all new trees are placed at least eight (8) feet away from any utility lines.

EXTERIOR LIGHTING:

Ordinance

- I. All exterior luminaires mounted eight (8) feet or higher above finished grade, shall be directed downward.
- J. Any exterior luminaire with a total initial lumen output of greater than 1600 lumens shall have an integral lighting shield.

DRB Stipulations

10. All exterior luminaires shall meet all IES requirements for full cutoff and shall be aimed downward and away from property line except for sign and landscape lighting.
11. Incorporate the following parking lot and site lighting into the project's design:
- a. The maintained average horizontal luminance level, at grade on the site, shall not exceed 2.0 foot-candles. All exterior luminaires shall be included in this calculation except lighting in the valet drop-off area.
 - b. The maintained maximum horizontal luminance level, at grade on the site, shall not exceed 10.0 foot-candles. All exterior luminaires shall be included in this calculation except lighting for the valet drop-off area.
 - c. The initial vertical luminance at 6-foot above grade, along the entire property line shall not exceed 1.5 foot-candles. All exterior luminaires shall be included in this calculation.
 - d. All exterior lighting shall have a color temperature of 3,000 Kelvin or less.
 - e. The total lumen per luminaire shall not exceed 24,000 lumens.

VEHICULAR AND BICYCLE PARKING:

Ordinance

- K. With the final plans submittal, the site plan shall be revised to show locations for bicycle parking. A sufficient number of bike racks shall be provided within and adjacent to the central pedestrian plaza. Racks shall be located so they do not conflict with pedestrian circulation and in close proximity to commercial and residential building entrances.

STREET DEDICATIONS:

Ordinance

- L. Prior to the issuance of any building permit for the development project, the property owner shall make the following fee simple right-of-way dedications to the City of Scottsdale:
 - i. E CAMELBACK ROAD. Forty-five (45) south half-right-of-way width.
 - ii. N SCOTTSDALE ROAD. Fifty-five (55) foot east half right of way width.

STREET INFRASTRUCTURE:

Ordinance

- M. All street infrastructure improvements shall be constructed in accordance with this City of Scottsdale (COS) Supplement to MAG Specifications and Details, and the Design Standards and Policies Manual.
- N. STREET LIGHTING. Prior to issuance of any permit for the development project, the property owner shall submit streetlight design plans with the civil improvement plans to reconstruct all existing city streetlight within right-of ways (excluding N Scottsdale Road) adjacent to and through the project phase in accordance with the Streetscape Phasing Plan. Streetlight poles shall be designed per COS standard detail 2171-1 & 2171-2. In addition, the property owner shall install a new/additional streetlight along the west side of N Brown Avenue, 200-feet north of existing streetlight pole SS1520, and a new/additional streetlight pole along the north side of E Shoeman Lane near the southeast corner of parcel number 173-41-004.
- O. SOIL NAILS. Any soil nails or tie back construction systems, protruding past property lines:
 - i. May not do so into privately owned parcels.
 - ii. May not be steel.
 - iii. Will require ownership execution of a city private improvement in the ROW prior to permit issuance to be coordinated between applicant and transportation directly, providing city recorded PIR with construction plan approval request.
- P. UTILITY LINES. All existing above ground 12k utility and cable lines within and adjacent to project development, and any new or relocated utility lines, shall be placed underground.
- Q. Prior to the issuance of any building permit for the development project (except demolition), the property owner shall submit and obtain approval of civil construction documents to construct the Site Plan identified improvements and the following improvements:
 - i. E. CAMELBACK ROAD
 - a. Minimum 10-foot-wide sidewalk separated from street curb, or 12-foot-wide sidewalk attached to street curb. Sidewalk improvements along the canal frontage shall be subject to SRP approval and the conditions set forth in the Development Agreement.
 - b. East bound right turn deceleration lane at Brown Avenue.
 - c. Two (2) transit facilities (bench, bike rack, and trash cans) at the existing transit stop locations abutting project development.
 - d. Signage restricting north bound left turn movement from Brown Avenue during weekday peak hours, 7am to 9am and 4pm to 6pm.
 - ii. N. SCOTTSDALE ROAD

- a. Minimum 10-foot-wide sidewalk attached to street curb, or 12-foot-wide sidewalk attached to street curb. Sidewalk improvements along the canal frontage shall be subject to SRP approval and the conditions set forth in the Development Agreement
- b. At-grade pedestrian crossing, with associated traffic control measures (HAWK), between E Camelback Road and N. Drinkwater Blvd, necessitating transportation's review of project construction plans.
- iii. N BROWN AVE. + E SHOEMAN LANE. An eight (8) foot minimum width, separated from back of curb, or a ten (10) foot minimum, curb attached, sidewalk along any project frontage with said roadway classification.

DRB Stipulations

12. All curb ramps for public and pedestrian sidewalks that intersect public and private streets, or driveways that intersect public and private streets, shall have truncated domes that are colored to match brick red or terracotta.

WATER AND WASTEWATER:

Ordinance

- R. All water and wastewater infrastructure improvements shall be constructed in accordance with this City of Scottsdale (COS) Supplement to MAG Specifications and Details, and the Design Standards and Policies Manual.
- S. Prior to the issuance of any building permit or recordation of a plat for the development project (except demolition), the property owner shall execute an in-lieu agreement with Water Resources in the amount of \$362,574 for their portion of the city's future 15-inch public sewer extension from 75th street to Miller Road, and remit payment to the city.
- T. Prior to the issuance of any building permit for the development project (except demolition), the property owner shall submit and obtain approval of civil construction documents to construct the Site Plan identified improvements and the following improvements, in accordance with approved final basis of design reports:
 - i. Approximately 400 linear feet of 12-inch sewer extension from Buckboard Trail west along Camelback Road to project's frontage. All new manholes over 10 feet in depth shall be constructed of polymer concrete (base, risers and cone) per MAG and city supplemental details and specifications.
 - ii. Approximately 200 linear feet of 8" DIP watermain along Showman Lane.
 - iii. Approximately 50 linear feet of 16" transmission watermain along Camelback, necessitating WR's review and approval of project construction plans.
 - iv. Approximately 25 linear feet of 8" DIP watermain on Brown Ave.
 - v. Approximately 100 linear feet of 8" DIP watermain along Camelback Road.
 - vi. A new manhole (MH – 8) within new 10-foot water and sewer facilities easement south of building 4 located such that this manhole's edge is 6 feet away from any foundation, footing or structure, and west end of its easement.

DRB Stipulations

13. Existing water and sewer service lines to this site shall be utilized or shall be disconnected at the main pursuant to the Water Resources Department requirements.

DRAINAGE AND FLOOD CONTROL:

DRB Stipulations

14. With the civil construction document submittal, the property owner shall submit a final drainage report that demonstrates consistency with the DSPM, and the case drainage report accepted in concept by the Stormwater Manager or designee.

15. With the civil construction plan submittal, the grading & drainage plan shall be revised to include the drainage easement for Basin B.

EASEMENTS DEDICATIONS:

DRB Stipulations

16. Prior to the issuance of any building permit for the development project, the property owner shall dedicate the following easements to the City of Scottsdale on a final plat or map of dedication:

- a. A sight distance easement, in conformance with figures 5.3-26 and 5.3-27 of Section 5.3 of the DSPM, where a sight distance triangle(s) cross on to the property.
- b. A Public Transit Facility and Access Easement to contain the transit facility improvements that are to be constructed in accordance with the infrastructure requirements below and not fully contained within city right-of-way.
- c. A continuous Public Non-Motorized Access Easement to the City of Scottsdale to contain any portion of the public sidewalk in locations where the sidewalk crosses on to the lot.
- d. Water + Sewer Facilities Easement to contain public water and sewer infrastructure located outside public right-of-way and in conformance with WR's approved as noted final basis of design reports with special note that the gates spanning the proposed 10-foot water and sewer facilities easement south of Building 4 shall be equal in width to the easement and no landscaping or hardscape shall be placed within this easement – only a hardened DG path.

ADDITIONAL ITEMS:

DRB Stipulations

17. Per Sections 3.2 and 3.4 of the Development Agreement, prior to issuance of any permits (except demolition), the property owner shall execute a Development Attributes Allocation Status Form to memorialize the development attributes allocated to the City Center project site and provide to city staff for recordation.

18. CONSTRUCTION MANAGEMENT PLAN. Prior to any permit issuance (except demolition), a construction management plan that includes construction traffic routes, work force vehicle parking, and construction vehicle parking shall be provided to Transportation staff review and approval.

19. MARSHALLING AND STORAGE YARD(S). Any use of City right-of-way, including alleys, for marshalling and/or storage yards shall require prior approval of the City's Transportation Department and payment of any associated fees through the application of a Marshalling and Storage yard permit.



Construction Document Application Requirements

City Center @ Scottsdale Collection (19-DR-2023)

A copy of these Construction Document Application submittal requirements must accompany your first Construction Document Application submittals. Provide each item listed on the submittal checklists with your first construction document plan review application.

The Improvement Plan Application, Plat/Map of Dedication/Release Application, and Architectural Plan Application (if required) must be submitted at the same time, in separate packages as described below. The Native/Salvage Plant Plan Application, (This is also used for Downtown area properties) may be submitted prior to any other application. The Fire Department Deferred submittals may be submitted with the Architectural and Improvement Plan Application or after the plan approval or at a later date.



INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED. To modify these requirements, the applicant must contact the City of Scottsdale's Project Coordinator in Planning and Development Services. **Any modification to the Construction Document Application Requirements must be completed PRIOR to submittal of the first Construction Document Application plan review application.** The City of Scottsdale's Planning and Development Services staff reserves the right to refuse to modify these requirements.

- The following Construction Document Applications must be in separate packages by Section. See the individual sections herein for each of the application submittal content requirements:

- Completed Permit Applications.** The permit applications are to be completed online at the following weblink:
<https://eservices.scottsdaleaz.gov/bldgresources/Plans>
- (Section 1)** Native/Salvage Plant Plan Application
- (Section 2)** Improvement Plan Application – Digital submittal through the Improvement/Civil Plans Project Type
- (Section 3)** Architectural Plan Application – Digital submittal through the Commercial or Multi-Family or Single-Family Project Type, as appropriate.
- (Section 4)** Plat and Release Applications – Digital submittal through the Plats and Dedications/Releases Project Types
- (Section 5)** Fire Department Requirements for Deferred Sprinkler, Extinguishing and/or Alarm Systems
- (Section 6)** Public Safety Radio Amplification System Information
- (Section 7)** Water & Wastewater Information
- (Section 8)** Environmental Information

The cover sheet of the Civil plans, Landscape plans, Architectural plans, and Native Plant plans must each contain the following information:

- 1) County Assessor parcel number(s) of parcels on which improvements are being proposed.
- 2) Full street address assigned by the City of Scottsdale Records Department.
- 3) The applicable Development Review Board case number (19-DR-2023), Zoning Case number (9-ZN-2020), or other associated case number in the right-hand margins. The pre-application number is not needed on the plans. All numbers must be in 1/4-inch letters. Leave additional space on your



Construction Document Application Requirements **City Center @ Scottsdale Collection (19-DR-2023)**

right-hand margin for the plan check number that will be assigned after Construction Document Application has been submitted.

- 4) Provide the name, address, phone number, and email address of the owner and the party preparing the plans (architect, engineer, landscape architect, salvage company, etc.).

Detailed information regarding construction plan preparation to the City of Scottsdale can be found in the City of Scottsdale's DESIGN STANDARDS AND POLICIES MANUAL. You may access the manual online at:

<http://www.scottsdaleaz.gov/design/DSPM> and

<https://www.scottsdaleaz.gov/planning-development/plan-review>

or call the One Stop Shop at 480-312-2500.

All construction plans, reports, etc., must be in conformance with those approved by the Development Review Board and all associated Stipulations.



Construction Document Application Requirements **City Center @ Scottsdale Collection (19-DR-2023)**

SECTION 1. **Native/Salvage Plant Application Requirements**

This information pertains to submittals made for native/salvage plant plan review. Submittals must be complete and submitted to the One Stop Shop of the Planning and Development Services Department with the appropriate plan check fees. **The Native / Salvage Plant Submittal may be submitted prior to or concurrent with the first construction document submittal.**

NATIVE/SALVAGE PLANT APPLICATION

- Submit the Native/Salvage Plans (Including the removal of any tree in the Downtown Area)**
(Native/Salvage Plan application and permit is required to remove any plant protected by the Native Plant ordinance, and any tree (native or not) in the Downtown Area.)

- **The Native/Salvage Plant Plan Application may be submitted prior to or concurrent with the first submittal of any Construction Document Application. For the most recent Native/Salvage Plant submittal requirements and application form, please see the Native Plant Permit Application on the City's website at:**

The Native Plant Permit application and submittal requirements can be found online at:

<https://www.scottsdaleaz.gov/Assets/ScottsdaleAZ/Codes+and+Ordinances/Native+Plant+Application+Narrative.pdf>

<https://www.scottsdaleaz.gov/codes/native-plant>



Construction Document Application Requirements
City Center @ Scottsdale Collection (19-DR-2023)

SECTION 2.
Improvement Plan Document Application Requirements

Items listed must be submitted online through the Improvement/Civil Plans Project Type e-application with a copy of this list. **Incomplete e-application will not be accepted.** If necessary, the plan reviewer may require additional information and plans after the first submittal. **The applicant is strongly encouraged to consult the City of Scottsdale’s Design Standards and Policies Manual (DSPM) for the minimal submittal and construction document preparation requirements.**

See the “Building Code Information” page for additional information and mandatory code requirements: <https://www.scottsdaleaz.gov/codes/building-code>

- Improvement/Civil Plan e- Application shall include **one (1) DIGITAL PDF plan set, 24”x36”** plan sheets (no other plan size will be accepted) with a minimum horizontal Scale: 1” = 20’, a minimum vertical scale: 1” = 2’. In addition to the complete set, additional digital plans and/or report PDF files as indicated in the table below shall be include with the Improvement Plan e-application.

OSS – PLEASE ADD WR + TRANSPORTATION TO IMPROVEMENT PLAN REVIEW

Engineering, Stormwater, Fire, and Planning One (1) Digital File Set		Plans and Related Documents	
Required	Provided	Submittal Item Digitally through the City’s website at the following link: https://eservices.scottsdaleaz.gov/bldgresources/plans	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Improvement Plan Set file (including the following):	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Grading and Drainage Plans (including drainage structures, retaining walls, walls/ fences, etc.)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Water & Sewer Plans
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Paving Plans
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Striping & Signage Plans
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Street light plan



Construction Document Application Requirements **City Center @ Scottsdale Collection (19-DR-2023)**

	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Conduit Plan – include location and size of conduit
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Landscape and Irrigation plans. (Please See Notes 1 and 2 below)
	<input type="checkbox"/>	<input type="checkbox"/>	NAOS Plan and calculation worksheet
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Traffic Signal Plan
	<input type="checkbox"/>	<input type="checkbox"/>	Slope Analysis Plan
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Following engineering files, 1 pdf file each: (for reference) (See Note 3 Below)
	<input type="checkbox"/>	<input type="checkbox"/>	Accepted Master Water Report
	<input type="checkbox"/>	<input type="checkbox"/>	Accepted Master Drainage Report
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Accepted Final Water Basis of Design Report
	<input type="checkbox"/>	<input type="checkbox"/>	Accepted Master Sewer Report
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Accepted Final Sewer Basis of Design Report
	<input type="checkbox"/>	<input type="checkbox"/>	Master Circulation Report
	<input type="checkbox"/>	<input type="checkbox"/>	Final Circulation Report
	<input type="checkbox"/>	<input type="checkbox"/>	Master Signalization Plan
	<input type="checkbox"/>	<input type="checkbox"/>	Final Signalization Plan
	<input type="checkbox"/>	<input type="checkbox"/>	Final Signalization Plan
	<input type="checkbox"/>	<input type="checkbox"/>	ALTA Survey Plan
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Final Plat (for reference)
	<input type="checkbox"/>	<input type="checkbox"/>	Geotechnical Report
	<input type="checkbox"/>	<input type="checkbox"/>	Structural Calculations for retaining walls, fence walls, fences
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Engineer’s Estimate for the required improvements



Construction Document Application Requirements

City Center @ Scottsdale Collection (19-DR-2023)

<input checked="" type="checkbox"/>	<input type="checkbox"/>	Final Drainage Report and hydrology and hydraulic analysis files
<input checked="" type="checkbox"/>	<input type="checkbox"/>	SWPPP booklet including erosion control plan
<input type="checkbox"/>	<input type="checkbox"/>	Completed 404 Certification Form
<input type="checkbox"/>	<input type="checkbox"/>	Notice of Intent (NOI)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	No-Conflict Forms (Originals must be signed by each utility prior to plan approval)
<input type="checkbox"/>	<input type="checkbox"/>	Commitment for Title Insurance (not more than 30 days old from the date of the first submittal)
<input type="checkbox"/>	<input type="checkbox"/>	Right of Way, PUE, Sight Visibility, Access, etc. legal description(s) and graphic exhibit (See Note 4 & 5 below)
<input type="checkbox"/>	<input type="checkbox"/>	Drainage Easement legal description(s) and graphic exhibit for dedication(s) (See Note 4 & 5 below)
<input type="checkbox"/>	<input type="checkbox"/>	Aviation Easement legal description and graphic exhibit (See Note 4 & 5 below)
<input type="checkbox"/>	<input type="checkbox"/>	NAOS, Scenic Corridor, etc. easement(s) legal description and graphic exhibit (See Note 4 & 5 below)

NOTES:

1. Retaining walls, fence /walls, monuments, and entry gate features shall be included in the **Civil plan set for review and approval**. Walls and wall details may be shown on the Landscape plan set for color and material approval only.
2. Building structures such as Ramadas, Mailboxes and Water features/fountains shall be included in the **Architectural Plan set for review and approval**. Structures may be shown on the Landscape plan set for reference only.
3. Any outstanding reports shall be accepted by the City prior to the first submittal of Improvement Plans.
4. **Signed Easement Dedication forms** (signed by owners) and **Confirmation of Dedication forms** (signed by beneficiary(s)) will be requested only after the legal description and graphic exhibits are reviewed by City staff and accepted for processing.
5. When **multiple dedications** are occurring, a singular Plat or Map of Dedication shall be used in place of individual legal and graphic exhibits.



Construction Document Application Requirements
City Center @ Scottsdale Collection (19-DR-2023)

SECTION 3.
Architectural Constuction Document Application Requirements

Items listed must be submitted online through the Single Family or Multi-Family or Commercial Project Type e- application as appropriate, with a copy of this list. All plans must be signed and sealed. **Incomplete e-application will not be accepted.** If necessary, the plan reviewer may require additional information and plans after the first submittal. **The applicant is strongly encouraged to consult <https://www.scottsdaleaz.gov/planning-development/plan-review> for minimal submittal and construction document preparation requirements.**

See the “Building Code Information” page for additional information and mandatory code requirements: <https://www.scottsdaleaz.gov/codes/building-code>

- Architectural Plan e-application shall include **one (1) DIGITAL PDF plan set, 24”x36”** plan sheets (no other plan size will be accepted).

In addition to the complete set, additional digital plans and/or report PDF files as indicated in the table below shall be include with the Architectural Plan e-application.

Building, Planning, and Fire One (1) Digital File Set		Plans and Related Documents	
Required	Provided	Submittal Item Digitally through the City’s website at the following link: https://eservices.scottsdaleaz.gov/bldgresources/plans	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Architectural Plan Set (including the following):	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Architectural Plans
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Electrical Plans
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Foundation Plans
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Mechanical Plans
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Structural Plans



Construction Document Application Requirements City Center @ Scottsdale Collection (19-DR-2023)

	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Open Space plan
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Photometric Plans
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Exterior Lighting Manufacture Cut Sheets (on 24" x 36" paper minimum)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	One (1) copy of structural, electrical, and water calculations (Either as a separate 8 ½" x 11" document or on the drawings)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	One (1) copy of soils report
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	One (1) copy of the International Energy Compliance Code compliance documentation. (Energy modeling calculations and report, or Com-Check is acceptable)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	One (1) copy of the Construction Specifications - 8 ½" x 11" bound copies or on plan sheets
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Final Plat (for reference only)
	<input type="checkbox"/>	<input type="checkbox"/>	Civil & Landscape Plans (for reference only)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Certificate of No Effect for archaeological resources signed by the City Archaeologist.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Certificate of Approval for archaeological resources signed by the City Archaeologist.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NAOS Plan and calculations worksheet
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Purchase Agreement for In-Lieu Parking Credits. (This must be the original form, signed by the applicant).
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approval from the Airport Director or designee for aviation hazard(s).
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Water Resource Department's approval of the water features/fountains.



Construction Document Application Requirements
City Center @ Scottsdale Collection (19-DR-2023)


SECTION 4.
Plat AND Release Applications Requirements

Items listed must be submitted online through the Single Family or Multi-Family or Commercial Project Type e- application, with a copy of this list. **Incomplete e-application will not be accepted.** If necessary, the plan reviewer may require additional information and plans after the first submittal of the applicant. **The applicant is strongly encouraged to consult the City of Scottsdale’s Design Standards and Policies Manual (DS&PM) for the Plat preparation requirements.**

- Plat and Map of Release e-applications shall each include **one (1) DIGITAL PDF plan set, 24"x36"** plan sheets (no other plan size will be accepted). In addition to the complete set, additional digital plans and/or report PDF files as indicated in the table below shall be include with the Improvement Plan e-application.

Engineering, Stormwater, Fire, Planning, Maps, Survey, and GIS One (1) Digital File Set		Plans and Related Documents	
Required	Provided	Submittal Item Digitally through the City’s website at the following link: https://eservices.scottsdaleaz.gov/bldgresources/plans	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Plat and a separate Map Set (including the following):	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Plat
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Map of Release (for reference only)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ALTA Survey (for reference only)
	<input type="checkbox"/>	<input type="checkbox"/>	NAOS graphic & calculation worksheet
	<input type="checkbox"/>	<input type="checkbox"/>	Covenants Conditions and Restrictions (CC&Rs)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Commitment for Title Insurance (not more than 30 days old from the date of the 1st submittal)	
<input type="checkbox"/>	<input type="checkbox"/>	NAOS Plan and calculation worksheet.	

SECTION 5.
**Fire Department Requirements For Deferred Sprinkler, Extinguishing,
 and/or Alarm System Submittals**

	FIRE ORDINANCE REQUIREMENTS	
(INCORPORATE INTO BUILDING PLANS AS GENERAL NOTE BLOCK - USE ONLY THE DESIGNATED STIPULATIONS)		
<input checked="" type="checkbox"/>	1. Premises identification to be legible from street or drive.	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	2. Fire Lanes & Emergency Access shall be provided & marked in compliance with City Ordinance and International Fire Code requirements.	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	3. Provide all weather access roads (minimum 16' (ft.) in width) to all buildings and hydrants from public way during construction.	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	4. A fire sprinkler system shall be installed and comply with currently adopted NFPA standards.	<input type="checkbox"/>
<input checked="" type="checkbox"/>	5. Buildings are subject to installation and testing requirements for Public Safety radio amplification system.	<input type="checkbox"/>
<input type="checkbox"/>	6. Submit Hazardous Material Management Plan (HMMP) for all Hazardous Materials. Submit HMMP with Building submittal.	<input type="checkbox"/>
<input checked="" type="checkbox"/>	7. Fire lines, sprinklers and standpipe systems shall be flushed and pressure tested per NFPA Standards and Scottsdale Revised Codes.	<input checked="" type="checkbox"/>
<input type="checkbox"/>		<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	8. Backflow prevention is required for all NFPA 13/13R systems.	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	9. Provide a KNOX access system: <input checked="" type="checkbox"/> a. KNOX box <input type="checkbox"/> b. Padlock <input type="checkbox"/> c. Key switch and preemption device override for automatic gates	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	10. Fire Department Connections shall be Installed in a location approved by Scottsdale Fire Code Official.	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	11. Provide "Owner's Information Certificate" with fire sprinkler plan submittal.	<input type="checkbox"/>
<input type="checkbox"/>	12. Fire sprinkler system design criteria for unspecified shell buildings shall be .45 gpm over 3000 square feet.	<input type="checkbox"/>
<input type="checkbox"/>	13. Fire sprinkler system design for warehouse/storage occupancies shall be based on the full height capacity of Building per Scottsdale Revised Code.	<input type="checkbox"/>
<input checked="" type="checkbox"/>	14. Provide a combination lock box for building access keys and fobs for police and public safety personnel.	<input checked="" type="checkbox"/>



Construction Document Application Requirements

City Center @ Scottsdale Collection (19-DR-2023)

INSTRUCTIONS – After Building and Civil plan approval, installing contractor(s) shall submit the following information:

Plans and Related Documents	Fire Review	
	Req.	If applicable
Submittal Item:		
NFPA compliant Sprinkler system	<input checked="" type="checkbox"/>	
NFPA compliant Fire Alarm system	<input type="checkbox"/>	<input checked="" type="checkbox"/>
UL 300 compliant commercial hood suppression system	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>“Required” check boxes (completed by Fire Code Official) indicate whether or not a submittal item is required.</p> <p>“If Applicable” check boxes (completed by Fire Code Official) indicate a submittal may be required, this will be stated on Building plan by “Architect of Record” and approved by the Fire Code Official on Building submittal.</p> <p>All deferred Fire submittals shall not be included in Building plan submittal(s)</p>		
One (1) copy of Plan Submittal	<input checked="" type="checkbox"/>	
One (1) copy of supporting calculations	<input checked="" type="checkbox"/>	
One (1) copy of Manufacture Data Sheets	<input checked="" type="checkbox"/>	




NOTE:

At a minimum, all submitted information shall be reviewed by the applicant’s NICET level III Certified Engineering Technician (CET) or a Professional Engineer, as required, prior to the submittal – refer to the more comprehensive base checklists on-line.

The plans must demonstrate compliance with the adopted Codes, Ordinances, Standards and Interpretations for each appropriate application.

SECTION 6.
Public Safety Radio Amplification System Information

City of Scottsdale Public Safety Radio Amplification System Requirements for Developers



Since December 1995, the City of Scottsdale has required all non-single family buildings to have public safety radio communications coverage (See S.R.C. Sec. 31-47(b), Public Safety Radio Amplification Systems) so that a police officer or firefighter can use their portable radio to communicate with the dispatch center or with other personnel. The requirement for public safety radio coverage applies to new construction and tenant improvements that trigger the building to be brought into compliance with current National Electric Code, as adopted by the city.

What is a Public Safety Radio Amplification System?

The Federal Communications Commission regulates the “signal boosters” which are used to improve radio communications in areas that radio signals are blocked or shielded due to environmental or man-made obstacles. These signal boosters are more commonly referred to a Bi-Directional Amplifier (BDA) system and are installed in buildings, underground parking and other open or closed spaces that do not have adequate radio signal coverage (see diagram). The BDA system consists of a donor antenna that sends and receives radio signals to/from the host radio site and carries that radio signal to an amplifier that routes the radio signals to antennas located throughout the structure. The police officer or firefighter who is inside a building or structure with a BDA will have their portable radio unit send and receive communication over the BDA system.

Will My Building Need a BDA System?

Unfortunately, the requirement for a BDA system for your building or structure is difficult to determine as location, size, surrounding buildings and construction materials all factor into the need for a BDA. If your building has either a basement level or an underground parking garage, it is almost certain that your



Construction Document Application Requirements **City Center @ Scottsdale Collection (19-DR-2023)**

project will require a BDA system. For all buildings – whether or not there is a basement or underground parking – after drywall has been installed, a member of the City’s Public Safety Radio Department will perform a radio signal strength assessment to determine if a BDA system is required at your location.

How Much Do BDA Systems Cost?

The cost of a BDA system generally ranges from \$15,000 to \$75,000, depending on the number of floors, stairwells, and total area that needs to have the radio signal amplified.

If you have any questions or would like additional information, you may contact the City Radio Engineer at radioengineer@scottsdaleaz.gov



Construction Document Application Requirements

City Center @ Scottsdale Collection (19-DR-2023)

SECTION 7.

Water & Wastewater Information

Arizona Department of Environmental Quality (ADEQ):

- The developer shall be responsible for conformance with ADEQ regulations and requirements for submittals, approvals, and notifications. The developer shall demonstrate compliance with Engineering Bulletin #10 Guidelines for the Construction of Water Systems, and applicable chapters of the Arizona Administrative Code, Title 18, and Environmental Quality. In addition:

Maricopa County Environmental Services Department (MCESD):

- Before approval of final improvement plans by the Plan Review and Permit Services Division, the developer shall submit a cover sheet for the final improvement plans with a completed signature and date of approval from the Maricopa County Environmental Services Department (MCESD).
- Before issuance of Permits to Work in the Right-of-Way by city staff, the developer shall provide evidence to city staff that a Certificate of Approval to Construct (ATC) Water and or Wastewater Systems has been submitted to the MCESD in the form of a document developed by the County with date stamp.
- Before commencing construction, the developer shall submit evidence that approval to construct has been issued by the MCESD.
- Before issuance of Letters of Acceptance by the City's Inspection Services Division, the developer shall provide to the City a final set of as-built mylars of the improvements and Approval of Construction (AOC) by the MCESD.

Water and Wastewater Requirements:

- The developer shall pay a Sewer Development Fee for City sewer service in accordance with City Ordinance. This fee shall be paid at the time, and as a condition of the issuance of a building permit, or if the development does not require a building permit, prior to connection to the City sewer system. All questions may be referred to Water Resources at 480-312-5650.
- The developer shall pay a Water Development Fee and Water Resources Development Fee for City water supply in accordance with City Ordinance. This fee shall be paid at the time, and as a condition of the issuance of a building permit, or if the development does not require a building permit, prior to connection to the City water system. All questions may be referred to Water Resources at 480-312-5650.
- Prior to the issuance of any building permit, the developer shall pay a Water Meter Fee for connection to the City water system in accordance with City Ordinance. If there is an existing water meter for this project, applicable water meter fees must be paid only if a larger meter is required.
- Special Infrastructure or Special Design Elements must be approved by the City of Scottsdale Water Resources Division.



Construction Document Application Requirements **City Center @ Scottsdale Collection (19-DR-2023)**

SECTION 8. Environmental Information

Arizona Department of Environmental Quality (ADEQ) Requirements:

All construction activities that disturb one or more acres shall obtain coverage under the Arizona Pollutant Discharge Elimination System (AZPDES) Construction General Permit. To gain coverage, operators of construction sites must:

- Prepare a Stormwater Pollution Prevention Plan (SWPPP) and submit for City review and approval as part of the improvement plan submittal;
- Submit a Notice of Intent (NOI) to ADEQ;
- Provide the NOI Certificate of Approval to the City before the final plan approval.
- Send a Notice of Termination (NOT) to ADEQ when construction is completed.
- Contact ADEQ at 602-771-4449 for further information. Forms are available from the City of Scottsdale One Stop Shop, or from ADEQ.
- The approved SWPPP shall be kept onsite at all times during construction.