DEVELOPMENT REVIEW BOARD



Meeting Date: September 21, 2023 General Plan Element: Character and Design

General Plan Goal: Foster quality design that enhances Scottsdale as a unique

southwestern desert community.

ACTION

McCormick Stillman Railroad Park Improvements 16-DR-2023

Request for approval of a site plan, landscape plan, and building elevations for a new 10,000 square foot, single-story building that will house a new indoor play structure, multi-purpose room, office space, restrooms, and associated site improvements on a +/- 26.76-acre site.

SUMMARY

Staff Recommendation

Approve, subject to the attached stipulations (Attachment #6)

Items for Consideration

- Conformance with Development Review Board Criteria
- Integration of Sensitive Design Principles
- Creates an indoor play land and splash pad for more patron comfort in summer
- No community input received as of the date of this report

BACKGROUND

Location: 7301 E Indian Bend Rd Zoning: Open Space (OS)

Adjacent Uses

North: Retail center zoned C-2/P-4

Single-family resident neighborhood beyond zoned R1-43 East:

South: Park zoned OS, townhomes beyond zoned R-4R

West: Undeveloped land - entitled Palmeraie development zoned PRC

PSD



Property Owner	
City of Scottsdale	
Applicant	
Michael Voorheis, DWL Architects	
(602) 264-9731	

	3	n Bend R	
		,	-
	னா	に	-
2			-

Architect/Designer

DWL Architects

Engineer

DEVELOPMENT PROPOSAL

On March 7, 2023, the City Council adopted Resolution 12753 issuing \$142,535.00 for Construction Management at Risk (CMAR) services for new park improvements at the McCormick Stillman Railroad Park. On June 21, 2023, the City Council adopted Resolution 12494, which accepted \$1,000,000.00 from the Scottsdale Railroad and Mechanical Society to be deposited in the CIP contributions fund to be used towards the McCormrick-Stillman Railroad Park bunkhouse capital project, which is the subject of this Development Review Board application.

This request is for approval of a new 10,000 square foot, single story building that will house a new indoor play structure, multi-purpose room, office space and restrooms, as well as other site improvements include a new entry plaza with seating, new landscaping and shade trees, new park pathways and exterior lighting. To make room for this new project, the existing bunkhouse building, clock tower and restroom building will need to be demolished. The proposed design of the site and building is to mimic a historic railroad roundhouse. The faux water tank shown on the site plan and perspectives is proposed relocated Verizon wireless communication facility that was approved by the Development Review Board on August 17th of this year with case 21-DR-2023, and not part of this application.

Development Review Board Criteria

Staff confirms that the development proposal generally meets the applicable Development Review Board Criteria. For a detailed analysis of the Criteria, please see Attachment #4.

Historic Preservation Analysis of Existing "Bunkhouse" Building

Since 2009, plans for the McCormick-Stillman Railroad Park have contemplated removal of the "bunkhouse", an elongated building centrally located at the north end of the park. Plans for improvements to the park have always been vetted with the public and input from a variety of stakeholders through Board/Commission, and City Council public hearings.

On June 1, 2023, the Historic Preservation (HP) Commission was provided with a presentation by the City of Scottsdale Parks and Recreation staff outlining their plans to develop that portion of the park consistent with this application (16-DR-2023). As a result of the HP Commission's discussion at the June 1, 2023 meeting, it was requested that prior to implementing the Parks and Recreation Park plan, the HP Commission be provided with formal documentation and assessment of the historic significance associated with the Bunkhouse as it relates to eligibility for the National Register of Historic Places (NRHP) and the Scottsdale Historic Property Register (SHPR).

In mid-June 2023, HP staff contracted with Logan Simpson Design to provide such assessment. The building assessment was completed in accordance with Section 6.100 of the City's Zoning Ordinance and its associated subsections. The report was documented by Logan Simpson, meeting the Secretary of the Interior's Professional Qualification Standards for the field of Architectural History via in-person documentation of the property through notes and photographs. Information collected from field visits were incorporated into a final report that serves as architectural documentation of the building and outlines the history, significance, integrity, and potential NRHP and/or SHPR eligibility of the building.

According to the Logan Simpson Design report, the Bunkhouse building did not meet the criteria established by the City of Scottsdale's Code of Ordinances Article VI Section 6.113.A.5 for listing as a Historic Resource or a Historic Landmark in the city registry. While it is a significant building, because it demonstrates associations with an early prominent Scottsdale family, early Scottsdale ranching,

Scottsdale Development Review Board Report | Case No. 16-DR-2023

and is an early example pueblo revival style architecture, the Bunkhouse building does not retain its integrity as a historic ranch building. The building did not convey its significance due to numerous character-altering renovations to the interior and exterior of the building and the surrounding landscape. However, while the Bunkhouse building does not meet the criteria of designating the site as a Historic Resource or a Historic Landmark in the city registry, it is a significant building that played an integral role in the functions of the historic Jolly Ranch and early functions of the McCormick Stillman Railroad Park. Logan Simpson recommended that if the city desires to continue to perpetuate the significance of the building, interpretative signage could be created and installed to achieve such an effort. The signage could be installed in a publicly accessible location and contain images and text that recounts the significance of the building and its contributions to the McCormick-Stillman Railroad Park.

Both the Historic Preservation Department and Parks and Recreation Department have concluded that it is appropriate to memorialize the "bunkhouse" building with the development of the Railroad Pard project. The project has been stipulated to provide a feature which memorializes the "bunkhouse" building.

Sustainability

The City of Scottsdale promotes the goal of sustainability through the incorporation of appropriate design considerations in the development of the built environment. This development proposal incorporates several design elements that align with the City's goal of sustainability including:

- Drought tolerant plantings
- High reflective roof surface
- 8-foot roof overhangs over play structure portion of the building
- Water efficient plumbing fixtures
- Energy efficient LED lighting fixtures throughout
- Enhanced energy performance 24% savings over the baseline required by code
- 5000 gallon retention tank connected to the splash pad, ensuring re-use of water for drip irrigation
- Low Volatile Organic Compound Emitting materials, including millwork and interior finishes.
- Conduit pathways and power capacity for future electric car charging parking spaces.

STAFF RECOMMENDED ACTION

Staff recommends that the Development Review Board approve the McCormick Still Railroad Park development proposal per the attached stipulations, finding that the Character and Design Element of the General Plan, the South Scottsdale area plan and Development Review Board Criteria have been met.

RESPONSIBLE DEPARTMENTS	STAFF CONTACTS
Planning and Development Services Current Planning Services	Keith Niederer Telecom Policy Coordinator 480-312-2953 kniederer@ScottsdaleAZ.gov
Capital Project Management	Roger Berna Principal Project Manager 480-312-7845 Email: rberna@scottsdaleaz.gov

APPROVED BY

Keith Niederer, Report Author Date

9/12/2023

Date

Brad Carr, AICP, LEED-AP, Planning & Development Area Manager

Development Review Board Liaison

Phone: 480-312-7713 Email: bcarr@scottsdaleaz.gov

ATTACHMENTS

- 1. Context Aerial
- 2. Close-up Aerial
- 3. Applicant's Narrative
- 4. Development Review Board Criteria Analysis
- 5. Development Information
- 6. Stipulations / Zoning Ordinance Requirements
- 7. Combined Context Aerial and Site Plan
- 8. Site Plan
- 9. Landscape Plan
- 10. Hardscape Plan
- 11. Building Elevations (black & white)
- 12. Building Elevations (color)
- 13. Perspectives
- 14. Materials and Colors Board
- 15. Zoning Map
- 16. City Notification Map







June 13, 2023

Scottsdale Planning and Development Services

City of Scottsdale 7447 E Indian School Road Suite 105 Scottsdale, AZ 85251

RE: MSRP Roundhouse, Splashpad, & Site Improvements

Development Review Board Submittal Item 21 - Application Narrative

To Whom it May Concern:

The McCormick-Stillman Railroad Park (MSRP) is developing a project consistent with their master site plan. The project is located on their existing property located at 7301 East Indian Bend Road, Scottsdale, AZ 85250. The project replaces an existing underutilized building, and an existing restroom building which currently located in the center of the park and replaces them with a new 10,000 square-foot, single story building, exterior splash pad, and entrance plaza located in a manner that optimizes the used of the site and opens up the site lines and circulation. The building is designed to house a new interior play structure, multi-purpose room, and restrooms to serve both interior building and exterior park users. The splash pad is a pass-through system, with a provision to reclaim wastewater for re-use in the new landscape. The entry plaza includes a seating area, landscape plantings, and public art. Additional site improvements include new park pathways, exterior lighting, and shade trees.

Ordinances, Master Plans, General Plan, and Standards

The project will comply with all Development Review Board criteria as defined by the Scottsdale Zoning Ordinance, Section 1.904. Compliance for each item is outlined below:

A. In considering any application for development, the Development Review Board shall be guided by the following criteria:

1. The Board shall examine the design and theme of the application for consistency with the design and character components of the applicable guidelines, development standards, Design Standards and Policies Manual, master plans, character plan and General Plan.

Response: The design is consistent with the requirements of all applicable standards, including the DPSM and park master plan. Please refer to supporting information provided in this DRB submittal.

- 2. The architectural character, landscaping and site design of the proposed development shall:
 - a. Promote a desirable relationship of structures to one another, to open spaces and topography, both on the site and in the surrounding neighborhood;

Response: The scale, proportion, and location of the proposed building is consistent with the adjacent existing buildings. The new building is designed to look like a historic railroad roundhouse, which is consistent with the theme of the park. The splash pad and site



improvements are arraigned to increase the cohesiveness and connectivity between new and existing site elements, as well as improving access to the park from the sidewalk and bike lane on Indian Bend Road.

b. Avoid excessive variety and monotonous repetition;

Response: The building is designed using a palette of read and tan brick, with red standing seam roofing, consistent with the existing architectural finishes. The main South entry is composed of four large arched openings in red brick. The East, West and South elevations have a band of tan brick, with punched openings for windows. The band is topped with a continuous glass clerestory.

c. Recognize the unique climatic and other environmental factors of this region to respond to the Sonoran Desert environment, as specified in the Sensitive Design Principles;

Response: The building incorporates a continuous roof overhang over the clerestory glazing to provide shade. The material palette of masonry and metal are durable materials that will hold up to the temperature and direct sunlight of our environment. Site landscaping is composed of draught tolerant, desert plantings, with plenty of shade trees.

d. Conform to the recommendations and guidelines in the Environmentally Sensitive Lands (ESL) Ordinance, in the ESL Overlay District; and

Response: Not applicable to this project, the site is not considered Environmentally Sensitive Land.

e. Incorporate unique or characteristic architectural features, including building height, size, shape, color, texture, setback or architectural details, in the Historic Property Overlay District.

Response: Not applicable to this project, the site is not located in the Historic Property Overlay District.

3. Ingress, egress, internal traffic circulation, off-street parking facilities, loading and service areas and pedestrian ways shall be so designed as to promote safety and convenience.

Response: No changes to the existing parking and internal vehicular traffic circulation are included in this project. The new site improvements include new pathways and walks that make connections to Indian Bend road to the north, and existing internal pathways to the south east and west. Additional site lighting is included along these pathways to promote safety.

4. If provided, mechanical equipment, appurtenances and utilities, and their associated screening shall be integral to the building design.

Response: All rooftop equipment shall be screened by the building parapets, to the minimum height of the highest part of the unit.



5. Within the Downtown Area, building and site design shall:

- a. Demonstrate conformance with the Downtown Plan Urban Design & Architectural Guidelines;
- b. Incorporate urban and architectural design that address human scale and incorporate pedestrian-oriented environment at the street level;
- c. Reflect contemporary and historic interpretations of Sonoran Desert architectural traditions, by subdividing the overall massing into smaller elements, expressing small scale details, and recessing fenestrations;
- d. Reflect the design features and materials of the urban neighborhoods in which the development is located; and
- e. Incorporate enhanced design and aesthetics of building mass, height, materials, and intensity with transitions between adjacent/abutting Type 1 and Type 2 Areas, and adjacent/abutting Type 2 Areas and existing development outside the Downtown Area.

Response: Not applicable to this project, not located within the downtown area.

- 6. The location of artwork provided in accordance with the Cultural Improvement Program or Public Art Program shall address the following criteria:
 - a. Accessibility to the public;
 - b. Location near pedestrian circulation routes consistent with existing or future development or natural features;
 - c. Location near the primary pedestrian or vehicular entrance of a development;
 - d. Location in conformance with the Design Standards and Policies Manual for locations affecting existing utilities, public utility easements, and vehicular sight distance requirements; and
 - e. Location in conformance to standards for public safety.

Response: Public Art is planned to be installed on a wall near the existing park's electrical equipment, This location is in an important pedestrian node within the park. The location does not conflict with the required clearances for electrical equipment access or the existing fire lane to remain.



B. The property owner shall address all applicable criteria in this section.

Response: Please refer to the additional supporting information provided in this DRB submittal.

Project Manager

M Var Lin

DWL ARCHITECTS + PLANNERS, INC

DEVELOPMENT REVIEW BOARD CRITERIA ANALYSIS

Per Section 1.904. of the Zoning Ordinance, in considering any application for development, the Development Review Board shall be guided by the following criteria:

- 1. The Board shall examine the design and theme of the application for consistency with the design and character components of the applicable guidelines, development standards, Design Standards and Policies Manual, master plans, character plan and General Plan.
 - The applicant states the design is consistent with the requirements of all applicable standards, including the Design Standards and Policies Manual, Parks Master Plan, General Plan and Municipal Use Master Site Plan.
 - Staff concurs.
- 2. The architectural character, landscaping and site design of the proposed development shall:
 - a. Promote a desirable relationship of structures to one another, to open spaces and topography, both on the site and in the surrounding neighborhood;
 - The applicant states that the scale, proportion, and location of the building is consistent with the adjacent buildings. The new building is designed to look like a historic railroad roundhouse, which is consistent with the theme of the park. The new splash pad and site improvements are designed to increase the connectivity between new and existing site elements, as well as improving access to the park from the sidewalk and bike lanes on Indian Bend Rd.
 - Staff concurs that the improvement will better utilize the north end of the park and help tie it into the existing portions of the park to the south.
 - b. Avoid excessive variety and monotonous repetition;
 - The building is designed using a palette of red and tan brick, with a red standing seam roof, consistent with existing architectural finishes. The main south entry elevation contains four large arched openings in red brick. The other elevations have a band of tan brick, with punched openings for windows.
 - Staff concurs that the elevations are not monotonous and provide visual interest.
 - c. Recognize the unique climatic and other environmental factors of this region to respond to the Sonoran Desert environment, as specified in the Sensitive Design Principles;
 - The building incorporates a continuous roof overhang over the clerestory glazing to provide shade. The material palette of masonry and metal are durable materials that will hold up to high temperatures and direct sunlight. Additional new drought tolerant shade trees and landscaping will be installed.
 - Staff concurs.
- 3. Ingress, egress, internal traffic circulation, off-street parking facilities, loading and service areas and pedestrian ways shall be designed as to promote safety and convenience.
 - The applicant states that no changes to the existing parking lot and internal vehicular traffic circulation are proposed. The new site improvements include new pathways that make connections to Indian Bend Road to the north and to the existing path network to the south and west. Addition site light will help improve safety for evening visitors to the park.
 - The Transportation department requested that a new 8-foot-wide detached sidewalk be built along the Scottsdale Road frontage with this proposal. However, this project doesn't have

- enough funding to build that improvement. This improvement would also require the relocation of an existing fence.
- 4. If provided, mechanical equipment, appurtenances and utilities, and their associated screening shall be integral to the building design.
 - The applicant states that all rooftop equipment will be screened by the building parapets, to the minimum height of the tallest part of the unit.
 - Staff concurs this is proposed and will be met

DEVELOPMENT INFORMATION

Zoning History

The site was annexed into the City in 1972 (Ord. #701) and zoned to the current OS zoning designation in 1980 with case 68-Z-80.

Community Involvement

With the submittal of the application, staff notified all property owners within 750 feet of the site. As of the publishing of this report, staff has not received any community input regarding the application.

Context

The subject property is located at the southeast corner of N. Scottsdale Road and E. Indian Bend Road.

Project Data

Existing Use: City ParkProposed Use: No Change

• Parcel Size: 1,276,701 square feet / 29.31 acre (gross)

1,165,753 square feet / 26.76 acre (net)

Total Building Area: 10,000 square feet

Building Height Allowed: 24 feet per O-S district,

60 feet per Sec. 7.101 of the zoning ordinance if the building is setback from each yard line at least one foot for each two feet of additional building height above 24-

feet

• Building Height Proposed: 29 feet (to ridgeline of roof)

Parking Required: 66 spacesParking Provided: 485 spaces

Stipulations for the

Development Review Board Application: McCormick Stillman Railroad Park Improvements

Case Number: 16-DR-2023

These stipulations are intended to protect the public health, safety, welfare, and the City of Scottsdale.

APPLICABLE DOCUMENTS AND PLANS:

- 1. Except as required by the Scottsdale Revised Code (SRC), the Design Standards and Policies Manual (DSPM), and the other stipulations herein, the site design and construction shall substantially conform to the following documents:
 - a. Architectural elements, including dimensions, materials, form, color, and texture shall be constructed to be consistent with the building elevations submitted by DWL Architects, with a date of 6/16/2023.
 - b. The location and configuration of all site improvements shall be consistent with the site plan submitted by DWL Architects, with a date of 6/16/2023.
 - c. Landscape improvements, including quantity, size, and location shall be installed to be consistent with the preliminary landscape plan submitted by Floor Associates, with a date of 6/16/2023.
 - d. The preliminary case drainage report submitted by EPS Group dated June 2023.
 - e. The preliminary wastewater basis of design report submitted by EPS Group dated July 2023.

RELEVANT CASES:

Ordinance

A. At the time of review, the applicable Zoning, DRB, Use Permit case(s) for the subject site were:

32-UP-2008: Amended Municipal Use Master Site Plan

215-UP-2009: Conditional Use Permit for a specialty park and municipal uses

364-SA-2017: Minor Site Plan Amendment to Municipal Use Site Plan approved with 32-UP-2008

65-DR-2009: Model Railroad Building 68-Z-1980: Rezoned Park to O-S

3-ZN-2009: Rezoned Amundsen Pullman Railroad Car to HP

ARCHAEOLOGICAL RESOURCES/HISTORIC PRESERVATION:

Ordinance

- B. Any development on the property is subject to the requirements of Scottsdale Revised Code, Chapter 46, Article VI, Section 46-134 Discoveries of archaeological resources during construction.
- C. Prior to the Certificate of Occupancy, the project shall provide a feature which memorializes the "bunkhouse" building, and the feature shall be located in a publicly accessible location.

ARCHITECTURAL DESIGN:

DRB Stipulations

- 2. All exterior window glazing shall be recessed a minimum of fifty (50) percent of the wall depth, including glass windows within any tower/clerestory elements. The amount or recess shall be measured from the face of the exterior wall to the face of the glazing, exclusive of external detailing. With the final plan submittal, the developer shall provide head, jamb and sill details clearly showing the amount of recess for all window types.
- 3. All exterior doors shall be recessed a minimum of thirty (30) percent of the wall depth, the amount of recess shall be measured from the face of the exterior wall to the face of the glazing, exclusive of external detailing. With the final plan submittal, the developer shall provide head, jamb and sill details clearly showing the amount of recess for all door types.

EXTERIOR LIGHTING:

Ordinance

- D. All exterior luminaires mounted eight (8) feet or higher above finished grade, shall be directed downward.
- E. Any exterior luminaire with a total initial lumen output of greater than 1600 lumens shall have an integral lighting shield.

DRB Stipulations

- 4. All exterior luminaires shall meet all IES requirements for full cutoff and shall be aimed downward and away from property line except for sign lighting.
- 5. Incorporate the following parking lot and site lighting into the project's design:
 - a. The maintained average horizontal luminance level, at grade on the site, shall not exceed 2.0 foot-candles. All exterior luminaires shall be included in this calculation.
 - b. The maintained maximum horizontal luminance level, at grade on the site, shall not exceed 8.0 foot-candles. All exterior luminaires shall be included in this calculation.
 - c. The initial vertical luminance at 6-foot above grade, along the entire property line shall not exceed 0.8 foot-candles. All exterior luminaires shall be included in this calculation.
 - d. All exterior lighting shall have a color temperature of 3,000 Kelvin or less.
 - e. The total lumen per luminaire shall not exceed 24,000 lumens.

WATER AND WASTEWATER:

Ordinance

F. All water and wastewater infrastructure improvements shall be constructed in accordance with this City of Scottsdale (COS) Supplement to MAG Specifications and Details, and the Design Standards and Policies Manual.

DRB Stipulations

6. Prior to the civil construction document submittal, the property owner shall obtain approval of the basis of design reports from the Water Resources Department. The civil construction document

- submittal shall be consistent with the approved master water and wastewater basis of design reports.
- 7. Waster and sewer mains shall be located within a 20-foot-wide Waster and Sewer Facilities (WSF) easement.
- 8. The proposed construction will require the removal or relocation of some water and sewer lines. Easements shall be released where lines are being removed and new easement shall be dedicated over the new lines.
- 9. Revise Wastewater Basis of Design report to include details of the irrigation pumping system.
- 10. Existing water and sewer service lines to this site shall be utilized, or shall be disconnected at the main pursuant to the Water Resources Department requirements.
- 11. Sewer mains shall be constructed a minimum of 6-feet from any structures. Consider relocating north/south sewer main east into parking lot.

DRAINAGE AND FLOOD CONTROL:


DRB Stipulations

- 12. With the civil construction document submittal, the property owner shall submit a final drainage report that demonstrates consistency with the DSPM and the conceptual case drainage.
- 13. With the final plans submittal, submit a final drainage report that indicates how the project will address first flush volume.
- 14. With the final plans submittal, submit a revised final drainage report that demonstrates as part of the pre-vs-post analysis, that the existing storm water storage volume must be maintained along with accounting for any new storm water storage required. Include how much storage is currently existing at the site and show that the proposed conditions will account for that plus any additional required.
- 15. All headwalls and drainage structures shall be integrally colored concrete to blend with the color of the surrounding natural desert.

EASEMENTS DEDICATIONS:

DRB Stipulations

- 16. Prior to the issuance of any building permit for the development project, the property owner shall dedicate the following easements to the City of Scottsdale on a final plat or map of dedication:
 - a. Waster and sewer mains shall be located within a 20-foot-wide Waster and Sewer Facilities (WSF) easement.
 - b. The proposed construction will require the removal or relocation of some water and sewer lines. Easements shall be released where lines are being removed and new easement shall be dedicated over the new lines.





1/4 MILE RADIUS

PARCEL BOUNDARIES

*FOR CLARITY, PARCELS WITHIN MULTIPLE FAMILY-DEVELOPMENTS ARE GROUPED

PARCEL INFORMATION


174-19-001A LAND USE (IF APPLICABLE)

ZONING DISTRICTS

I TORREEL

CENTRAL BUSINESS
COMMERCIAL OFFICE
COMMERCIAL OFFICE
COMMERCIAL OFFICE
COMMERCIAL OFFICE
SINGLE-FAULY RESIDENTIAL
RESORTTOWNHOUSE RESIDENTIAL
RESORTTOWNHOUSE RESIDENTIAL
PARKING
PLANNED COMMUNITY DISTRICT

LAND USES



DRB ENLARGED CONTEXT AERIAL

2333 N Central Ave Phoenix AZ 85004 0 602.264.9731 dwlarchitects.com

CITY OF SCOTTSDALE
ROUNDHOUSE, SPLASH PAD
SITE IMPROVEMENTS

7301 E. Indian Bend R Scottsdale AZ 85250 RAILRUAD -- PARK--

REVISIONS

DEVELOPMENT

APPLICATION

OCCUPYRISHT 2023

DWI.ARCHTECTS - PLANNERS, NO.

CONTEXT AERIAL


23.0


VOORHEIS LIEBGOLD 6/16/2023 1939.00

6/16/2023 8:49:24 AM

DRB CONTEXT AERIAL

1" = 160'-0"





6/16/2023 10:20:15 AM

2333 N Central Ave Phoenix AZ 85004 0 602.264.9731 dwlarchitects.com

CITY OF SCOTTSDALE
ROUNDHOUSE, SPLASH PAD
SITE IMPROVEMENTS

7301 E. Indian Bend R Scottsdale AZ 85250

RAILROAD -PARK-

W REVISIONS

DEVELOPMENT APPLICATION

OCCPYRIGHT SE

SITE PLAN

24.1

LIEBGOLD VOORHEIS 6/16/2023




PLANTING & IRRIG. NOTES PLANTING & IRRIG. NOTES

- 1. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY QUANTITIES INCLUDING TREES, SHRUBS, GROUNDCOVERS, DECOMPOSED GRANITE. MULCH & OTHER ITEMS SHOWN ON THE PLANS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO NOTIFY THE LANDSCAPE ARCHITECT PRIOR TO CONSTRUCTION OF MAJOR DISCREPANCIES IN CASE OF A DISCREPANCY BETWEEN THE NUMBER OF PLANTS INDICATED ON THE PLANT LIST HE DRAWINGS SHALL BE ACCEPTED AS
- 2 ALL LANDSCAPE AND IRRIGATION MATERIALS & INSTALLATION SHALL COMPLY WITH SECTIONS 424, 425, 430 757 AND 795 OF THE M.A.G. SPECIFICATIONS.
- 3. IRRIGATION VALVE BOXES: INSTALL
 GREEN IRRIGATION BOXES IN TURF AREAS
 TAN IRRIGATION BOXES IN ALL OTHER
 AREAS. BOXES SHALL BE LOCATED A
 MINIMUM OF 9 SHIND ALL CIRCULATION
 AREAS 8 SHALL BE ORGANIZED IN AN
 OFICIENT MANNER INCLUDING GROUPING
 BOXES TOGETHER 8 SETTING THE BOXES
 CURBS. BOXES SHALL BE SET FLUSH WITH
 FINISH GRADE.
- 4. CONTRACTOR SHALL BE RESPONSIBLE FOR FULL IRRIGATION COVERAGE OF ALL PLANT MATERIAL.
- EXISTING UTILITY COVER, BOXES, LIDS & MANHOLES IN AN EXPOSED CONDITION.
- TO THE STANDARDS SET FORTH IN THE AMERICAN STANDARDS OF NURSER STOCK BY THE AMERICAN ASSOCIATION OF NURSERYMEN & BY THE ARIZONA NURSERY ASSOCIATION RECOMMENDED TREE SPECIFICATIONS, BOX SIZES ARE SHOWN FOR REFERENCE ONLY.
- 7. THE LANDSCAPE ARCHITECT RESERVES MATERIAL DEEMED UNACCEPTABLE
- 8. SUBSTITUTIONS SHALL NOT BE WRITING BY THE LANDSCAPE ARCHITECT
- 9 LOCATE PLANTS AWAY FROM SPRINKLER HEADS, LIGHT FIXTURES & OTHER OBSTRUCTIONS.
- 10. THE CONTRACTOR SHALL REQUEST INSPECTION OF PLANT LAYOUT IN THE FIELD BY THE LANDSCAPE ARCHITECT A MINIMUM OF 48 HOURS IN ADVANCE FOR APPROVAL UNLESS OTHERWISE AGREED
- 11 THE LANDSCAPE ARCHITECT 11. THE LANDSCAPE ARCHITECT RESERVES THE RIGHT TO INSPECT SHRUBS & CONTAINER TREES FOR CONDITIONS OF ROOTBALLS. THE CONTRACTOR SHALL REQUEST INSPECTION 24 HOURS IN ADVANCE OF PLANTING. UPON SUCH INSPECTION IF THE ROOTBALL CONDITION IS UNACCEPTABLE THE CONTRACTOR SHALL SUPPLY SERVICEMENT AND TAY NO UPPLY REPLACEMENT PLANT AT NO
- 12. WATER TEST ALL TREE PLANTING HOLES PRIOR TO PLANTING. IF TREE HOLE DOES NOT DRAIN WITHIN A 24 HOUR PERIOD, REFER TO HARDPAN DETAIL.
- 13. SEE SPECIFICATIONS FOR PLANTING BACKFILL MIX.
- 14. ALL TOP SOIL MIXTURES FOR PLANTS SHALL BE FREE OF GRASS AND NOXIOUS WEEDS. SEE SECTION 795 OF THE M.A.G. SPECIFICATIONS.
- 15. PLANTING AND IRRIGATION DESIGN MAY BE MODIFIED TO ADAPT TO WALK CONFIGURATIONS THAT DIFFER FROM HESE PLANS OR BECAUSE OF GRADE LIMITATIONS ON SITE.
- 16. SHRUBS AND GROUNDCOVER SHALL BE PLANTED A MINIMUM OF 3' AWAY FROM THE EDGE OF WALKS, WALLS, BUILDINGS AND CURBS UNLESS OTHERWISE DIRECTED BY LANDSCAPE ARCHITECT.
- 17. MAINTAIN 5' CLEARANCE OF CACTI FROM ALL PEDESTRIAN ROLLTES LINLESS. OTHERWISE DIRECTED BY LANDSCAPE ARCHITECT
- 18 MAINTAIN 5' CLEARANCE OF PLANT MATERIAL FROM ALL FIRE HYDRANTS AND/OR FIRE DEPARTMENT CONNECTIONS

- 19. SIGHT DISTANCE TRIANGLES SHALL BE CLEAR OF LANDSCAPING & OTHER VISIBILITY OBSTRUCTIONS WITH A HEIGHT GREATER THAN 2 FEET. TREES WITHIN THE TRIANGLES SHALL HAVE A CANOPY THAT BEGINS AT 7 FEET IN HEIGHT UPON INSTALLATION
- 20. ALL LANDSCAPED AREAS SHALL BE SPRAYED WITH WEED KILLER SUCH AS "ROUNDLUP PER MANUFACTURER'S RECOMMENDATIONS & ALL WEEDS REMOVED 7-10 DAYS PRIOR TO PLACEMENT OF DECOMPOSED GRANITE.
- TREATED WITH PRE-EMERGENT AS PER MANUFACTURER'S INSTRUCTIONS -- WITH THE EXCEPTION OF AREAS RECEIVING SEED MIX DEAD DEBRIS SHALL BE PROPERLY DISPOSED OF PRIOR TO PLACEMENT OF DECOMPOSED
- 22. THE CONTRACTOR SHALL PROVIDE THE LANDSCAPE ARCHITECT WITH A LETTER CERTIFYING THE CHEMICAL, DATE AND RATE OF APPLICATION FOR BOTH WEED KILLER AND PRE-EMERGENT
- 23 LANDSCAPE AREAS NOT OTHERWISE 23. LANDSCAPE AREAS NOT OTHERWISE COVERED BY TURF, PAVING OR BUILDINGS SHALL BE DECOMPOSED GRAVITE —2" DEPTH NULES OTHERWISE NOTED. LANDSCAPE CONTRACTOR TO SUBMIT A QUANTITY OF TWO 5 LB. SAMPLE BAGS OF DECOMPOSED GRAVITE TO LANDSCAPE ARCHITECT FOR APPROVAL.
- 24. AREAS OF DECOMPOSED GRANITE SHALL NOT EXCEED MORE THAN 7 FEET IN ANY DIRECTION WITHOUT PLANT MATERIAL UNLESS OTHERWISE NOTED BY THE LANDSCAPE ARCHITECT.
- 25. ALL ROCKS AND DEBRIS OF 1" DIA. SIZE OR LARGER SHALL BE REMOVED FROM THE SITE AND PROPERLY DISPOSED OF PRIOR TO THE PLACEMENT OF DECOMPOSED GRANITE - WITH THE EXCEPTION OF ANY AREAS RECEIVING LARGER SIZE COBBLE SEE PLANS FOR LOCATIONS
- 28. ALL REVEGETATED PLANTING AREAS AND ANY DISTURBED AREAS SHALL RECEIVE A FINE GRADE OF NATIVE SOIL AND COBBLE TO REPRESENT THE NATIVE DESERT PAVEMENT ADJACENT TO THE PROJECT REFER TO PLANTING DETAILS. FINAL PRODUCT SHALL BE APPROVED BY THE LANDSCAPE ARCHITECT. 26 ALL REVEGETATED PLANTING AREAS AND
- 27. TOP DRESSING, DECOMPOSED GRANITE AND/OR DESERT PAVEMENT SHALL EXTEND UNDER SHAUBS UNLESS OTHERWISE NOTED
- CURBS, PAVING AND ADJACENT WALKS.
- 29. WHEN BOXED TREES ARE INSTALLED, THE BOTTOM OF THE TREE BOXES SHALL NOT BE REMOVED UPON PLANTING. THE SOIL LINE OF THE PLANTED TREE SHALL MATCH THE SURROUNDING FINISH GRADE.
- 30. NEW LANDSCAPING, SALVAGED PLANT MATERIAL AND LANDSCAPING INDICATED TO REMAIN WHICH IS DESTROYED, DAMAGED OR EXPIRES DURING CONSTRUCTION SHALL BE EXPIRES DURING CONSTRUCTION SHALL BE REPLACED WITH LIKE SIZE, KIND AND QUANTITY PRIOR TO THE ISSUANCE OF THE CERTIFICATE OF OCCUPANCY AND LETTER O ACCEPTANCE TO THE SATISFACTION OF THE
- 31. THE LANDSCAPE CONTRACTOR SHALL PROVIDE A 1 (ONE) YEAR WARRANTY ON THE IRRIGATION SYSTEM, A 1 (ONE) YEAR WARRANTY ON ALL TREES, CACTI, OCCTILLOS AND 15 GALLON PLANT MATERIAL AND A 90 (NINETY) DAY WARRANTY ON ALL REMAINING PLANT MATERIAL.
- 32. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING THE ENTIRE PROJECT FOR A MAINTENANCE PERIOD OF 90 DAYS AFTER ACCEPTANCE OF WORK BY THE OWNER AS PER SECTION 430.8 OF THE M.A.G. SPECIFICATIONS LIPON COMPLETION OF THE MAINTENANCE PERIOD THE OWNER WILL ASSUME MAINTENANCE RESPONSIBILITIES.
- 33 ALL LANDSCAPE AREAS & MATERIALS INCLUDING THOSE LOCATED IN THE RIGHT-OF-WAY SHALL BE MAINTAINED IN A HEALTHY, NEAT, WEED-FREE CONDITION.
 THIS SHALL BE THE RESPONSIBILITY OF THE
- 34. CONTRACTOR SHALL PROVIDE LANDSCAPE ARCHITECT WITH NURSERY SOURCE LIST AND DIGITAL IMAGES OF ALL PLANT MATERIALS FOR REVIEW PRIOR TO PROCUREMENT OF ANY PLANT MATERIAL AND PRIOR TO SCHEDULING NURSERY VISITS.

MCCORMICK STILLMAN RAILROAD PARK PLAYGROUND + SPLASH PAD SITE IMPROVEMENTS

7301 E INDIAN BEND ROAD SCOTTSDALE, AZ 85250



ROOT BARRIERS - REFER TO DETAIL 4 / L-201



APPROPRIATE CITY APPROVAL BLOCK

OWNER

CITY OF SCOTTSDALE 3939 N DRINKWATER BLVD SCOTTSDALE, AZ 85251

ARCHITECT

DWL ARCHITECTS 2333 N CENTRAL AVENUE PHOENIX, AZ 85004

CONTACT: MICHAEL VOORHEIS EMAIL: mwoorheis@dwarchitects.com PHONE: 602.264.9731

LANDSCAPE ARCHITECT

FLOOR ASSOCIATES, INC. 1425 N FIRST STREET, SUITE 200 PHOENIX AZ 85004

CONTACT: SPENCER OKESON EMAIL: spencer@floora PHONE: 602.462.1425

CIVIL ENGINEER

EPS GROUP, INC. 1130 N ALMA SCHOOL ROAD, STE 120

CONTACT: MIKE LOTEMPIO

2333 N Central Ave Phoenix AZ 85004 0 602.264.9731 dwlarchitects.com

PRELIMINARY NOT ISSUED FOR

CONSTRUCTION ELMAR

ioentk, AZ 8501

ROUNDHOUSE, SPLASH PAD & SITE IMPROVEMENTS SCOTTSDAL ОF



REVISIONS


DESIGN REVIEW BOARD

LANDSCAPE COVER SHEET

283-800 1-800-8TAKE-IT

LC-01

06/16/2023





PRELIMINARY NOT ISSUED FOR CONSTRUCTION

1425 N. First Street Second Floor Phoenix, AZ 85004

CITY OF SCOTTSDALE ROUNDHOUSE, SPLASH PAD & SITE IMPROVEMENTS



REVISIONS

DESIGN
REVIEW BOARD
© DORMING TO 2022
DAYL AND CHIEGETS + PLANNERS, INC.

OVERALL LANDSCAPE PLAN

L-100

SO / IK 20002 06/16/2023



2333 N Central Ave Phoenix AZ 85004 0 602.264.9731

PRELIMINARY NOT ISSUED FOR CONSTRUCTION

FLOOR

Second Floor Phoenix, AZ 85004

CITY OF SCOTTSDALE ROUNDHOUSE, SPLASH PAD & SITE IMPROVEMENTS



7301 E INDIAN BEND ROAD SCOTTSALE, AZ 85250

REVISIONS


DESIGN **REVIEW BOARD**



ENLARGED LANDSCAPE PLAN

L-101

SO / IK 20002 06/16/2023



SYM	BOTANICAL NAME COMMON NAME	SIZE	MIN. CAL HT X W	QTY.
011111	TREES	OILL	IIIXW	QII.
	QUERCUS FUSIFORMIS SOUTHERN LIVE OAK	48" BOX SINGLE	4" CAL 15' H X 9' W	01
(\cdot)	ACACIA ANEURA MULGA	36" BOX MULTI	2" CAL 10" H X 6" W	03
	FRAXINUS VELUTINA 'FAN TEX' FAN TEX ASH	36" BOX SINGLE	2.5" CAL 11' H X 7' W	10
1	ULMUS PARVIFOLIA CHINESE ELM	36" BOX SINGLE	2.5" CAL 12" H X 8" W	06
	EXISTING TREE TO REMAIN UNDISTURBED	VARIES	N/A	
	SHRUBS			
	LEUCOPHYLLUM X 'HEAVENLY CLOUD' HEAVENLY CLOUD SAGE	5 GAL		10
	RUELLIA SIMPLEX	5 GAL		206
	MEXICAN PETUNIA CAESALPINIA PULCHERRIMA	15 GAL		04
8	RED BIRD OF PARADISE DODONAEA VISCOSA HOPSEED	15 GAL		08
	ACCENTS			
*	ALOE BARBADENSIS MEDICINAL ALOE	5 GAL		156
(8)	ALOE 'ROOKAPPIE' LITTLE GEM ALOE	5 GAL		31
(1)	ASCLEPIAS SUBULATA DESERT MILKWEED	5 GAL		14
Tip I	DASYLIRION QUADRANGULATUM MEXICAN GRASS TREE	15 GAL		42
(a)	ECHINOPSIS PACHANOI SAN PEDRO CACTUS	15 GAL		09
A	FURCRAEA MACDOUGALII MACDOUGALL'S CENTURY PLANT	15 GAL		02
*	EUPHORBIA AMMAK 'VARIEGATA' CANDELABRA SPURGE	24" BOX		03
9	MUHLENBERGIA DUBIA PINE MUHLY	5 GAL		166
1	MUHLENBERGIA CAPILLARIS WHITE CLOUD' WHITE CLOUD MUHLY	5 GAL		178
	OPUNTIA ELLISIANA SPINELESS PRICKLY PEAR	15 GAL		08
+	PEDILANTHUS BRACTEATUS LADY SLIPPER	5 GAL		27
	GROUNDCOVER			
(4)	LANTANA X 'NEW GOLD' NEW GOLD LANTANA	1 GAL		96
•	MYOPORUM PARVIFOLIUM CREEPING MYOPORUM	1 GAL		48
	VINES			
A	PARTHENOCISSUS 'HACIENDA CREEPER' HACIENDA CREEPER VINE	15 GAL		07

NOTE: ALL TREES WITHIN 10' OF UNDERGROUND UTILITIES SHALL HAVE APPROVED ROOT BARRIERS - REFER TO DETAIL 4 / L-201

LANDSCAPE AREA TOPDRESS 10,745 SF SIZE: 1/2" SCREENED | COLOR: PAINTED DESERT (BY: ROCK PROS)

2333 N Central Ave Phoenix AZ 85004 o 602.264.9731 dwlarchitects.com

PRELIMINARY NOT ISSUED FOR CONSTRUCTION

FLAAR

1425 N. First Street Second Floor Phoenix, AZ 85004

CITY OF SCOTTSDALE ROUNDHOUSE, SPLASH PAD & SITE IMPROVEMENTS 7301 E INDIAN BEND ROAD SCOTTSALE, AZ 85250



REVISIONS

DESIGN

REVIEW BOARD

OCCUPYROUT 2022
DM. AND-TECTS - PLANNESS NO.



ENLARGED LANDSCAPE PLAN

L-102

SO / IK	KF KF		
06/16/2023	20002		

GENERAL NOTES

TO STARTING WORK

THE LANDSCAPE AND GENERAL CONTRACTORS SHALL REVIEW THIS PROJECT WITH THE LANDSCAPE ARCHITEC IN A "PRECONSTRUCTION MEETING" PRIOR TO STARTING WORK. THE LANDSCAPE ARCHITECT SHALL BE NOTHED IN WRITING OF ANY DISCREPANCIES REGARDING THESE

PRECONSTRUCTION MEETING AND WRITTEN AUTHORIZATION TO PROCEED IS ISSUED BY THE OWNER.

3. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS AT THE JOB SITE AND TO CROSS-CHECK DETAILS AND DIMENSIONS SHOWN ON THE DRAWINGS WITH RELATED. REQUIREMENTS ON THE ARCHITECTURAL, MECHANICAL. ELECTRICAL PLUMBING AND CIVIL DRAWINGS CONTRACTOR SHALL VERIFY ALL SITE CONDITIONS PRIOR

4. IN ALL CASES WHERE A CONFLICT MAY OCCUR. THE ANDSCADE ARCHITECT SHALL BE NOTIFIED AND WILL INTERPRET THE INTENT OF THE CONTRACT DOCUMENTS

S PRIOR TO THE COMMENCEMENT OF WORK THE . PRIOR TO THE COMMENCEMENT OF WORK, THE ONTRACTOR SHALL VERIFY LOCATIONS AND DEPTHS OF LL UNDERGROUND UTILITIES THAT MAY BE AFFECTED BY ONSTRUCTION AND SHALL BE RESPONSIBLE FOR AMAGES TO SUCH UTILITIES CAUSED AS A RESULT OF

6. CONTRACTOR SHALL BE RESPONSIBLE FOR SECURING ALL NECESSARY PERMITS AND SHALL NOTIFY ALL UTILITY COMPANIES WITH UTILITIES ON THE SITE PRIOR TO THE CONSTRUCTION OF THE PROJECT. CONTRACTOR SHALL ADHERE TO ALL APPLICABLE LOCAL, STATE AND FEDERAL LAWS OR REGULATIONS PERTAINING TO THE PROJECT.

. ALL WORKMANSHIP AND MATERIALS SHALL CONFORM TO LOCAL CODES.

8. CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONARY MEASURES TO PROTECT THE PUBLIC AND ADJACENT PROPERTIES FROM DAMAGE THROUGHOUT CONSTRUCTION

9. THE PROJECT 1 IMITS OF CONSTRUCTION SHALL BE FENCED OFF FROM SURROUNDING NATIVE VEGETATION.
FENCE LOCATIONS TO BE APPROVED BY THE LANDSCAPE.

10. ALL EXISTING VEGETATION, WEEDS, DEBRIS, ETC. SHALL BE REMOVED FROM THE PROJECT "LIMITS OF CONSTRUCTION" AND PROPERLY DISPOSED OF OFFSITE AT THE CONTRACTOR'S EXPENSE.

11. UNLESS OTHERWISE SPECIFIED ON THE PLANS, THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE

- DAMAGES TO UTILITIES CAUSED AS A RESULT
- OF CONSTRUCTION.
 DAMAGES TO EXISTING WALKS, WALLS, DRIVES, CURBS, ETC. INSPECTION OF THE SITE IN ORDER TO BE
- FULLY AWARE OF EXISTING CONDITIONS PRIOR TO SUBMITTING THE BID SITE SECURITY UNTIL PROJECT ACCEPTANCE

12 IN NO CASE SHALL WORKING DIMENSIONS RESCALED. FROM PLANS, SECTIONS OR DETAILS ON THE DRAWINGS.

13 REFER TO THE SPECIFICATIONS FOR ADDITIONAL

14. WHERE NO SPECIAL DETAIL IS SHOWN THE 14. WHERE NO SPECIFIC DETAIL IS SHOWN, THE CONSTRUCTION SHALL BE IDENTICAL OR SIMILAR TO THAT INDICATED FOR LIKE CASES OF CONSTRUCTION ON

15. CONTRACTOR SHALL REFERENCE CIVIL ENGINEERING DRAWINGS FOR GRADING AND DRAMAGE FLOWS AND SHALL BE RESPONSIBLE FOR MAINTAINING THESE FLOWS FREE OF OBSTRUCTIONS.

16. CONTRACTOR SHALL BE RESPONSIBLE FOR GRADING ALL AREAS AT THE DIRECTION OF THE LANDSCAPE ARCHITECT TO CREATE A NATURALLY UNDULATING

17. SLEEVES, VARIATIONS IN THE SLAB ELEVATIONS. DEPRESSED AREAS AND ALL OTHER ARCHITECTURAL MECHANICAL ELECTRICAL AND PLUMBING REQUIREMENTS MUST BE COORDINATED BEFORE THE CONTRACTOR PROCEEDS WITH CONSTRUCTION

18 DETAILS NOTED AS TYPICAL SHALL APPLY IN ALL CASES UNLESS SPECIFICALLY SHOWN OR NOTE: OTHERWISE

GROUND PLANE.

GENERAL NOTES

ALL ELEMENTS THAT ARE DESIGNATED TO BE REMOVED SHALL BE DISPOSED OF IN A LEGAL MANNER. PROVIDE RECEIPTS AND LETTERS FOR DUMPING TO OWNER FOR THEIR FILES.

 FOOTINGS SHALL BEAR ON UNDISTURBED SOIL OR COMPACTED FILL.
 A. THE EXPOSED LAYER OF EXISTING SOIL TO RECEIVE FILL SHALL BE SCARIFIED PRIOR TO PLACING FILL. FILL SHALL BE COMPACTED TO MOISTURE CONTENT IN ACCORDANCE WITH

HARDSCAPE LEGEND

FINISH: LIGHT BROOM

COLOR: NATURAL GRAY

COLOR: NATURAL GRAY

(BY: ROCK PROS)

REPAIR AS NEEDED

SAWCUT JOINTS - SEE PLAN FOR SIZE

BANDS TO BE POURED W/ ADJACENT CONCRETE

AND SANDRI AST APPLIED IN FIELD W/ STENCIL

CONCRETE PAVING IRAILROAD TRACKS

FINISH: DAYTON 05 TOPCAST (ACID ETCH) SAWCUT JOINTS @ 3'-0" O.C. STABILIZED DECOMPOSED GRANITE

SIZE: 1/4" MINUS I COLOR: PAINTED DESERT

ARTIFICIAL TURF (BY: FOREVER LAWN)

TYPE: DUPONT FOREVERLAWN SELECT

APPLY IN FIELD W/ STENCIL

COLOR: NATURAL GRAY

SITE DATA

PARCEL#

SUBDIVISON

LAT/LONG

LOT AREA

AREA

PARCEL ZONING

ON-SITE LANDSCAPE

RIGHT-OF-WAY

PARKING LOT

LANDSCAPING

LANDSCAPE AREA

WATER INTENSIVE

PARKING REO'D

LANDSCAPE DATA

BICYCLE PARKING

CITY OF SCOTTSALE RIKE PARKING REQUIREMENTS

EXISTING CONCRETE TO REMAIN,

EXISTING TUREGRASS TO REMAIN

LANDSCAPE AREA TOPDRESS
SIZE: 1/2* SCREENED | COLOR: PAINTED DESERT

CONCRETE PAVING AT SPLASH PAD

FINISH: DAYTON 03 TOPCAST (ACID ETCH) SAWCUT JOINTS - SEE PLAN FOR SIZE

Scottsdale, AZ 85250

174-19-001A, 174-19-003A

33.536765, -111.922537

S: R-4R IW: PRC PSD

15.756 SF (0.36 acres)

N/A (outside limit of work)

total allowable: 1,535 SF total proposed: 0 SF

required spaces: 10 (per master plan)

N: C-2/P-4 E: R1-43 | SW: R-4R HP

TOTAL: 1.179.431 SF (27 ACRES)

22-45

CONCRETE PAVING (BANDING)

FINISH: MEDIUM SANDBLAST

PAVING

CONCRETE PAVING COLOR: NATURAL GRAY

B. FILL MATERIAL SHALL BE CLEAN, NON-PLASTIC SOILS WITH LOW EXPANSIV POTENTIAL COMPACTED IN 8" MAX, HORIZONTAL JETS TO 95% OF MAXIMUM DRY DENSITY PER ASTM D698. SEE SOILS REPORT FOR ADDITIONAL NEORMATION

C. ALL WORK TO BE DEVIEWED BY A SOLIS ENGINEER REGISTERED IN THE STATE OF

FOOTINGS SHALL BEAR AT DEPTHS

EXCAVATIONS FOR FOUNDATIONS SHALL BE TO NEAT LINES OF FOOTINGS. ALL LOOSE MATERIALS SHALL BE REMOVED FROM FOOTING AREA PRIOR TO PLACING CONCRETE.

CLEAN, FIRM, INSPECTED BEARING MATERIAL

STANDARD ALLOWABLE SOIL BEARING PRESSURES FOR FOUNDATIONS ON COMPACTED SOIL SHALL BE 1500 PSF UNLESS NOTE OTHERWISE ON THE PLANS OR SPECIFICATIONS.

. ALL SUB-GRADES SHALL BE PREPARED PER RECOMMENDATIONS OF SOILS REPORT ENGINEER.

8. ALL CONSTRUCTION SHALL CONFORM TO ALL APPLICABLE CODES REGULATIONS AND ORDINANCES. (CITY, STATE, COUNTY AND HEALTH DEPARTMENT.)

9. THE CONTRACTOR SHALL COORDINATE HIS WORK AS REQUIRED WITH THAT OF OTHER CONTRACTORS ON THE SITE TO ENSURE

10. CONTRACTOR SHALL SUBMIT SIX (6) COPIES OF PRODUCT DATA FOR ALL PROPOSED EQUIPMENT TO CITY OF PHOENIX PROJECT MANAGER FOR REVIEW.

11. NO DESIGN MODIFICATIONS SHALL BE MADE WITHOUT THE CITY OF PHOENIX PROJECT MANAGER'S WRITTEN APPROVAL.

DEMOLITION NOTES

1. ALL TREES AND SHRUBS DESIGNATED ON THIS PLAN TO BE SALVAGED OR DEMOLISHED SHALL BE DONE SO BY CONTRACTOR.

2 ALL TREES DESIGNATED ON THIS PLAN TO REMAIN SHALL BE PROTECTED DURING CONSTRUCTION

3 ALL TREES AND SHRUBS DESIGNATED TO BE COMPLETELY REMOVED.


ALL ADDAG NOT DISTURBED BY PRIOR TO INSTALLING CONSTRUCTION

5 ALL VEGETATION TO REMAIN IN PLACE UNLESS NOTED OTHERWISE. ANY CONFLICTS BETWEEN EXISTING VEGETATION AND GRADING OR CONSTRUCTION SHALL BE REVIEWED WITH THE LANDSCAPE ARCHITECT

6. LOCATION OF DESIGNATED TREES AND SHRUBS ON PLAN ARE APPROXIMATE AND SHALL BE VERIEIED IN EIELD BY CONTRACTOR

MCCORMICK STILLMAN RAILROAD PARK PLAYGROUND + SPLASH PAD SITE IMPROVEMENTS

7301 E INDIAN BEND ROAD SCOTTSDALE, AZ 85250



OR: OR:

HARD	SCAP	E SI	HEET	IND	ΞX

SHEET#	DESCRIPTION	(04/28/23) ISSUED FC DESIGN DEVELOPM	(06/16/23) ISSUED FC DESIGN REVIEW BO		
HC-01	HARDSCAPE COVER SHEET	х	Х		
H-100	OVERALL HARDSCAPE PLAN	Х	Х		
H-101	PARTIAL HARDSCAPE PLAN	Х	Х		
H-102	PARTIAL HARDSCAPE PLAN	×	Х		
H-201	HARDSCAPE LAYOUT PLAN				
H-202	HARDSCAPE LAYOUT PLAN				
H-301	HARDSCAPE SECTIONS / ELEVATIONS	×	Х		
H-401	HARDSCAPE DETAILS	Х	Х		
H-402	HARDSCAPE DETAILS	х	Х		
H-403	HARDSCAPE DETAILS	×	×		

OWNER

CITY OF SCOTTSDALE 3939 N DRINKWATER BLVD SCOTTSDALE, AZ 85251

ARCHITECT

DWL ARCHITECTS 2333 N CENTRAL AVENUE PHOENIX, AZ 85004

CONTACT: MICHAEL VOORHEIS EMAIL: mwoorheis@dwarchitects.com PHONE: 602.264.9731

LANDSCAPE ARCHITECT

FLOOR ASSOCIATES, INC. 1425 N FIRST STREET, SUITE 200 PHOENIX AZ 85004

CONTACT: SPENCER OKESON EMAIL: spencer@floora PHONE: 602.462.1425

CIVIL ENGINEER

EPS GROUP, INC. 1130 N ALMA SCHOOL ROAD, STE 120 MESA, AZ 85201

CONTACT: MIKE LOTEMPIO

SYMBOL LEGEND



DETAIL



ELEVATION



SECTION



KEYNOTE



SPOT ELEVATION

ABBREVIATION LEGEND

FINISH SURFACE FS FINISH GRADE TOP OF STRUCTURAL DECK TOP OF WALL FINISH FLOOR GRADE

LINETYPE LEGEND

OVERHANG ABOVE

---- LIMIT OF GARAGE BELOW SCREEN WALL

— — SIGHT-VISIBILITY TRIANGLE — - — GRID LINE

····· FENCE

FG FINISH GRADE (PER CIVIL)

TW TOP OF WALI

C CONCRETE

TR TOP OF RAMP AFG ABOVE FINISH GRADE

BFG BELOW FINISH GRADE

FINISH GRADE (FG) DOES NOT INCLUDE DECOMPOSED GRANITE TOPORESS



PRELIMINARY NOT ISSUED FOR CONSTRUCTION



ioentk, AZ 8501

OUNDHOUSE, SPLASH PAD SITE IMPROVEMENTS ROUNDHOUSE,

SCOTTSDAL

ОF

CITY




REVISIONS

DESIGN REVIEW BOARD

HARDSCAPE COVER SHEET

HC-01

SO / IK





PRELIMINARY NOT ISSUED FOR CONSTRUCTION

1425 N. First Street Second Floor Phoenix, AZ 85004

CITY OF SCOTTSDALE ROUNDHOUSE, SPLASH PAD & SITE IMPROVEMENTS



REVISIONS

DESIGN

REVIEW BOARD


OCCUPYING TOUS

ONLARCHIECTS - PLANNERS INC.

OVERALL HARDSCAPE PLAN

H-100

SO / IK	KF
06/16/2023	20002



2333 N Central Ave Phoenix AZ 85004

PRELIMINARY NOT ISSUED FOR CONSTRUCTION





7301 E INDIAN BEND ROAD SCOTTSALE, AZ 85250


DESIGN REVIEW BOARD





ENLARGED HARDSCAPE PLAN


H-101


SO / IK	KF KF
06/16/2023	20002















2 SOUTH FACADE PERSPECTIVE

1 ENTRY PERSPECTIVE



WEST FACADE PERSPECTIVE
12" = 1'-0"

6/16/2023 10:56:56 AM



4 SPLASH PAD PERSPECTIVE

ARCHITECTS+
2333 N Gentral Ave
Phoenix AZ 85004
0 602.264.9731
dwierchilects.com

CITY OF SCOTTSDALE
ROUNDHOUSE, SPLASH PAD &
SITE IMPROVEMENTS

RAILROAD -PARK-

REVISIONS
Description Date

DEVELOPMENT
APPLICATION

OCCUPATION 1023
DIVILABILITETS - PLANNERS, NO.



PERSPECTIVES

42.0

1) FUTURE ENTRY PERSPECTIVE



TO FUTURE WEST FACADE PERSPECTIVE



FUTURE SOUTH FACADE PERSPECTIVE

ARCHITECT'S NOTE:
"FUTURE" PERSPECTIVES INCLUDE ADDITIONAL BUILDING COMPONENTS (ROUNDHOUSE DOORS,
DECORATIVE CHIMNEYS) THAT ARE CURRENTLY POTENTIAL ADDITIONAL FEATURES THAT MAY BE INCLUDED
IN THE PROJECT SCOPE IF FUNDING IS APPROVED, OR MAY BE ADDED WITH A FUTURE IMPROVEMENT.



FUTURE SPLASH PAD PERSPECTIVE (NO CHANGE)



CITY OF SCOTTSDALE
ROUNDHOUSE, SPLASH PAD
SITE IMPROVEMENTS



REVISIONS
Description Date

DEVELOPMENT APPLICATION




FUTURE PERSPECTIVES

42.1

RANKIN VOORHEI:

RANKIN 1 PROJECT NUMBER:
6/16/2023 1939.00



75.02

DWL PROJECT NUMBER: DATE:







MAS-2



ALUM-1




PC-1



GL-1



CITY OF SCOTTSDALE



Zoning Aerial

16-DR-2023

City Notifications – McCormick Stillman Railroad Park Improvements

